

附录 1 中国哺乳动物多样性编目(第 2 版)
 Appendix 1 Inventory of China's mammal diversity (2nd edition)

名称 Names	特有种 Endemic sp.	名称 Names	特有种 Endemic sp.
劳亚食虫目 EULIPOTYPHILA			
猬科 ERINACEIDAE			
中国毛猬 <i>Hylomys suillus</i>		云南鼯鼠 <i>Sorex excelsus</i>	
海南新毛猬 <i>Neohylomys hainanensis</i>	√	细鼯鼠 <i>Sorex gracillimus</i>	
中国鼯鼠 <i>Neotetracus sinensis</i>		远东鼯鼠 <i>Sorex isodon</i>	
东北刺猬 <i>Erinaceus amurensis</i>		柯氏鼯鼠 <i>Sorex kozlovi</i>	√
大耳猬 <i>Hemiechinus auritus</i>		姬鼯鼠 <i>Sorex minutissimus</i>	
达乌尔猬 <i>Mesechinus dauuricus</i>		小鼯鼠 <i>Sorex minutus</i>	
侯氏猬 <i>Mesechinus hughi</i> *	√	大鼯鼠 <i>Sorex mirabilis</i>	
小齿猬 <i>Mesechinus miodon</i>	√	克什米尔鼯鼠 <i>Sorex planiceps</i>	
林猬 <i>Mesechinus sylvaticus</i> *	√	扁颅鼯鼠 <i>Sorex roboratus</i>	
高黎贡林猬 <i>Mesechinus</i> sp.	√	陕西鼯鼠 <i>Sorex sinalis</i>	√
鼯鼠科 TALPIDAE		藏鼯鼠 <i>Sorex thibetanus</i>	√
等齿鼯鼠 <i>Uropsilus aequodonia</i>	√	苔原鼯鼠 <i>Sorex tundrensis</i>	
峨眉鼯鼠 <i>Uropsilus andersoni</i>	√	长爪鼯鼠 <i>Sorex unguiculatus</i>	
长吻鼯鼠 <i>Uropsilus gracilis</i>		淡灰黑齿鼯鼠 <i>Blarinella griselda</i>	
贡山鼯鼠 <i>Uropsilus investigator</i>	√	川鼯鼠 <i>Blarinella quadratauda</i>	√
鼯鼠 <i>Uropsilus soricipes</i>	√	狭颅黑齿鼯鼠 <i>Blarinella wardi</i>	
长尾鼯鼠 <i>Scaptonyx fuscicaudus</i>		大爪长尾鼯鼠 <i>Soriculus nigrescens</i>	
甘肃鼯鼠 <i>Scapanulus oweni</i>	√	米什米长尾鼯鼠 <i>Episoriculus baileyi</i>	
宽齿鼯鼠 <i>Euroscaptor grandis</i>	√	长尾鼯鼠 <i>Episoriculus caudatus</i>	
长吻鼯鼠 <i>Euroscaptor longirostris</i>		台湾长尾鼯鼠 <i>Episoriculus fumidus</i>	√
短尾鼯鼠 <i>Euroscaptor micrura</i>		大长尾鼯鼠 <i>Episoriculus leucops</i>	
小齿鼯鼠 <i>Euroscaptor parvidens</i>		缅甸长尾鼯鼠 <i>Episoriculus macrurus</i>	
台湾缺齿鼯鼠 <i>Mogera kanoana</i>	√	灰腹长尾鼯鼠 <i>Episoriculus sacratu</i>	√
华南缺齿鼯鼠 <i>Mogera insularis</i>		高氏缺齿鼯鼠 <i>Chodsigoa caovansunga</i>	
缺齿鼯鼠 <i>Mogera robusta</i>		霍氏缺齿鼯鼠 <i>Chodsigoa hoffmanni</i>	
小缺齿鼯鼠 <i>Mogera wogura</i>		烟黑缺齿鼯鼠 <i>Chodsigoa furva</i>	
钓鱼岛鼯鼠 <i>Mogera uchidai</i>	√	川西缺齿鼯鼠 <i>Chodsigoa hypsibia</i>	√
白尾鼯鼠 <i>Parascaptor leucura</i>		小缺齿鼯鼠 <i>Chodsigoa lamula</i>	√
麝鼯鼠 <i>Scaptochirus moschatus</i>	√	云南缺齿鼯鼠 <i>Chodsigoa parca</i>	
鼯鼠科 SORICIDAE		滇北长尾鼯鼠 <i>Chodsigoa parva</i>	√
天山鼯鼠 <i>Sorex asper</i>		大缺齿鼯鼠 <i>Chodsigoa salenskii</i>	√
小纹背鼯鼠 <i>Sorex bedfordiae</i>		斯氏缺齿鼯鼠 <i>Chodsigoa smithii</i>	√
帕米尔鼯鼠 <i>Sorex buchariensis</i>		细尾缺齿鼯鼠 <i>Chodsigoa sodalis</i>	√
中鼯鼠 <i>Sorex caecutiens</i>		水鼯鼠 <i>Neomys fodiens</i>	
甘肃鼯鼠 <i>Sorex cansulus</i>	√	微尾鼯鼠 <i>Anourosorex squamipes</i>	
纹背鼯鼠 <i>Sorex cylindricauda</i>	√	台湾短尾鼯鼠 <i>Anourosorex yamashinai</i>	√
栗齿鼯鼠 <i>Sorex daphaenodon</i>		喜马拉雅水麝鼯鼠 <i>Chimarroale himalayica</i>	
		利安得水麝鼯鼠 <i>Chimarroale leander</i>	
		灰腹水鼯鼠 <i>Chimarroale styani</i>	

名称 Names	特有种 Endemic sp.	名称 Names	特有种 Endemic sp.
蹠足鼯 <i>Nectogale elegans</i>		马氏菊头蝠 <i>Rhinolophus marshalli</i>	
小臭鼯 <i>Suncus etruscus</i>		单角菊头蝠 <i>Rhinolophus monoceros</i>	√
臭鼯 <i>Suncus murinus</i>		丽江菊头蝠 <i>Rhinolophus osgoodi</i>	√
灰麝鼯 <i>Crocidura attenuata</i>		高鞍菊头蝠 <i>Rhinolophus paradoxolophus</i>	
白尾梢麝鼯 <i>Crocidura fuliginosa</i>		皮氏菊头蝠 <i>Rhinolophus pearsoni</i>	
格氏小麝鼯 <i>Crocidura gmelini</i>		小菊头蝠 <i>Rhinolophus pusillus</i>	
南小麝鼯 <i>Crocidura indochinensis</i>		贵州菊头蝠 <i>Rhinolophus rex</i>	√
大麝鼯 <i>Crocidura lasiura</i>		施氏菊头蝠 <i>Rhinolophus schmitzleri</i>	√
白齿麝鼯 <i>Crocidura leucodon</i>		中华菊头蝠 <i>Rhinolophus sinicus</i>	
华南中麝鼯 <i>Crocidura rapax</i>	√	小褐菊头蝠 <i>Rhinolophus stheno</i>	
山东小麝鼯 <i>Crocidura shantungensis</i>		葛氏菊头蝠 <i>Rhinolophus subbadius</i>	
西伯利亚麝鼯 <i>Crocidura sibirica</i>		托氏菊头蝠 <i>Rhinolophus thomasi</i>	
台湾长尾麝鼯 <i>Crocidura tanakae</i>	√	楔鞍菊头蝠 <i>Rhinolophus xinanzhongguoensis</i>	√
西南中麝鼯 <i>Crocidura vorax</i>		云南菊头蝠 <i>Rhinolophus yunanensis</i>	
五指山小麝鼯 <i>Crocidura wuchihensis</i>			
攀鼯目 SCANDENTIA		蹄蝠科 HIPPOSIDERIDAE	
树鼯科 TUPAIIDAE		大蹄蝠 <i>Hipposideros armiger</i>	
北树鼯 <i>Tupaia belangeri</i>		灰小蹄蝠 <i>Hipposideros cineraceus</i>	
翼手目 CHIROPTERA		大耳小蹄蝠 <i>Hipposideros fulvus</i>	
狐蝠科 PTEROPODIDAE		中蹄蝠 <i>Hipposideros larvatus</i>	
抱尾果蝠 <i>Rousettus amplexicaudatus</i>		莱氏蹄蝠 <i>Hipposideros lylei</i>	
棕果蝠 <i>Rousettus leschenaultii</i>		小蹄蝠 <i>Hipposideros pomona</i>	
琉球狐蝠 <i>Pteropus dasymallus</i>		普氏蹄蝠 <i>Hipposideros pratti</i>	
印度大狐蝠 <i>Pteropus giganteus</i>		三叶蹄蝠 <i>Aselliscus stoliczkanus</i>	
短耳犬蝠 <i>Cynopterus brachyotis</i>		无尾蹄蝠 <i>Coelops frithii</i>	
犬蝠 <i>Cynopterus sphinx</i>		犬吻蝠科 MOLOSSIDAE	
球果蝠 <i>Sphaerias blanfordi</i>		宽耳犬吻蝠 <i>Tadarida insignis</i>	
长舌果蝠 <i>Eonycteris spelaea</i>		华北犬吻蝠 <i>Tadarida latouchei</i>	
安氏长舌果蝠 <i>Macroglossus sobrinus</i>		皱唇犬吻蝠 <i>Tadarida plicata</i>	
无尾果蝠 <i>Megaerops ecaudatus</i>		蝙蝠科 VESPERTILIONIDAE	
泰国无尾果蝠 <i>Megaerops niphanae</i>		西南鼠耳蝠 <i>Myotis altarium</i>	
鞘尾蝠科 EMBALLONURIDAE		缺齿鼠耳蝠 <i>Myotis annectans</i>	
黑髯墓蝠 <i>Taphozous melanopogon</i>		栗鼠耳蝠 <i>Myotis badius</i>	√
大墓蝠 <i>Taphozous theobaldi</i>		尖耳鼠耳蝠 <i>Myotis blythii</i>	
假吸血蝠科 MEGADERMATIDAE		远东鼠耳蝠 <i>Myotis bombinus</i>	
印度假吸血蝠 <i>Megaderma lyra</i>		布氏鼠耳蝠 <i>Myotis brandtii</i>	
马来假吸血蝠 <i>Megaderma spasma</i>		中华鼠耳蝠 <i>Myotis chinensis</i>	
菊头蝠科 RHINOLOPHIDAE		沼泽鼠耳蝠 <i>Myotis dasycneme</i>	
中菊头蝠 <i>Rhinolophus affinis</i>		大卫鼠耳蝠 <i>Myotis davidii</i>	√
马铁菊头蝠 <i>Rhinolophus ferrumequinum</i>		毛腿鼠耳蝠 <i>Myotis fimbriatus</i>	√
台湾菊头蝠 <i>Rhinolophus formosae</i>	√	绯鼠耳蝠 <i>Myotis formosus</i>	
华南菊头蝠 <i>Rhinolophus huananus</i>	√	长尾鼠耳蝠 <i>Myotis frater</i>	
短翼菊头蝠 <i>Rhinolophus lepidus</i>		小巨足鼠耳蝠 <i>Myotis hasseltii</i>	
大菊头蝠 <i>Rhinolophus luctus</i>		霍氏鼠耳蝠 <i>Myotis horsfieldii</i>	
大耳菊头蝠 <i>Rhinolophus macrotis</i>		伊氏鼠耳蝠 <i>Myotis ikonnikovi</i>	
		华南水鼠耳蝠 <i>Myotis laniger</i>	

名称 Names	特有种 Endemic sp.	名称 Names	特有种 Endemic sp.
宽吻鼠耳蝠 <i>Myotis latirostris</i>	√	大耳蝠 <i>Plecotus auritus</i>	
长指鼠耳蝠 <i>Myotis longipes</i>		灰大耳蝠 <i>Plecotus austriacus</i>	
大趾鼠耳蝠 <i>Myotis macrodactylus</i>		台湾大耳蝠 <i>Plecotus taivanus</i>	√
山地鼠耳蝠 <i>Myotis montivagus</i>		亚洲长翼蝠 <i>Miniopterus schreibersii</i>	
喜山鼠耳蝠 <i>Myotis muricola</i>		几内亚长翼蝠 <i>Miniopterus magnater</i>	
纳氏鼠耳蝠 <i>Myotis nattereri</i>		南长翼蝠 <i>Miniopterus pusillus</i>	
尼泊尔鼠耳蝠 <i>Myotis nipalensis</i>		金管鼻蝠 <i>Murina aurata</i>	
北京鼠耳蝠 <i>Myotis pequinus</i>	√	黄胸管鼻蝠 <i>Murina bicolor</i>	√
东亚水鼠耳蝠 <i>Myotis petax</i>		金毛管鼻蝠 <i>Murina chrysochaetes</i>	√
大足鼠耳蝠 <i>Myotis pilosus</i>		圆耳管鼻蝠 <i>Murina cyclotis</i>	
渡濂氏鼠耳蝠 <i>Myotis rufoniger</i>		艾氏管鼻蝠 <i>Murina eleryi</i>	
高颅鼠耳蝠 <i>Myotis siligorensis</i>		梵净山管鼻蝠 <i>Murina fanjingshanensis</i>	√
台湾鼠耳蝠 <i>Myotis taiwanensis</i>	√	姬管鼻蝠 <i>Murina gracilis</i>	√
东亚伏翼 <i>Pipistrellus abramus</i>		哈氏管鼻蝠 <i>Murina harrisoni</i>	
锡兰伏翼 <i>Pipistrellus ceylonicus</i>		东北管鼻蝠 <i>Murina hilgendorfi</i>	
印度伏翼 <i>Pipistrellus coromandra</i>		中管鼻蝠 <i>Murina huttoni</i>	
爪哇伏翼 <i>Pipistrellus javanicus</i>		白腹管鼻蝠 <i>Murina leucogaster</i>	
古氏伏翼 <i>Pipistrellus kuhlii</i>		罗蕾莱管鼻蝠 <i>Murina lorelieae</i>	√
棒茎伏翼 <i>Pipistrellus paterculus</i>		台湾管鼻蝠 <i>Murina puta</i>	√
普通伏翼 <i>Pipistrellus pipistrellus</i>		隐姬管鼻蝠 <i>Murina recondita</i>	√
小伏翼 <i>Pipistrellus tenuis</i>		水甫管鼻蝠 <i>Murina shuipuensis</i>	√
大黑伏翼 <i>Arielulus circumdatus</i>		乌苏里管鼻蝠 <i>Murina ussuriensis</i>	
黄喉黑伏翼 <i>Arielulus torquatus</i>	√	毛翼管鼻蝠 <i>Harpiocephalus harpia</i>	
茶褐伏翼 <i>Falsistrellus affinis</i>		哈氏彩蝠 <i>Kerivoula hardwickii</i>	
大灰伏翼 <i>Falsistrellus mordax</i>		彩蝠 <i>Kerivoula picta</i>	
灰伏翼 <i>Hypsugo pulveratus</i>		泰坦尼亚彩蝠 <i>Kerivoula titania</i>	
萨氏伏翼 <i>Hypsugo savii</i>			
道氏伏翼 <i>Scotozous dormeri</i>			
南蝠 <i>Ia io</i>			
双色蝙蝠 <i>Vespertilio murinus</i>			
东方蝙蝠 <i>Vespertilio sinensis</i>			
北棕蝠 <i>Eptesicus nilssoni</i>			
肥耳棕蝠 <i>Eptesicus pachyotis</i>			
大棕蝠 <i>Eptesicus serotinus</i>			
大山蝠 <i>Nyctalus aviator</i>			
褐山蝠 <i>Nyctalus noctula</i>			
中华山蝠 <i>Nyctalus plancyi</i>	√		
扁颅蝠 <i>Tylonycteris pachypus</i>			
小扁颅蝠 <i>Tylonycteris pygmaeus</i>	√		
褐扁颅蝠 <i>Tylonycteris robustula</i>			
北京宽耳蝠 <i>Barbastella beijingensis</i>	√		
亚洲宽耳蝠 <i>Barbastella leucomelas</i>			
斑蝠 <i>Scotomanes ornatus</i>			
大黄蝠 <i>Scotophilus heathi</i>			
小黄蝠 <i>Scotophilus kuhlii</i>			
		灵长目 PRIMATES	
		懒猴科 LORISIDAE	
		蜂猴 <i>Nycticebus bengalensis</i>	
		倭蜂猴 <i>Nycticebus pygmaeus</i>	
		猴科 CERCOPITHECIDAE	
		短尾猴 <i>Macaca arctoides</i>	
		熊猴 <i>Macaca assamensis</i>	
		台湾猴 <i>Macaca cyclopis</i>	
		北豚尾猴 <i>Macaca leonina</i>	
		白颊猕猴 <i>Macaca leucogenys</i>	√
		猕猴 <i>Macaca mulatta</i>	
		达旺猴 <i>Macaca munzala</i>	
		藏酋猴 <i>Macaca thibetana</i>	√
		长尾叶猴 <i>Semnopithecus schistaceus</i>	
		印支灰叶猴 <i>Trachypithecus crepusculus</i>	
		黑叶猴 <i>Trachypithecus francoisi</i>	
		菲氏叶猴 <i>Trachypithecus phayrei</i>	
		戴帽叶猴 <i>Trachypithecus pileatus</i>	
		白头叶猴 <i>Trachypithecus poliocephalus</i>	

名称 Names	特有种 Endemic sp.	名称 Names	特有种 Endemic sp.
萧氏叶猴 <i>Trachypithecus shortridgei</i>		石貂 <i>Martes foina</i>	
滇金丝猴 <i>Rhinopithecus bieti</i>	√	紫貂 <i>Martes zibellina</i>	
黔金丝猴 <i>Rhinopithecus brelichi</i>	√	貂熊 <i>Gulo gulo</i>	
川金丝猴 <i>Rhinopithecus roxellana</i>	√	香鼬 <i>Mustela altaica</i>	
缅甸金丝猴 <i>Rhinopithecus strykeri</i>		白鼬 <i>Mustela erminea</i>	
长臂猿科 HYLOBATIDAE		艾鼬 <i>Mustela eversmanni</i>	
白掌长臂猿 <i>Hylobates lar</i>		黄腹鼬 <i>Mustela kathiah</i>	
西白眉长臂猿 <i>Hoolock hoolock</i>		伶鼬 <i>Mustela nivalis</i>	
东白眉长臂猿 <i>Hoolock leuconedys</i>		黄鼬 <i>Mustela sibirica</i>	
高黎贡白眉长臂猿 <i>Hoolock tianxing</i>	√	纹鼬 <i>Mustela strigidorsa</i>	
西黑冠长臂猿 <i>Nomascus concolor</i>		虎鼬 <i>Vormela peregusna</i>	
东黑冠长臂猿 <i>Nomascus nasutus</i>		鼬獾 <i>Melogale moschata</i>	
海南长臂猿 <i>Nomascus hainanus</i>	√	缅甸鼬獾 <i>Melogale personata</i>	
北白颊长臂猿 <i>Nomascus leucogenys</i>		亚洲狗獾 <i>Meles leucurus</i>	
人科 HOMINIDAE		猪獾 <i>Arctonyx collaris</i>	
智人 <i>Homo sapiens</i>		水獭 <i>Lutra lutra</i>	
鳞甲目 PHOLIDOTA		江獭 <i>Lutrogale perspicillata</i>	
犛鲤科 MANIDAE		小爪水獭 <i>Aonyx cinerea</i>	
印度穿山甲 <i>Manis crassicaudata</i>		海豹科 PHOCIDAE	
马来穿山甲 <i>Manis javanica</i>		斑海豹 <i>Phoca largha</i>	
穿山甲 <i>Manis pentadactyla</i>		环斑小头海豹 <i>Pusa hispida</i>	
食肉目 CARNIVORA		髯海豹 <i>Erignathus barbatus</i>	
犬科 CANIDAE		灵猫科 VIVERRIDAE	
亚洲胡狼 <i>Canis aureus</i>		大斑灵猫 <i>Viverra megaspila</i>	
狼 <i>Canis lupus</i>		大灵猫 <i>Viverra zibetha</i>	
孟加拉狐 <i>Vulpes bengakensis</i>		小灵猫 <i>Viverricula indica</i>	
沙狐 <i>Vulpes corsac</i>		斑林狸 <i>Prionodon pardicolor</i>	
藏狐 <i>Vulpes ferrilata</i>		椰子猫 <i>Paradoxurus hermaphroditus</i>	
赤狐 <i>Vulpes vulpes</i>		果子狸 <i>Paguma larvata</i>	
貉 <i>Nyctereutes procyonoides</i>		熊狸 <i>Arctictis binturong</i>	
豺 <i>Cuon alpinus</i>		小齿狸 <i>Arctogalidia trivirgata</i>	
熊科 URSIDAE		缟灵猫 <i>Chrotogale owstoni</i>	
懒熊 <i>Melursus ursinus</i>		灰獾 <i>Herpestes edwardsii</i>	
棕熊 <i>Ursus arctos</i>		獾科 HERPESTIDAE	
黑熊 <i>Ursus thibetanus</i>		爪哇獾 <i>Herpestes javanicus</i>	
马来熊 <i>Helarctos malayanus</i>		食蟹獾 <i>Herpestes urva</i>	
大熊猫科 AILUROPODIDAE		猫科 FELIDAE	
大熊猫 <i>Ailuropoda melanoleuca</i>	√	荒漠猫 <i>Felis bieti</i>	
小熊猫科 AILURIDAE		丛林猫 <i>Felis chaus</i>	
小熊猫 <i>Ailurus fulgens</i>		野猫 <i>Felis silvestris</i>	
海狮科 OTARIIDAE		渔猫 <i>Felis viverrinus</i>	
北海狗 <i>Callorhinus ursinus</i>		兔狲 <i>Otocolobus manul</i>	
北海狮 <i>Eumetopias jubatus</i>		豹猫 <i>Prionailurus bengalensis</i>	
鼬科 MUSTELIDAE		猞猁 <i>Lynx lynx</i>	
黄喉貂 <i>Martes flavigula</i>		云猫 <i>Pardofelis marmorata</i>	

名称 Names	特有种 Endemic sp.	名称 Names	特有种 Endemic sp.
金猫 <i>Pardofelis temminckii</i>		赤鹿 <i>Muntiacus vaginalis</i>	
云豹 <i>Neofelis nebulosa</i>		豚鹿 <i>Axis porcinus</i>	
金钱豹 <i>Panthera pardus</i>		水鹿 <i>Cervus equinus</i>	
虎 <i>Panthera tigris</i>		梅花鹿 <i>Cervus hortulorum</i>	
雪豹 <i>Panthera uncia</i>		西藏马鹿 <i>Cervus wallichii</i>	√
海牛目 SIRENIA		东北马鹿 <i>Cervus canadensis</i>	
儒艮科 DUGONGIDAE		马鹿 <i>Cervus yarkandensis</i>	√
儒艮 <i>Dugong dugon</i>		坡鹿 <i>Panolia siamensis</i>	
长鼻目 PROBOSCIDEA		白唇鹿 <i>Przewalskium albirostris</i>	√
象科 ELEPHANTIDAE		麋鹿 <i>Elaphurus davidianus</i>	√
亚洲象 <i>Elephas maximus</i>		狍 <i>Capreolus pygargus</i>	
奇蹄目 PERISSODACTYLA		驼鹿 <i>Alces alces</i>	
犀科 RHINOCEROTIDAE		驯鹿 <i>Rangifer tarandus</i>	
双角犀 <i>Dicerorhinus sumatrensis</i>		牛科 BOVIDAE	
爪哇犀 <i>Rhinoceros sondaicus</i>		大额牛 <i>Bos frontalis</i>	
大独角犀 <i>Rhinoceros unicornis</i>		印度野牛 <i>Bos gaurus</i>	
马科 EQUIDAE		爪哇野牛 <i>Bos javanicus</i>	
野马 <i>Equus ferus</i>		野牦牛 <i>Bos mutus</i>	
蒙古野驴 <i>Equus hemionus</i>		野水牛 <i>Bubalus arnee</i>	
藏野驴 <i>Equus kiang</i>		蒙原羚 <i>Procapra gutturosa</i>	
偶蹄目 ARTIODACTYLA		藏原羚 <i>Procapra picticaudata</i>	√
猪科 SUIDAE		普氏原羚 <i>Procapra przewalskii</i>	√
野猪 <i>Sus scrofa</i>		鹅喉羚 <i>Gazella yarkandensis</i>	
骆驼科 CAMELIDAE		藏羚 <i>Pantholops hodgsonii</i>	√
野骆驼 <i>Camelus ferus</i>		高鼻羚羊 <i>Saiga tatarica</i>	
鬣鹿科 TRAGULIDAE		秦岭羚牛 <i>Budorcas bedfordi</i>	√
小麂鹿 <i>Tragulus sp.</i>		四川羚牛 <i>Budorcas tibetanus</i>	√
麝科 MOSCHIDAE		不丹羚牛 <i>Budorcas whitei</i>	
安徽麝 <i>Moschus anhuiensis</i>	√	贡山羚牛 <i>Budorcas taxicolor</i>	
林麝 <i>Moschus berezovskii</i>		赤斑羚 <i>Naemorhedus baileyi</i>	
马麝 <i>Moschus chrysogaster</i>		长尾斑羚 <i>Naemorhedus caudatus</i>	
黑麝 <i>Moschus fuscus</i>	√	缅甸斑羚 <i>Naemorhedus evansi</i>	
喜马拉雅麝 <i>Moschus leucogaster</i>		喜马拉雅斑羚 <i>Naemorhedus goral</i>	
原麝 <i>Moschus moschiferus</i>		中华斑羚 <i>Naemorhedus griseus</i>	
鹿科 CERVIDAE		塔尔羊 <i>Hemitragus jemlahicus</i>	
獐 <i>Hydropotes inermis</i>		北山羊 <i>Capra sibirica</i>	
毛冠鹿 <i>Elaphodus cephalophus</i>		岩羊 <i>Pseudois nayaur</i>	
黑鹿 <i>Muntiacus crinifrons</i>	√	阿尔泰盘羊 <i>Ovis ammon</i>	
林鹿 <i>Muntiacus feae</i>		哈萨克盘羊 <i>Ovis collium</i>	
贡山鹿 <i>Muntiacus gongshanensis</i>	√	戈壁盘羊 <i>Ovis darwini</i>	
麇 <i>Muntiacus muntiacus</i>		西藏盘羊 <i>Ovis hodgsoni</i>	√
印度鹿 <i>Muntiacus muntjak</i>		雅布赖盘羊 <i>Ovis jubata</i>	
叶鹿 <i>Muntiacus putaoensis</i>		天山盘羊 <i>Ovis karelini</i>	
小鹿 <i>Muntiacus reevesi</i>	√	帕米尔盘羊 <i>Ovis polii</i>	

名称 Names	特有种 Endemic sp.	名称 Names	特有种 Endemic sp.
中华鬣羚 <i>Capricornis milneedwardsii</i>		太平洋斑纹海豚 <i>Lagenorhynchus obliquidens</i>	
台湾鬣羚 <i>Capricornis swinhoei</i>	√	瓜头鲸 <i>Peponocephala electra</i>	
喜马拉雅鬣羚 <i>Capricornis thar</i>		虎鲸 <i>Orcinus orca</i>	
鲸目 CETACEA		伪虎鲸 <i>Pseudorca crassidens</i>	
露脊鲸科 BALAENIDAE		小虎鲸 <i>Feresa attenuata</i>	
北太平洋露脊鲸 <i>Eubalaena japonica</i>		短肢领航鲸 <i>Globicephala macrorhynchus</i>	
灰鲸科 ESCHRICHTIIDAE		啮齿目 RODENTIA	
灰鲸 <i>Eschrichtius robustus</i>		松鼠科 SCIURIDAE	
须鲸科 BALAENOPTERIDAE		松鼠 <i>Sciurus vulgaris</i>	
小须鲸 <i>Balaenoptera acutorostrata</i>		金背松鼠 <i>Callosciurus caniceps</i>	
塞鲸 <i>Balaenoptera borealis</i>		赤腹松鼠 <i>Callosciurus erythraeus</i>	
布氏鲸 <i>Balaenoptera edeni</i>		印支松鼠 <i>Callosciurus inornatus</i>	
蓝鲸 <i>Balaenoptera musculus</i>		黄足松鼠 <i>Callosciurus phayrei</i>	
大村鲸 <i>Balaenoptera omurai</i>		蓝腹松鼠 <i>Callosciurus pygerythrus</i>	
长须鲸 <i>Balaenoptera physalus</i>		五纹松鼠 <i>Callosciurus quinquestriatus</i>	
大翅鲸 <i>Megaptera novaeangliae</i>		明纹花松鼠 <i>Tamiops macclllandii</i>	
恒河豚科 PLATANISTIDAE		倭花鼠 <i>Tamiops maritimus</i>	
恒河豚 <i>Platanista gangeticus</i>		隐纹花松鼠 <i>Tamiops swinhoei</i>	
白鱘豚科 LIPOTIDAE		橙喉长吻松鼠 <i>Dremomys gularis</i>	
白鱘豚 <i>Lipotes vexillifer</i>	√	橙腹长吻松鼠 <i>Dremomys lokriah</i>	
抹香鲸科 PHYSETERIDAE		珀氏长吻松鼠 <i>Dremomys pernyi</i>	
抹香鲸 <i>Physeter macrocephalus</i>		红腿长吻松鼠 <i>Dremomys pyrrhomerus</i>	
小抹香鲸 <i>Kogia breviceps</i>		红颊长吻松鼠 <i>Dremomys rufigenis</i>	
侏抹香鲸 <i>Kogia sima</i>		巨松鼠 <i>Ratufa bicolor</i>	
喙鲸科 ZIPHIIDAE		条纹松鼠 <i>Menetes berdmorei</i>	
鹅喙鲸 <i>Ziphius cavirostris</i>		岩松鼠 <i>Sciurotamias davidianus</i>	√
柏氏中喙鲸 <i>Mesoplodon densirostris</i>		侧纹岩松鼠 <i>Rupestes forresti</i>	√
银杏齿中喙鲸 <i>Mesoplodon ginkgodens</i>		北花松鼠 <i>Tamias sibiricus</i>	
小中喙鲸 <i>Mesoplodon peruvianus</i>		阿拉善黄鼠 <i>Spermophilus alashanicus</i>	
贝氏喙鲸 <i>Berardius bairdii</i>		短尾黄鼠 <i>Spermophilus brevicauda</i>	
朗氏喙鲸 <i>Indopacetus pacificus</i>		达乌尔黄鼠 <i>Spermophilus dauricus</i>	
鼠海豚科 PHOCOENIDAE		淡尾黄鼠 <i>Spermophilus pallidicauda</i>	
窄脊江豚 <i>Neophocaena asiaorientalis</i>		长尾黄鼠 <i>Spermophilus parryii</i> *	√
印太江豚 <i>Neophocaena phocaenoides</i>		天山黄鼠 <i>Spermophilus relictus</i>	
海豚科 DELPHINIDAE		灰旱獭 <i>Marmota baibacina</i>	
糙齿海豚 <i>Steno bredanensis</i>		长尾旱獭 <i>Marmota caudata</i>	
中华白海豚 <i>Sousa chinensis</i>		喜马拉雅旱獭 <i>Marmota himalayana</i>	
热带点斑原海豚 <i>Stenella attenuata</i>		西伯利亚旱獭 <i>Marmota sibirica</i>	
条纹原海豚 <i>Stenella coeruleoalba</i>		毛耳飞鼠 <i>Belomys pearsonii</i>	
飞旋原海豚 <i>Stenella longirostris</i>		复齿鼯鼠 <i>Trogopterus xanthipes</i>	√
真海豚 <i>Delphinus delphis</i>		红白鼯鼠 <i>Petaurista alborufus</i>	√
印太瓶鼻海豚 <i>Tursiops aduncus</i>		灰头小鼯鼠 <i>Petaurista caniceps</i>	
瓶鼻海豚 <i>Tursiops truncatus</i>		台湾大鼯鼠 <i>Petaurista grandis</i> *	√
弗氏海豚 <i>Lagenodelphis hosei</i>		海南大鼯鼠 <i>Petaurista hainana</i> *	√
里氏海豚 <i>Grampus griseus</i>		白颊鼯鼠 <i>Petaurista leucogenys</i> *	

名称 Names	特有种 Endemic sp.	名称 Names	特有种 Endemic sp.
栗褐鼯鼠 <i>Petaurista magnificus</i>		奇岚绒鼠 <i>Caryomys inez</i>	√
白斑小鼯鼠 <i>Petaurista punctatus</i>		银色高山鼯 <i>Alticola argentatus</i>	
红背鼯鼠 <i>Petaurista petaurista</i>		戈壁阿尔泰山鼯 <i>Alticola barakshin</i>	
霜背大鼯鼠 <i>Petaurista philippensis</i>		大耳高山鼯 <i>Alticola macrotis</i>	
橙色小鼯鼠 <i>Petaurista sybilla*</i>		蒙古高山鼯 <i>Alticola semicanus</i>	
灰鼯鼠 <i>Petaurista xanthotis</i>	√	斯氏高山鼯 <i>Alticola stoliczkanus</i>	
云南大鼯鼠 <i>Petaurista yunamensis*</i>	√	扁颅高山鼯 <i>Alticola strelzowi</i>	
沟牙鼯鼠 <i>Aeretes melanopterus</i>	√	草原兔尾鼠 <i>Lagurus lagurus</i>	
绒毛鼯鼠 <i>Eupetaurus cinereus</i>		水鼯 <i>Arvicola amphibius</i>	
比氏鼯鼠 <i>Biswamoyopterus biswasi</i>	√	云南松田鼠 <i>Neodon forresti</i>	
小飞鼠 <i>Pteromys volans</i>		青海松田鼠 <i>Neodon fuscus</i>	√
黑白飞鼠 <i>Hylomys alboniger</i>		高原松田鼠 <i>Neodon irene</i>	√
海南小飞鼠 <i>Hylomys phayrei</i>		帕米尔松田鼠 <i>Neodon juldaschi</i>	
河狸科 CASTORIDAE		林芝松田鼠 <i>Neodon linzhiensis</i>	√
河狸 <i>Castor fiber</i>		锡金松田鼠 <i>Neodon sikimensis</i>	
仓鼠科 CRICETIDAE		白尾松田鼠 <i>Neodon leucurus</i>	
原仓鼠 <i>Cricetus cricetus</i>	NT	墨脱松田鼠 <i>Neodon medogensis</i>	
黑线仓鼠 <i>Cricetulus barabensis</i>		聂拉木松田鼠 <i>Neodon nyalamensis</i>	
藏仓鼠 <i>Cricetulus kamensis</i>	√	克氏松田鼠 <i>Neodon clarkei</i>	
长尾仓鼠 <i>Cricetulus longicaudatus</i>		东方田鼠 <i>Alexandromys fortis</i>	
灰仓鼠 <i>Cricetulus migratorius</i>		台湾田鼠 <i>Alexandromys kikuchii</i>	√
大仓鼠 <i>Tscherskia triton</i>		柴达木根田鼠 <i>Alexandromys limnophilus</i>	
无斑短尾仓鼠 <i>Allocrietulus curtatus</i>		莫氏田鼠 <i>Alexandromys maximowiczii</i>	
短尾仓鼠 <i>Allocrietulus eversmanni</i>		根田鼠 <i>Alexandromys oecconomus</i>	
坎氏毛足鼠 <i>Phodopus campbelli</i>		黑田鼠 <i>Microtus agrestis</i>	
小毛足鼠 <i>Phodopus roborovskii</i>		普通田鼠 <i>Microtus arvalis</i>	
林旅鼠 <i>Myopus schisticolor</i>		狭颅田鼠 <i>Microtus gregalis</i>	
鼯形田鼠 <i>Ellobius talpinus</i>		伊犁田鼠 <i>Microtus ilaeus</i>	
灰棕背鼯 <i>Myodes centralis</i>		蒙古田鼠 <i>Microtus mongolicus</i>	
天山林鼯 <i>Myodes frater</i>	√	社田鼠 <i>Microtus socialis</i>	
棕背鼯 <i>Myodes rufocanus</i>		四川田鼠 <i>Volemys millicens</i>	√
红背鼯 <i>Myodes rutilus</i>		川西田鼠 <i>Volemys musseri</i>	√
克钦绒鼠 <i>Eothenomys cachinus</i>		布氏田鼠 <i>Lasiopodomys brandtii</i>	
中华绒鼠 <i>Eothenomys chinensis</i>	√	棕色田鼠 <i>Lasiopodomys mandarinus</i>	
西南绒鼠 <i>Eothenomys custos</i>	√	黄兔尾鼠 <i>Eolagurus luteus</i>	
滇绒鼠 <i>Eothenomys eleusis</i>	√	蒙古兔尾鼠 <i>Eolagurus przewalskii</i>	
康定绒鼠 <i>Eothenomys hintoni</i>	√	沟牙田鼠 <i>Proedromys bedfordi</i>	√
黑腹绒鼠 <i>Eothenomys melanogaster</i>		凉山沟牙田鼠 <i>Proedromys liangshanensis</i>	√
大绒鼠 <i>Eothenomys miletus</i>	√	鼠科 MURIDAE	
昭通绒鼠 <i>Eothenomys olitor</i>	√	长尾攀鼠 <i>Vandeleuria oleracea</i>	
玉龙绒鼠 <i>Eothenomys proditor</i>	√	小狨鼠 <i>Hapalomys delacouri</i>	
川西绒鼠 <i>Eothenomys tarquinius</i>	√	长尾绒鼠 <i>Hapalomys longicaudatus</i>	
丽江绒鼠 <i>Eothenomys fidelis</i>		笔尾树鼠 <i>Chiropodomys gliroides</i>	
德钦绒鼠 <i>Eothenomys wardi</i>	√	费氏树鼠 <i>Chiromyscus chiropus</i>	
洮州绒鼠 <i>Caryomys eva</i>	√	南洋鼠 <i>Chiromyscus langbianis</i>	

名称 Names	特有种 Endemic sp.	名称 Names	特有种 Endemic sp.
滇攀鼠 <i>Vernaya fulva</i>		小家鼠 <i>Mus musculus</i>	
红耳巢鼠 <i>Micromys erythrotis</i>		锡金小鼠 <i>Mus pahari</i>	
巢鼠 <i>Micromys minutus</i>		小板齿鼠 <i>Bandicota bengalensis</i>	
黑线姬鼠 <i>Apodemus agrarius</i>		板齿鼠 <i>Bandicota indica</i>	
高山姬鼠 <i>Apodemus chevrieri</i>	√	印度地鼠 <i>Nesokia indica</i>	
中华姬鼠 <i>Apodemus draco</i>		短耳沙鼠 <i>Brachiones przewalskii</i>	√
澜沧江姬鼠 <i>Apodemus ilex</i>	√	红尾沙鼠 <i>Meriones libycus</i>	
大耳姬鼠 <i>Apodemus latronum</i>		子午沙鼠 <i>Meriones meridianus</i>	
喜马拉雅姬鼠 <i>Apodemus pallipes</i>		怪柳沙鼠 <i>Meriones tamariscinus</i>	
大林姬鼠 <i>Apodemus peninsulae</i>		长爪沙鼠 <i>Meriones unguiculatus</i>	
台湾姬鼠 <i>Apodemus semotus</i>	√	大沙鼠 <i>Rhombomys opimus</i>	
乌拉尔姬鼠 <i>Apodemus uralensis</i>		刺山鼠科 PLATACANTHOMYIDAE	
云南壮鼠 <i>Hadromys yunnanensis</i>	√	沙巴猪尾鼠 <i>Typhlomys chapensis</i>	
大齿鼠 <i>Dacnomys millardi</i>		武夷山猪尾鼠 <i>Typhlomys cinereus</i>	√
黑缘齿鼠 <i>Rattus andamanensis</i>		大猪尾鼠 <i>Typhlomys daloushanensis</i>	
东亚屋顶鼠 <i>Rattus brunneusculus*</i>		小猪尾鼠 <i>Typhlomys nanus</i>	
缅鼠 <i>Rattus exulans</i>		鼯型鼠科 SPALACIDAE	
黄毛鼠 <i>Rattus losea</i>		小竹鼠 <i>Cannomys badius</i>	
大足鼠 <i>Rattus nitidus</i>		银星竹鼠 <i>Rhizomys pruinosus</i>	
褐家鼠 <i>Rattus norvegicus</i>		中华竹鼠 <i>Rhizomys sinensis</i>	
拟家鼠 <i>Rattus pyctoris</i>		大竹鼠 <i>Rhizomys sumatrensis</i>	
黄胸鼠 <i>Rattus tanezumi</i>		暗褐竹鼠 <i>Rhizomys vestitus</i>	√
安氏白腹鼠 <i>Niviventer andersoni</i>	√	甘肃鼯鼠 <i>Myospalax cansus*</i>	
梵鼠 <i>Niviventer brahma</i>		中华鼯鼠 <i>Eospalax fontanierii</i>	√
北社鼠 <i>Niviventer confucianus</i>		罗氏鼯鼠 <i>Eospalax rothschildi</i>	√
台湾白腹鼠 <i>Niviventer coninga</i>	√	秦岭鼯鼠 <i>Eospalax rufescens</i>	√
褐尾鼠 <i>Niviventer cremoriventer</i>		斯氏鼯鼠 <i>Eospalax smithii</i>	√
台湾社鼠 <i>Niviventer culturatus</i>	√	草原鼯鼠 <i>Myospalax aspalax</i>	
灰腹鼠 <i>Niviventer eha</i>		阿尔泰鼯鼠 <i>Myospalax myospalax</i>	
川西白腹鼠 <i>Niviventer excelsior</i>	√	东北鼯鼠 <i>Myospalax psilurus</i>	
针毛鼠 <i>Niviventer fulvescens</i>		睡鼠科 GLIRIDAE	
拟刺毛鼠 <i>Niviventer huang*</i>		林睡鼠 <i>Dryomys nitedula</i>	
海南白腹鼠 <i>Niviventer lotipes*</i>	√	四川毛尾睡鼠 <i>Chaetocauda sichuanensis</i>	√
白腹鼠 <i>Niviventer niviventer</i>		跳鼠科 DIPODIDAE	
缅甸山鼠 <i>Niviventer tenaster</i>		长尾蹶鼠 <i>Sicista caudata</i>	
红毛王鼠 <i>Maxomys surifer</i>		中国蹶鼠 <i>Sicista concolor</i>	
大泡灰鼠 <i>Berylmys berdmorei</i>		草原蹶鼠 <i>Sicista subtilis</i>	
青毛巨鼠 <i>Berylmys bowersi</i>		天山蹶鼠 <i>Sicista tianshanica</i>	
小泡灰鼠 <i>Berylmys manipulus</i>		林跳鼠 <i>Eozapus setchuanus</i>	√
白腹巨鼠 <i>Leopoldamys edwardsi</i>		巴里坤跳鼠 <i>Allactaga balikunica</i>	
耐氏大鼠 <i>Leopoldamys neilli</i>		巨泡五趾跳鼠 <i>Allactaga bullata</i>	
印度小鼠 <i>Mus booduga</i>		小五趾跳鼠 <i>Allactaga elater</i>	
卡氏小鼠 <i>Mus caroli</i>		大五趾跳鼠 <i>Allactaga major*</i>	
仔鹿小鼠 <i>Mus cervicolor</i>		五趾跳鼠 <i>Allactaga sibirica</i>	
丛林小鼠 <i>Mus cookii</i>		小地兔 <i>Pygeretmus pumilio</i>	

名称 Names	特有种 Endemic sp.	名称 Names	特有种 Endemic sp.
五趾心颅跳鼠 <i>Cardiocranius paradoxus</i>		大耳鼠兔 <i>Ochotona macrotis</i>	
肥尾心颅跳鼠 <i>Salpingotus crassicauda</i>		满洲里鼠兔 <i>Ochotona mantchurica</i>	
三趾心颅跳鼠 <i>Salpingotus kozlovi</i>		黑鼠兔 <i>Ochotona nigritia</i>	√
三趾跳鼠 <i>Dipus sagitta</i>		奴布拉鼠兔 <i>Ochotona nubrica</i>	
内蒙羽尾跳鼠 <i>Stylodipus andrewsi</i>		蒙古鼠兔 <i>Ochotona pallasii</i>	
羽尾跳鼠 <i>Stylodipus telum</i>		邛崃鼠兔 <i>Ochotona qionglaiensis</i>	√
长耳跳鼠 <i>Euchoreutes naso</i>		灰鼠兔 <i>Ochotona roylei</i>	
豪猪科 HYSTRICIDAE		红鼠兔 <i>Ochotona rutila</i>	
帚尾豪猪 <i>Atherurus macrourus</i>		峨眉鼠兔 <i>Ochotona sacraria</i>	√
马来豪猪 <i>Hystrix brachyura</i>		锡金鼠兔 <i>Ochotona sikimaria</i>	
中国豪猪 <i>Hystrix hodgsoni</i>		藏鼠兔 <i>Ochotona thibetana</i>	
兔形目 LAGOMORPHA		狭颅鼠兔 <i>Ochotona thomasi</i>	√
鼠兔科 OCHOTONIDAE		循化鼠兔 <i>Ochotona xunhuaensis</i>	√
高山鼠兔 <i>Ochotona alpina</i>		雅鲁藏布鼠兔 <i>Ochotona yarlungensis</i>	
间颅鼠兔 <i>Ochotona cansus</i>	√	兔科 LEPORIDAE	
长白山鼠兔 <i>Ochotona coreana</i>		粗毛兔 <i>Caprolagus hispidus</i>	
高原鼠兔 <i>Ochotona curzoniae</i>		云南兔 <i>Lepus comus</i>	
大巴山鼠兔 <i>Ochotona dabashanensis</i>	√	高丽兔 <i>Lepus coreanus*</i>	
达乌尔鼠兔 <i>Ochotona dauurica</i>		海南兔 <i>Lepus hainanus</i>	√
红耳鼠兔 <i>Ochotona erythrotis</i>	√	东北兔 <i>Lepus mandshuricus</i>	
扁颅鼠兔 <i>Ochotona flatcalvariam</i>	√	尼泊尔黑兔 <i>Lepus nigricollis</i>	
灰颈鼠兔 <i>Ochotona forresti</i>		灰尾兔 <i>Lepus oiostolus</i>	
川西鼠兔 <i>Ochotona gloveri</i>	√	华南兔 <i>Lepus sinensis</i>	
黄龙鼠兔 <i>Ochotona huanglongensis</i>	√	中亚兔 <i>Lepus tibetanus</i>	
东北鼠兔 <i>Ochotona hyperborea</i>		雪兔 <i>Lepus timidus</i>	
伊犁鼠兔 <i>Ochotona iliensis</i>	√	蒙古兔 <i>Lepus tolai</i>	
柯氏鼠兔 <i>Ochotona koslowi</i>	√	塔里木兔 <i>Lepus yarkandensis</i>	√
拉达克鼠兔 <i>Ochotona ladacensis</i>			

* 争议种



哺乳动物是高等脊椎动物。全球有哺乳动物5,488种, 归属于153科, 蒋志刚等根据最新的哺乳动物分类系统和中国新发现的哺乳动物种和哺乳动物新记录, 记录了中国有13目56科248属693种哺乳动物, 更新了我国哺乳动物多样性。从圆环最高点开始, 依顺时针方向旋转, 依次为中国13个目693种哺乳动物的代表种类: 长鼻目(Proboscidea)的亚洲象(*Elephas maximus*)(Yathin SK 摄), 偶蹄目(Artiodactyla)的西藏盘羊(*Ovis hodgsoni*)(蒋志刚摄), 劳亚食虫目(Eulipotyphla)的东北刺猬(*Erinaceus amurensis*)(蒋志刚摄), 鳞甲目(Pholidota)的穿山甲(*Manis pentadactyla*)(蒋志刚摄), 海牛目(Sirenia)的儒艮(*Dugong dugon*)(蒋志刚摄), 攀鼯目(Scandentia)的北树鼯(*Tupaia belangeri*)(马晓锋摄), 翼手目(Chiroptera)的尖耳鼠耳蝠(*Myotis blythii*)(黄元骏摄), 兔形目(Lagomorpha)的高原鼠兔(*Ochotona curzoniae*)(徐爱春摄), 啮齿目(Rodentia)的灰旱獭(*Marmota baibacina*)(蒋志刚摄), 奇蹄目(Perissodactyla)的野马(*Equus przewalskii*)(蒋志刚摄), 灵长目(Primates)的川金丝猴(*Rhinopithecus roxellana*)(蒋志刚摄), 鲸目的白鱀豚(*Lipotes vexillifer*)(中国科学院水生生物研究所供稿)。圆环中央是食肉目(Carnivora)的大熊猫(*Ailuropoda melanoleuca*)(蒋志刚摄)。

Mammals are higher terrestrial vertebrates. There are 5,488 mammal species in 153 families. Zhigang Jiang et al. collated the mammal diversity in China according to the newest taxonomic system of mammals and the new species and new records mammal species in China. The new inventory of China's mammals has 13 orders, 56 families, 248 genera and 693 species. Start from the top of the circle, turns clockwise, they are the representative members of the 13 orders of Mammalia in China: Asian elephant (*Elephas maximus*) (Photoed by Yathin SK), Tibetan argali (*Ovis hodgsoni*) (Photoed by Jiang Z), Amur hedgehog *Erinaceus amurensis* (Photoed by Jiang Z), Chinese pangolin (*Manis pentadactyla*) (Photoed by Jiang Z), Dugong (*Dugong dugon*) (Photoed by Jiang Z), Northern tree shrew (*Tupaia belangeri*) (Photoed by Ma Xiaofeng), Lesser mouse-eared myotis (*Myotis blythii*)(Photoed by Huang Y), Plateau pika (*Ochotona curzoniae*) (Photoed by Xu A), Grey marmot (*Marmota baibacina*) (Photoed by Jiang Z), Przewalski's wild horse (*Equus przewalskii*) (Photoed by Jiang Z), Golden snub-nosed monkey (*Rhinopithecus roxellana*) (Photoed by Jiang Z), Baiji of Cetacea (*Lipotes vexillifer*)(Attributes to Institute of Hydrobiology, Chinese Academy of Sciences) and the center is Giant panda of Carnivora (Photoed by Jiang Z).