

附表1 常绿阔叶林8大动态监测样地种类组成和生态指示值

Table S1 Species composition and their ecological indicator values across eight dynamics plots in evergreen broadleaf forests

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value					GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP
		L	T	W	R	N										
野漆树	<i>Toxicodendron succedaneum</i> (<i>Rhus succedanea</i>)*	7	7	4	6	5	DbrT	+	+	+	+	+	+	+	+	8
木荷	<i>Schima superba</i>	6	7	5	5	5	EbrT	+	+	+	+	+	+	•	+	7
厚皮香	<i>Ternstroemia gymnanthera</i>	6	8	6	5	6	EbrT	+	+	+	+	+	+	•	+	7
狗骨柴	<i>Diplospora dubia</i> (<i>Tricalysia dubia</i>)	6	7	6	5	6	EbrS	+	+	+	•	+	+	+	+	7
杜鹃	<i>Rhododendron simsii</i>	8	7	3	3	5	DbrS	+	+	+	+	+	+	•	•	6
薄叶山矾	<i>Symplocos anomala</i> (<i>S. morrisonicola</i>)	6	7	4	5	6	EbrT	+	+	+	+	+	•	•	+	6
赤楠	<i>Syzygium buxifolium</i>	6	7	5	5	6	EbrS	+	+	+	•	•	+	+	+	6
铁冬青	<i>Ilex rotunda</i>	5	6	5	5	6	EbrS	+	+	•	+	+	+	+	•	6
棘叶吴萸	<i>Tetradium glabrifolium</i> (<i>Evodia farge-sii</i> ; <i>E. glabrifolia</i>)	5	8	6	5	6	DbrT	+	+	•	+	+	•	+	+	6
虎皮楠	<i>Daphniphyllum oldhamii</i> (<i>D. glaucescens</i> subsp. <i>oldhamii</i> var. <i>oldhamii</i>)	6	7	5	5	6	EbrT	+	+	•	•	+	+	+	+	6
山矾	<i>Symplocos sumuntia</i> (<i>S. caudata</i>)	6	7	5	5	6	EbrS	+	+	+	+	+	•	+	•	6
光亮山矾	<i>Symplocos lucida</i> (<i>S. setchuensis</i>)	6	7	5	5	6	EbrT	+	+	+	+	•	•	+	+	6
榕叶冬青	<i>Ilex ficoidea</i>	5	7	5	5	6	EbrS	•	•	+	+	+	+	+	+	6
黄丹木姜	<i>Litsea elongata</i>	6	7	5	5	5	EbrT	+	+	+	+	+	•	•	•	5
老鼠矢	<i>Symplocos stellaris</i>	6	7	5	5	6	EbrT	+	+	+	+	+	•	•	•	5
中华石楠	<i>Photinia beauverdiana</i> (<i>Pourthiaea beauverdiana</i> var. <i>notabilis</i>)	7	7	4	5	5	DbrT	+	+	+	+	+	•	•	+	5
小果冬青	<i>Ilex micrococca</i>	6	7	5	5	6	DbrT	+	+	+	•	•	•	+	+	5
矮小天仙果	<i>Ficus erecta</i> (<i>F. erecta</i> var. <i>beecheana</i>)	6	8	7	5	6	DbrS	+	+	+	•	+	•	+	•	5
红淡比	<i>Cleyera japonica</i>	6	7	5	5	6	EbrS	+	+	•	+	+	•	+	•	5
山鸡椒	<i>Litsea cubeba</i>	7	7	4	5	5	DbrS	+	+	•	+	•	+	•	+	5
梔子	<i>Gardenia jasminoides</i>	5	7	6	4	6	EbrS	+	+	•	•	+	+	•	+	5
杨梅	<i>Myrica rubra</i>	6	7	5	3	5	EbrT	+	+	•	•	+	•	+	+	5
栓叶安息香	<i>Styrax suberifolius</i>	6	8	5	5	6	EbrT	+	+	•	•	•	+	+	+	5
米槠	<i>Castanopsis carlesii</i> (<i>C. cuspidata</i> var. <i>carlesii</i>)	6	7	6	5	6	EbrT	+	+	•	•	+	•	+	+	5
罗浮柿	<i>Diospyros morrisiana</i>	6	8	6	5	6	EbrT	•	+	•	•	+	+	+	+	5
日本杜英	<i>Elaeocarpus japonicus</i>	5	7	6	6	6	EbrT	•	+	•	•	+	+	+	+	5
雷公鹅耳枥	<i>Carpinus viminea</i>	6	5	5	5	5	DbrT	+	+	+	+	•	•	•	•	4
细叶青冈	<i>Cyclobalanopsis gracilis</i>	7	6	5	5	5	EbrT	+	+	+	+	•	•	•	•	4
红枝柴	<i>Meliosma oldhamii</i>	6	7	6	6	6	DbrT	+	+	+	+	•	•	•	•	4
海金子	<i>Pittosporum illicioides</i>	6	7	5	4	5	EbrS	+	+	+	+	•	•	•	•	4
宜昌莢蒾	<i>Viburnum erosum</i>	6	6	5	7	6	DbrS	+	+	+	+	•	•	•	•	4
四照花	<i>Cornus kousa</i> subsp. <i>chinensis</i> (<i>Dendrobenthamia japonica</i> . var. <i>chinensis</i>)	6	5	6	5	6	DbrT	+	+	+	+	•	•	•	•	4
中华杜英	<i>Elaeocarpus chinensis</i>	6	7	5	5	6	EbrT	+	+	+	•	•	+	•	•	4
石斑木	<i>Rhaphiolepis indica</i>	5	7	5	3	5	EbrT	+	+	+	•	•	+	•	•	4
野鸦椿	<i>Euscaphis japonica</i>	7	5	6	6	6	DbrS	+	+	•	+	+	•	•	•	4
南烛	<i>Vaccinium bracteatum</i>	8	7	3	3	4	EbrS	+	+	•	+	•	•	+	•	4
白花苦灯笼	<i>Tarenna mollissima</i>	6	7	6	5	5	brS	+	+	•	•	+	+	•	•	4
大青	<i>Clerodendrum cyrtophyllum</i>	7	7	5	6	6	EbrS	+	+	•	•	•	+	•	+	4
细枝柃	<i>Eurya loquaiana</i>	6	7	5	4	6	EbrS	+	+	•	•	•	•	+	+	4
红楠	<i>Machilus thunbergii</i>	6	6	7	5	6	EbrT	+	+	•	•	•	•	+	+	4
茜树	<i>Aidia cochinchinensis</i> (<i>Randia cochi.</i>)	4	7	6	5	6	EbrT	+	+	•	•	•	•	+	+	4
香桂	<i>Cinnamomum subavenium</i>	6	7	6	6	6	EbrT	+	+	•	•	•	•	+	+	4
光叶山矾	<i>Symplocos lancifolia</i>	5	7	5	4	6	EbrT	+	•	+	•	+	+	•	•	4
黄牛奶树	<i>Symplocos cochinchinensis</i> var. <i>laurina</i> (<i>S. laurina</i> ; <i>S. theophrastifolia</i>)	6	8	5	5	6	EbrT	+	•	•	•	+	•	+	+	4
树参	<i>Dendropanax dentiger</i>	5	7	5	5	6	EbrT	•	+	+	+	+	•	•	•	4
朱砂根	<i>Ardisia crenata</i> (<i>A. elegans</i>)	3	7	6	4	6	EbrS	•	+	+	•	+	•	+	•	4
毛冬青	<i>Ilex pubescens</i>	6	7	5	5	6	EbrS	•	+	•	•	•	+	+	+	4
日本五月茶	<i>Antidesma japonicum</i> (<i>A. japonicum</i> var. <i>densiflorum</i> ; <i>A. japonicum</i> var. <i>acutisepalum</i>)	6	7	5	5	5	EbrS	•	+	•	•	•	+	+	+	4
香叶树	<i>Lindera communis</i>	6	8	5	5	6	EbTr	•	•	•	+	•	+	+	+	4

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP	
		L	T	W	R											N
腺叶桂樱	<i>Laurocerasus phaeosticta</i> (<i>P. phaeosticta</i>)	7	7	5	5	5	EbrT	+	.	.	.	+	+	+	+	5
罗伞树	<i>Ardisia quinquegona</i>	5	8	6	5	6	EbrT	+	+	+	+	4
柏拉木	<i>Blastus cochinchinensis</i>	6	8	6	5	6	EbrS	+	+	+	+	4
厚壳桂	<i>Cryptocarya chinensis</i>	4	8	6	5	6	EbrT	+	+	+	+	4
黄杞	<i>Engelhardtia roxburghiana</i>	6	8	5	4	5	EbrT	+	+	+	+	4
亮叶猴耳环	<i>Abarema lucida</i> (<i>Pithecellobium lucidum</i>)	6	9	5	5	6	EbrT	+	+	+	+	4
山乌柏	<i>Sapium discolor</i> (<i>Triadica cochinchinensis</i>)**	7	7	4	8	5	DbrT	+	+	+	+	4
鹅掌柴	<i>Schefflera heptaphylla</i> (<i>S. octophylla</i>)	6	8	6	5	6	EbrT	+	+	+	+	4
笔管榕	<i>Ficus subspisocarpa</i> (<i>F. virens</i> ; <i>F. superba</i> var. <i>japonica</i>)	7	8	6	5	6	DbrT	+	+	+	+	4
山杜英	<i>Elaeocarpus sylvestris</i>	7	7	5	6	6	EbrT	+	+	+	+	4
江南越桔	<i>Vaccinium mandarinorum</i>	6	6	4	4	5	EbrS	+	+	+	3
格药枏	<i>Eurya muricata</i>	6	7	5	5	6	EbrS	+	+	+	3
窄基红褐枏	<i>Eurya rubiginosa</i> var. <i>attenuata</i>	6	7	5	4	6	EbrS	+	+	+	3
大叶冬青	<i>Ilex latifolia</i>	5	7	6	5	6	EbrT	+	+	+	3
青冈	<i>Cyclobalanopsis glauca</i>	6	7	4	4	4	EbrT	+	+	+	3
浙江新木姜子	<i>Neolitsea aurata</i> var. <i>chekiangensis</i>	6	7	5	4	6	EbrS	+	+	+	3
豹皮樟	<i>Litsea coreana</i> var. <i>sinensis</i>	6	7	5	5	5	EbrS	+	+	+	3
光叶石楠	<i>Photinia glabra</i>	7	7	4	5	5	EbrS	+	+	+	3
小叶石楠	<i>Photinia parvifolia</i>	8	7	4	5	5	DbrS	+	+	+	3
马银花	<i>Rhododendron ovatum</i>	7	7	4	4	6	EbrS	+	+	+	3
苦枥木	<i>Fraxinus insularis</i>	6	7	6	5	6	DbrT	+	+	.	+	3
毛八角枫	<i>Alangium kurzii</i>	7	7	4	5	6	DbrT	+	+	.	+	3
老鸦糊	<i>Callicarpa giraldii</i>	6	7	5	5	6	DbrS	+	+	.	+	3
紫弹树	<i>Celtis biondii</i>	7	7	5	6	6	DbrT	+	+	.	+	3
黄檀	<i>Dalbergia hupeana</i>	7	6	4	5	5	DbrT	+	+	.	+	3
山桐子	<i>Idesia polycarpa</i>	7	6	5	6	6	DbrT	+	+	.	+	3
刺叶桂樱	<i>Laurocerasus spinulosa</i>	7	7	6	5	5	EbrT	+	+	.	+	3
山胡椒	<i>Lindera glauca</i>	7	6	3	5	4	DbrS	+	+	.	+	3
化香树	<i>Platycarya strobilacea</i>	7	7	5	4	5	DbrT	+	+	.	+	3
檫木	<i>Sassafras tzumu</i>	8	7	4	5	5	DbrT	+	+	.	+	3
赤杨叶	<i>Alniphyllum fortunei</i>	7	7	7	5	6	DbrT	+	+	.	.	+	.	.	.	3
南酸枣	<i>Choerospondias axillaris</i>	7	7	7	6	5	DbrT	+	+	.	.	+	.	.	.	3
枸棘	<i>Maclura cochinchinensis</i> (<i>Cudrania cochinchinensis</i>)	7	7	4	5	6	EwL	+	+	.	.	+	.	.	.	3
杉木	<i>Cunninghamia lanceolata</i>	7	7	6	5	6	EneT	+	+	.	.	+	.	.	.	3
小叶青冈	<i>Cyclobalanopsis myrsinaefolia</i>	7	7	7	5	5	EbrT	+	+	.	.	+	.	.	.	3
欏木	<i>Loropetalum chinense</i>	8	7	3	4	4	EbrS	+	+	.	.	+	.	.	.	3
中华卫矛	<i>Euonymus nitidus</i> (<i>E. oblongifolius</i>)	6	8	6	5	6	EbrS	+	+	.	.	.	+	.	.	3
栲树	<i>Castanopsis fargesii</i>	7	7	6	5	6	EbrT	+	+	+	3
山柿	<i>Diospyros japonica</i> (<i>D. glaucifolia</i>)	7	5	5	5	6	DbrT	+	+	.	+	3
杜英	<i>Elaeocarpus decipiens</i>	5	7	5	6	6	EbrT	+	+	.	.	.	+	.	.	3
胡颓子	<i>Elaeagnus pungens</i>	6	6	4	5	6	EbrS	+	.	+	+	3
小蜡	<i>Ligustrum sinense</i>	6	6	5	5	6	EbrS	+	.	+	+	3
红果山胡椒	<i>Lindera erythrocarpa</i>	7	6	5	5	6	DbrS	+	.	+	+	3
木犀	<i>Osmanthus fragrans</i>	7	7	5	5	6	EbrT	+	.	+	+	3
赛山梅	<i>Styrax confusus</i>	6	7	5	5	6	EbrS	+	.	+	.	+	.	.	.	3
枳椇	<i>Hovenia acerba</i>	7	6	5	6	6	DbrT	+	.	.	+	.	+	.	.	3
笔罗子	<i>Meliosma rigida</i>	6	7	6	5	6	EbrT	+	+	+	.	3
港柯	<i>Lithocarpus harlandii</i> (<i>Pasania harlandii</i>)	7	6	6	5	5	EbrT	+	+	+	3
马尾松	<i>Pinus massoniana</i>	9	7	4	3	3	EneT	.	+	.	.	+	+	.	.	3
紫果槭	<i>Acer cordatum</i>	6	7	6	5	6	EbrT	.	+	+	+	3
连蕊茶	<i>Camellia cuspidata</i>	6	7	5	4	6	EbrS	.	+	+	+	3
大果卫矛	<i>Euonymus myrianthus</i>	6	7	6	5	6	EbrS	.	+	+	+	3
香冬青	<i>Ilex suaveolens</i>	6	7	5	5	6	EbrT	.	+	+	+	3
尾叶冬青	<i>Ilex wilsonii</i>	6	6	5	5	6	EbrS	.	+	+	+	3

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value					GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP
		L	T	W	R	N										
	<i>controversum</i>)															
朴树	<i>Celtis sinensis</i>	6	7	5	6	6	DbrT	+	.	.	+	2
西川朴	<i>Celtis vandervoetiana</i>	4	7	6	6	6	DbrT	+	.	.	+	2
青钱柳	<i>Cyclocarya paliurus</i>	7	6	6	5	6	DbrT	+	.	.	+	2
长叶冻绿	<i>Rhamnus crenata</i>	8	7	4	6	6	DbrS	+	.	.	+	2
盐肤木	<i>Rhus chinensis</i>	7	6	4	6	4	DbrT	+	.	.	+	2
青皮木	<i>Schoepfia jasminodora</i>	6	7	4	5	6	DbrS	+	.	.	+	2
南京椴	<i>Tilia miqueliana</i>	7	6	5	5	6	DbrT	+	.	.	+	2
刺楸	<i>Kalopanax septemlobus</i>	6	6	5	6	6	DbrT	+	.	.	+	2
野桐	<i>Mallotus japonicus</i> var. <i>floccosus</i> (<i>M. tenuifolius</i>)	7	6	5	5	5	DbrS	+	.	.	+	2
茶	<i>Camellia sinensis</i>	7	7	6	3	6	EbrS	+	.	.	.	+	.	.	.	2
紫麻	<i>Oreocnide frutescens</i>	5	7	6	5	7	DbrS	+	+	.	.	2
白背叶	<i>Mallotus apelta</i>	8	6	4	5	5	DbrS	+	+	.	.	2
赤皮青冈	<i>Cyclobalanopsis gilva</i>	6	7	7	5	5	EbrT	+	+	.	2
云山青冈	<i>Cyclobalanopsis sessilifolia</i>	7	6	5	5	5	EbrT	+	+	.	2
无患子	<i>Sapindus saponaria</i> (<i>S. mukorossi</i>)	7	7	5	6	6	DbrT	+	+	2
樟	<i>Cinnamomum camphora</i>	7	7	5	7	6	EbrT	+	+	2
腺蜡瓣花	<i>Corylopsis glandulifera</i>	7	6	5	6	5	DbrS	.	+	+	2
光叶毛果枳椇	<i>Hovenia trichocarpa</i> var. <i>robusta</i> (<i>Hovenia dulcis</i>)	7	6	5	6	6	DbrT	.	+	+	2
秀丽槭	<i>Acer elegantulum</i>	7	7	6	5	6	EbrT	.	+	+	2
浙江山茶	<i>Camellia chekiangoleosa</i>	6	8	5	4	6	EbrS	.	+	+	2
浙闽樱桃	<i>Cerasus schneideriana</i>	7	7	6	5	6	DbrT	.	+	+	2
刨花润楠	<i>Machilus pauhoi</i>	6	7	6	5	6	EbrT	.	+	+	2
黄山木兰	<i>Magnolia cylindrica</i> (<i>Yulania cylindrica</i>)	5	6	6	5	6	DbrS	.	+	+	2
光萼林檎	<i>Malus leiocalyca</i>	6	7	5	5	6	DbrT	.	+	+	2
天竺桂	<i>Cinnamomum japonicum</i> (<i>C. chekiangense</i>)	6	7	6	6	6	EbrT	.	+	+	2
三峡槭	<i>Acer wilsonii</i>	7	7	6	5	6	DbrT	.	+	.	+	2
垂枝泡花树	<i>Meliosma flexuosa</i>	6	6	6	5	6	DbrT	.	+	.	+	2
苦树	<i>Picrasma flexuosoides</i>	7	5	6	6	6	DbrT	.	+	.	+	2
枹栎	<i>Quercus serrata</i>	7	6	4	5	5	DbrT	.	+	.	+	2
半边月	<i>Weigela japonica</i> var. <i>sinica</i>	6	6	5	5	6	DbrS	.	+	.	+	2
木莲	<i>Manglietia fordiana</i>	6	8	6	5	6	EbrT	.	+	.	.	+	.	.	.	2
野含笑	<i>Michelia skinneriana</i>	5	7	6	5	6	EbrT	.	+	.	.	+	.	.	.	2
乌药	<i>Lindera aggregata</i>	5	7	6	5	6	EbrS	.	+	.	.	.	+	.	.	2
木油桐	<i>Vernicia montana</i>	6	7	6	5	5	DbrT	.	+	+	2
丁香杜鹃	<i>Rhododendron farrerae</i>	5	6	6	5	6	DbrS	.	+	+	2
阔叶槭	<i>Acer amplum</i>	6	6	5	6	5	DbrT	.	.	+	+	2
青榨槭	<i>Acer davidii</i>	7	5	5	6	6	DbrT	.	.	+	+	2
五角槭	<i>Acer pictum</i> subsp. <i>mono</i> (<i>A. pictum</i>)	6	5	6	6	6	DbrT	.	.	+	+	2
多脉青冈	<i>Cyclobalanopsis multinervis</i>	7	6	5	5	5	EbrT	.	.	+	+	2
交让木	<i>Daphniphyllum macropodum</i>	6	7	5	5	6	EbrT	.	.	+	+	2
巴东胡颓子	<i>Elaeagnus difficilis</i>	7	7	5	5	6	EbrS	.	.	+	+	2
宜昌胡颓子	<i>Elaeagnus henryi</i>	6	7	5	5	6	EbrS	.	.	+	+	2
香果树	<i>Emmenopterys henryi</i>	6	7	6	6	6	DbrT	.	.	+	+	2
翅柃	<i>Eurya alata</i>	5	6	6	5	6	EbrS	.	.	+	+	2
光叶水青冈	<i>Fagus lucida</i>	6	6	6	5	5	DbrT	.	.	+	+	2
鸡桑	<i>Morus australis</i>	7	5	6	7	6	DbrT	.	.	+	+	2
灰叶稠李	<i>Padus grayana</i>	6	7	6	4	5	DbrT	.	.	+	+	2
黄山松(台湾二叶松)	<i>Pinus taiwanensis</i>	9	7	4	3	3	EneT	.	.	+	+	2
巴东栎	<i>Quercus engleriana</i>	7	7	6	5	6	EbrT	.	.	+	+	2
云锦杜鹃	<i>Rhododendron fortunei</i>	6	5	5	4	6	EbrS	.	.	+	+	2
茵芋	<i>Skimmia reevesiana</i>	5	7	6	5	6	EbrS	.	.	+	+	2
波叶红果树	<i>Stranvaesia davidiana</i> var. <i>undulata</i>	6	6	7	5	6	EbrS	.	.	+	+	2
野茉莉	<i>Styrax japonicus</i>	7	7	5	5	6	DbrS	.	.	+	+	2
水丝梨	<i>Sycopsis sinensis</i>	5	6	6	5	6	EbrT	.	.	+	+	2
瘦椒树	<i>Tapiscia sinensis</i>	5	6	6	5	6	DbrT	.	.	+	+	2

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP	
		L	T	W	R											N
		S														
球核荚蒾	<i>Viburnum propinquum</i>	6	7	6	5	6	EbrS	•	•	+	+	•	•	•	2	
微毛柃	<i>Eurya hebeclados</i>	6	7	5	5	6	EbrS	•	•	+	•	+	•	•	2	
秤星树	<i>Ilex asprella</i>	6	7	5	5	6	DbrS	•	•	+	•	•	•	•	2	
白花龙	<i>Styrax faberi</i>	7	6	5	5	6	DbrS	•	•	+	•	•	+	•	2	
毛漆树	<i>Toxicodendron trichocarpum</i>	7	7	4	6	5	DbrT	•	•	+	+	•	•	•	2	
香港四照花	<i>Cornus hongkongensis (Dendrobenthamia hongkongensis)</i>	5	7	6	5	6	EbrT	•	•	•	+	+	•	•	2	
八角枫	<i>Alangium chinense</i>	7	6	4	6	5	DbrT	•	•	•	+	+	•	•	2	
伯乐树	<i>Bretschneidera sinensis</i>	7	8	6	5	6	DbrT	•	•	•	+	+	•	•	2	
齿缘吊钟花	<i>Enkianthus serrulatus</i>	6	6	5	5	6	DbrS	•	•	•	+	+	•	•	2	
铁山矾	<i>Symplocos pseudobarberina</i>	5	8	6	5	6	EbrT	•	•	•	+	+	•	•	2	
满山红	<i>Rhododendron mariesii</i>	8	7	3	3	5	DbrS	•	•	•	+	•	•	•	+	2
桃叶珊瑚	<i>Aucuba chinensis</i>	5	7	6	5	6	EbrS	•	•	•	+	•	•	•	+	2
海州常山	<i>Clerodendrum trichotomum</i>	7	7	5	6	6	DbrS	•	•	•	+	•	•	•	+	2
大果冬青	<i>Ilex macrocarpa</i>	5	6	6	5	6	DbrT	•	•	•	+	•	+	•	•	2
异株木犀榄	<i>Olea dioica</i>	6	8	6	5	6	EbrS	•	•	•	•	+	+	•	•	2
柳叶杜茎山	<i>Maesa salicifolia</i>	5	8	6	7	6	EbrS	•	•	•	•	+	+	•	•	2
香楠	<i>Aidia canthioides (Randia canthioides)</i>	6	8	5	5	6	EbrS	•	•	•	•	+	+	•	•	2
红背山麻杆	<i>Alchornea trewioides</i>	6	8	5	8	5	DbrS	•	•	•	•	+	+	•	•	2
小叶五月茶	<i>Antidesma montanum var. microphyllum (A. verosum)</i>	6	8	6	5	5	EbrS	•	•	•	•	+	+	•	•	2
二色波罗蜜	<i>Artocarpus styracifolius</i>	5	9	7	5	6	EbrT	•	•	•	•	+	+	•	•	2
薄叶红厚壳	<i>Calophyllum membranaceum</i>	6	8	5	5	6	EbrS	•	•	•	•	+	+	•	•	2
橄榄	<i>Canarium album</i>	7	9	6	5	5	EbrT	•	•	•	•	+	+	•	•	2
竹节树	<i>Carallia brachiata</i>	6	8	6	5	6	EbrT	•	•	•	•	+	+	•	•	2
毛叶脚骨脆	<i>Casearia velutina (C. villilimba)</i>	6	8	6	4	5	EbrS	•	•	•	•	+	+	•	•	2
蕨蕨锥	<i>Castanopsis fissa</i>	7	8	5	5	6	EbrT	•	•	•	•	+	+	•	•	2
白花灯笼	<i>Clerodendrum fortunatum</i>	6	8	5	5	6	DbrS	•	•	•	•	+	+	•	•	2
毛果巴豆	<i>Croton lachynocarpus</i>	7	7	5	5	6	EbrS	•	•	•	•	+	+	•	•	2
黄果厚壳桂	<i>Cryptocarya concinna</i>	4	8	6	5	6	EbrT	•	•	•	•	+	+	•	•	2
香花枇杷	<i>Eriobotrya fragrans</i>	6	8	5	5	6	EbrT	•	•	•	•	+	+	•	•	2
粗叶榕	<i>Ficus hirta</i>	7	8	6	5	6	EbrS	•	•	•	•	+	+	•	•	2
变叶榕	<i>Ficus variolosa</i>	5	8	7	5	6	EbrS	•	•	•	•	+	+	•	•	2
木竹子	<i>Garcinia multiflora</i>	6	7	5	5	5	EbrT	•	•	•	•	+	+	•	•	2
毛果算盘子	<i>Glochidion multicarpum</i>	6	7	5	5	6	EbrS	•	•	•	•	+	+	•	•	2
白背算盘子	<i>Glochidion wrightii</i>	6	8	5	5	6	DbrS	•	•	•	•	+	+	•	•	2
网脉山龙眼	<i>Helicia reticulata</i>	5	8	7	5	6	EbrT	•	•	•	•	+	+	•	•	2
三花冬青	<i>Ilex triflora</i>	5	7	6	5	6	EbrS	•	•	•	•	+	+	•	•	2
鼠刺	<i>Itea chinensis</i>	6	8	6	5	5	EbrS	•	•	•	•	+	+	•	•	2
粗叶木	<i>Lasianthus chinensis</i>	6	8	5	5	6	EbrS	•	•	•	•	+	+	•	•	2
鼎湖钓樟	<i>Lindera chungii</i>	6	6	5	5	6	DbrS	•	•	•	•	+	+	•	•	2
滇粤山胡椒	<i>Lindera metcalftiana</i>	7	7	5	5	6	EbrS	•	•	•	•	+	+	•	•	2
鼎湖血桐	<i>Macaranga sampsonii</i>	6	8	5	5	6	EbrS	•	•	•	•	+	+	•	•	2
短序润楠	<i>Machilus breviflora</i>	5	8	7	5	6	EbrT	•	•	•	•	+	+	•	•	2
华润楠	<i>Machilus chinensis</i>	6	8	6	6	6	EbrT	•	•	•	•	+	+	•	•	2
绒毛润楠	<i>Machilus velutina</i>	6	8	6	5	6	EbrT	•	•	•	•	+	+	•	•	2
香皮树	<i>Meliosma fordii</i>	6	8	6	5	6	EbrT	•	•	•	•	+	+	•	•	2
金叶含笑	<i>Michelia foveolata</i>	6	8	7	5	6	EbrT	•	•	•	•	+	+	•	•	2
鸭公树	<i>Neolitsea chuii</i>	6	8	6	6	6	EbrT	•	•	•	•	+	+	•	•	2
肥荚红豆	<i>Ormosia fordiana</i>	6	8	6	5	6	EbrT	•	•	•	•	+	+	•	•	2
光叶红豆	<i>Ormosia glaberrima</i>	6	8	6	5	6	EbrT	•	•	•	•	+	+	•	•	2
五列木	<i>Pentaphylax euryoides</i>	5	7	6	5	6	EbrT	•	•	•	•	+	+	•	•	2
桃叶石楠	<i>Photinia prunifolia</i>	6	7	5	5	6	EbrT	•	•	•	•	+	+	•	•	2
猴耳环	<i>Abarema clypearia (Pithecellobium clypearia)</i>	5	9	6	5	5	EbrT	•	•	•	•	+	+	•	•	2
翻白叶树	<i>Pterospermum heterophyllum</i>	6	8	6	5	6	EbrT	•	•	•	•	+	+	•	•	2
两广梭罗	<i>Reevesia thyrsoidea</i>	5	8	6	5	6	EbrT	•	•	•	•	+	+	•	•	2
桃金娘	<i>Rhodomyrtus tomentosa</i>	8	8	4	3	4	EbrS	•	•	•	•	+	+	•	•	2
华南青皮木	<i>Schoepfia chinensis</i>	5	7	6	5	6	DbrT	•	•	•	•	+	+	•	•	2
假苹婆	<i>Sterculia lanceolata</i>	6	9	6	5	6	EbrT	•	•	•	•	+	+	•	•	2

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP	
		L	T	W	R											N
腺柄山矾	<i>Symplocos adenopus</i>	6	8	5	5	6	EbrT	•	•	•	•	+	+	•	•	2
红鳞蒲桃	<i>Syzygium hancei</i>	5	9	6	5	6	EbrS	•	•	•	•	+	+	•	•	2
山黄麻	<i>Trema tomentosa</i>	7	8	6	5	6	DbrT	•	•	•	•	+	+	•	•	2
常绿莨菪	<i>Viburnum sempervirens</i>	7	7	6	5	6	EbrS	•	•	•	•	+	+	•	•	2
山牡荆	<i>Vitex quinata</i>	6	7	5	6	6	EbrT	•	•	•	•	+	+	•	•	2
细轴莨菪	<i>Wikstroemia nutans</i>	6	8	5	5	6	EbrS	•	•	•	•	+	+	•	•	2
黄叶树	<i>Xanthophyllum hainanense</i>	5	8	6	5	6	EbrT	•	•	•	•	+	+	•	•	2
箭籐花椒	<i>Zanthoxylum avicennae</i>	7	8	5	7	5	DbrT	•	•	•	•	+	+	•	•	2
大叶臭椒	<i>Zanthoxylum myriacanthum</i>	7	8	5	7	6	DbrT	•	•	•	•	+	+	•	•	2
广东蒲桃	<i>Syzygium kwangtungense</i>	5	8	6	5	6	EbrT	•	•	•	•	+	+	•	•	2
沙坝冬青	<i>Ilex chapaensis</i>	5	8	6	5	6	DbrT	•	•	•	•	+	+	•	•	2
长叶卫矛	<i>Euonymus tsoi (E.kwangtungensis)</i>	4	8	7	5	6	EbrS	•	•	•	•	+	+	•	•	2
华南桂	<i>Cinnamomum austrosinense</i>	6	8	6	6	6	EbrT	•	•	•	•	+	•	+	•	2
木姜叶柯	<i>Lithocarpus litseifolius</i>	7	7	5	5	6	EbrT	•	•	•	•	+	•	•	+	2
土密树	<i>Bridelia tomentosa</i>	6	8	5	4	5	DbrS	•	•	•	•	+	•	•	+	2
水锦树	<i>Wendlandia uvariifolia</i>	5	8	6	5	6	EbrS	•	•	•	•	+	•	•	+	2
小花山小桔	<i>Glycosmis parviflora (G. citrifolia)</i>	6	8	5	5	5	EbrS	•	•	•	•	+	•	•	+	2
乌材	<i>Diospyros eriantha</i>	7	8	6	5	6	EbrT	•	•	•	•	+	•	•	+	2
水同木	<i>Ficus fistulosa</i>	5	9	7	5	6	EbrT	•	•	•	•	+	•	•	+	2
九丁榕	<i>Ficus nervosa</i>	7	9	7	5	6	EbrT	•	•	•	•	+	•	•	+	2
三脚鳖	<i>Melicope pteleifolia</i>	6	8	6	5	6	EbrT	•	•	•	•	+	•	•	+	2
羊舌树	<i>Symplocos glauca</i>	6	7	5	5	6	EbrT	•	•	•	•	•	+	+	+	2
台湾杨桐	<i>Adinandra formosana</i>	6	7	5	5	6	EbrS	•	•	•	•	•	+	+	+	2
腺齿紫金牛	<i>Ardisia cornudentata (A. cornudentata subsp. morrisonensis)</i>	5	8	6	5	6	EbrS	•	•	•	•	•	+	+	+	2
多枝紫金牛	<i>Ardisia sieboldii</i>	5	8	6	5	6	EbrS	•	•	•	•	•	+	+	+	2
扭子果	<i>Ardisia virens</i>	4	8	6	5	7	EbrS	•	•	•	•	•	•	+	+	2
杜虹花	<i>Callicarpa formosana</i>	6	7	5	5	6	DbrS	•	•	•	•	•	•	+	+	2
膜叶脚骨脆	<i>Casearia membranacea</i>	5	9	7	4	5	EbrT	•	•	•	•	•	•	+	+	2
淋漓锥	<i>Castanopsis uraiana (Limlia uraiana)</i>	5	9	6	5	6	EbrT	•	•	•	•	•	•	+	+	2
沉水樟	<i>Cinnamomum micranthum</i>	6	8	7	6	6	EbrT	•	•	•	•	•	•	+	+	2
台湾榕	<i>Ficus formosana</i>	5	8	7	5	6	EbrT	•	•	•	•	•	•	+	+	2
里白算盘子	<i>Glochidion triandrum (G. acuminatum)</i>	7	8	6	5	6	DbrS	•	•	•	•	•	•	+	+	2
大头茶	<i>Polyspora axillaris (Gordonia axillaris)</i>	6	8	5	5	6	EbrT	•	•	•	•	•	•	+	+	2
山龙眼	<i>Helicia formosana</i>	5	8	6	5	6	EbrT	•	•	•	•	•	•	+	+	2
海岛冬青	<i>Ilex goshiensis</i>	5	8	6	5	6	EbrS	•	•	•	•	•	•	+	+	2
忍冬叶冬青	<i>Ilex lonicerifolia</i>	5	8	6	5	6	EbrT	•	•	•	•	•	•	+	+	2
南紫薇	<i>Lagerstroemia subcostata</i>	5	9	6	5	6	DbrS	•	•	•	•	•	•	+	+	2
广东粗叶木	<i>Lasianthus curtisii</i>	5	8	6	5	6	EbrS	•	•	•	•	•	•	+	+	2
罗浮粗叶木	<i>Lasianthus fordii</i>	6	8	5	5	6	EbrS	•	•	•	•	•	•	+	+	2
小花粗叶木	<i>Lasianthus micranthus (L. microstachys)</i>	5	8	6	5	6	EbrS	•	•	•	•	•	•	+	+	2
南投黄肉楠	<i>Actinodaphne acuminata (Litsea acuminata)</i>	6	8	6	5	6	EbrT	•	•	•	•	•	•	+	+	2
大叶楠	<i>Machilus kusanoi (M. japonica var. kusanoi)</i>	5	8	6	5	6	EbrT	•	•	•	•	•	•	+	+	2
香润楠	<i>Machilus zuihoensis</i>	6	8	6	5	6	EbrT	•	•	•	•	•	•	+	+	2
台湾山桂花	<i>Maesa perlaris var. formosana</i>	6	8	6	5	6	EbrS	•	•	•	•	•	•	+	+	2
台湾含笑	<i>Michelia compressa</i>	6	8	6	5	6	EbrT	•	•	•	•	•	•	+	+	2
变叶新木姜子	<i>Neolitsea variabilissima (N. aciculata var. variabilissima)</i>	6	7	5	5	6	EbrS	•	•	•	•	•	•	+	+	2
五掌楠	<i>Neolitsea konishii</i>	6	7	6	6	6	EbrT	•	•	•	•	•	•	+	+	2
牛矢果	<i>Osmanthus matsumuranus</i>	5	7	6	5	6	EbrS	•	•	•	•	•	•	+	+	2
台湾安息香	<i>Styrax formosanus</i>	6	6	5	5	6	DbrS	•	•	•	•	•	•	+	+	2
台湾蒲桃	<i>Syzygium formosanum</i>	6	8	6	5	6	EbrS	•	•	•	•	•	•	+	+	2
光叶山黄麻	<i>Trema cannabina</i>	7	8	6	5	6	DbrT	•	•	•	•	•	•	+	+	2
台湾山香圆	<i>Turpinia formosana</i>	5	8	6	5	6	EbrT	•	•	•	•	•	•	+	+	2
水金京	<i>Wendlandia formosana</i>	5	8	7	5	6	EbrS	•	•	•	•	•	•	+	+	2
椿叶花椒	<i>Zanthoxylum ailanthoides</i>	7	6	5	6	6	DbrT	•	•	•	•	•	•	+	+	2
西施花	<i>Rhododendron ellipticum (R. leptosan-thum)</i>	5	7	5	4	6	EbrS	•	•	•	•	•	•	+	+	2

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP	
		L	T	W	R											N
		S														
锐角槭	<i>Acer acutum</i>	6	6	5	6	5	DbrT	+	1	
三角槭	<i>Acer buergerianum</i>	6	6	5	6	5	DbrT	+	1	
木蜡树	<i>Toxicodendron sylvestri</i>	7	7	4	6	5	DbrT	+	1	
细刺枸骨	<i>Ilex hylonoma</i>	6	7	5	5	6	EbrS	+	1	
皱柄冬青	<i>Ilex kengii</i>	5	7	5	5	6	EbrS	+	1	
南天竹	<i>Nandina domestica</i>	4	6	6	9	6	EbrS	+	1	
百齿卫矛	<i>Euonymus centidens</i>	5	7	6	5	6	EbrS	+	1	
榲桲	<i>Torreya grandis</i>	4	8	5	5	6	EneT	+	1	
油柿	<i>Diospyros oleifera</i>	6	7	6	5	6	EbrT	+	1	
刺毛越橘	<i>Vaccinium trichocladum</i>	7	7	4	4	5	EbrS	+	1	
湖北算盘子	<i>Glochidion wilsonii</i>	7	6	5	5	5	DbrS	+	1	
油桐	<i>Vernicia fordii (Aleurites montana)</i>	6	7	6	5	5	DbrT	+	1	
苦槠	<i>Castanopsis sclerophylla</i>	8	7	4	5	5	EbrT	+	1	
银杏	<i>Ginkgo biloba</i>	6	7	5	5	6	DbrT	+	1	
胡桃楸	<i>Juglans mandshurica (J.cathayensis var. formosana)</i>	6	6	6	5	6	DbrT	+	1	
紫楠	<i>Phoebe sheareri</i>	6	7	7	5	5	EbrT	+	1	
醉鱼草	<i>Buddleja lindleyana</i>	8	6	5	6	6	DbrS	+	1	
天目木兰	<i>Magnolia amoena</i>	7	6	5	6	6	DbrT	+	1	
柘	<i>Maclura tricuspidata (Cudrania tricuspidata)</i>	7	6	3	5	6	DbrS	+	1	
棕榈	<i>Trachycarpus fortunei</i>	6	8	7	5	5	EclT	+	1	
迎春	<i>Cerasus discoidea</i>	6	6	7	5	6	DbrT	+	1	
大叶早樱	<i>Cerasus subhirtella</i>	7	7	6	5	6	DbrT	+	1	
湖北山楂	<i>Crataegus hupehensis</i>	7	6	3	5	5	DbrS	+	1	
繸花	<i>Mussaenda esquirolii</i>	7	6	5	5	6	DwL	+	1	
响叶杨	<i>Populus adenopoda</i>	7	5	6	5	6	DbrT	+	1	
总状山矾	<i>Symplocos botryantha</i>	6	7	5	5	6	EbrT	+	1	
山茶	<i>Camellia japonica</i>	6	7	5	4	6	EbrS	+	1	
山油麻	<i>Trema cannabina var. dielsiana</i>	7	7	5	6	5	DbrT	+	1	
杭州榆	<i>Ulmus changii</i>	8	7	4	8	5	DbrT	+	1	
大叶榉	<i>Zelkova schneideriana</i>	7	7	5	7	6	DbrT	+	1	
华紫珠	<i>Callicarpa cathayana</i>	6	7	5	5	6	DbrS	+	1	
秃红紫珠	<i>Callicarpa rubella var. subglabra</i>	7	8	5	5	6	DbrS	+	1	
灰毛大青	<i>Clerodendrum canescens</i>	7	7	6	5	6	DbrS	+	1	
白背麸杨	<i>Rhus hypoleuca</i>	8	6	5	5	5	DbrS	.	+	1	
厚叶冬青	<i>Ilex elmerrilliana</i>	6	7	5	5	6	EbrS	.	+	1	
木姜冬青	<i>Ilex litseifolia</i>	5	7	5	5	6	EbrS	.	+	1	
柳叶蜡梅	<i>Chimonanthus salicifolius</i>	6	7	6	6	6	EbrS	.	+	1	
具毛常绿莢蒾	<i>Viburnum sempervirens var. trichophorum</i>	5	7	5	6	6	EbrS	.	+	1	
肉花卫矛	<i>Euonymus carnosus</i>	5	6	5	5	6	EbrT	.	+	1	
毛果珍珠花	<i>Lyonia ovalifolia var. hebecarpa</i>	7	6	4	3	6	EbrS	.	+	1	
美丽马醉木	<i>Pieris formosa</i>	6	6	5	3	6	EbrS	.	+	1	
马醉木	<i>Pieris japonica</i>	7	6	5	4	6	EbrS	.	+	1	
短尾越橘	<i>Vaccinium carlesii</i>	6	7	3	4	5	EbrS	.	+	1	
算盘子	<i>Glochidion puberum</i>	7	7	4	3	5	DbrS	.	+	1	
白木乌桕	<i>Sapium japonicum</i>	6	7	5	5	5	DbrS	.	+	1	
美丽胡枝子	<i>Lespedeza formosa</i>	8	7	5	5	5	DbrS	.	+	1	
钩椎	<i>Castanopsis tibetana</i>	4	7	7	5	5	EbrT	.	+	1	
乌冈栎	<i>Quercus phillyreoides</i>	8	5	4	5	4	EbrT	.	+	1	
柞木	<i>Xylosma congestum</i>	6	6	5	5	6	EbrT	.	+	1	
山榲	<i>Lindera reflexa</i>	6	7	5	5	6	DbrS	.	+	1	
黄绒润楠	<i>Machilus grijsii</i>	5	8	6	6	6	EbrT	.	+	1	
两色冻绿	<i>Rhamnus crenata var. discolor</i>	8	7	4	6	6	DbrS	.	+	1	
掌叶覆盆子	<i>Rubus chingii</i>	6	7	5	5	5	DbrS	.	+	1	
日本粗叶木	<i>Lasianthus japonicus</i>	6	6	5	5	6	EbrS	.	+	1	
海南槽裂木	<i>Pertusadina hainanensis</i>	5	8	7	5	6	EbrT	.	+	1	
岭南花椒	<i>Zanthoxylum austrosinense</i>	7	7	5	8	5	DbrT	.	+	1	
峨眉鼠刺	<i>Itea omeiensis</i>	6	7	5	4	5	EbrS	.	+	1	

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP
		L	T	W	R										
		S													
密花梭罗	<i>Reevesia pycnantha</i>	7	8	6	5	6	brT	•	+	•	•	•	•	•	1
垂珠花	<i>Styrax dasyanthus</i>	7	5	5	5	6	DbrT	•	+	•	•	•	•	•	1
芬芳安息香	<i>Styrax odoratissimus</i>	7	7	5	5	6	DbrS	•	+	•	•	•	•	•	1
北江莞花	<i>Wikstroemia monnula</i>	6	7	6	5	6	DbrS	•	+	•	•	•	•	•	1
白毛楸	<i>Tilia endochrysea</i>	6	7	5	5	6	DbrT	•	+	•	•	•	•	•	1
紫珠	<i>Callicarpa bodinieri</i>	6	7	5	5	6	DbrS	•	+	•	•	•	•	•	1
红紫珠	<i>Callicarpa rubella</i>	6	7	5	5	6	DbrS	•	+	•	•	•	•	•	1
浙江大青	<i>Clerodendrum kaichianum</i>	7	7	5	6	6	EbrT	•	+	•	•	•	•	•	1
大柄冬青	<i>Ilex macropoda</i>	5	6	6	5	6	DbrT	•	•	+	•	•	•	•	1
齿叶冬青	<i>Ilex crenata</i>	7	6	5	5	5	EbrS	•	•	+	•	•	•	•	1
显脉冬青	<i>Ilex editicostata</i>	6	7	5	5	6	EbrS	•	•	+	•	•	•	•	1
具柄冬青	<i>Ilex pedunculosa</i>	7	7	5	5	6	EbrT	•	•	+	•	•	•	•	1
紫果冬青	<i>Ilex tsoii</i>	6	6	5	5	6	DbrS	•	•	+	•	•	•	•	1
温州冬青	<i>Ilex wenchowensis</i>	5	7	6	5	6	EbrS	•	•	+	•	•	•	•	1
吴茱萸五加	<i>Gamblea ciliata</i> var. <i>evodiaefolia</i>	6	6	5	5	6	DbrS	•	•	+	•	•	•	•	1
衡山荚蒾	<i>Viburnum hengshanicum</i>	6	6	5	5	6	DbrS	•	•	+	•	•	•	•	1
合轴荚蒾	<i>Viburnum sympodiale</i>	7	6	5	6	6	DbrS	•	•	+	•	•	•	•	1
髭脉椴叶树	<i>Clethra barbinervis</i>	7	6	6	5	6	DbrS	•	•	+	•	•	•	•	1
秀丽四照花	<i>Cornus hongkongensis</i> ssp. <i>elegans</i>	5	7	6	5	6	EbrT	•	•	+	•	•	•	•	1
蔓胡颓子	<i>Elaeagnus glabra</i>	6	7	5	5	6	EwL	•	•	+	•	•	•	•	1
猴头杜鹃	<i>Rhododendron simiarum</i>	8	6	5	4	6	EbrS	•	•	+	•	•	•	•	1
东方古柯	<i>Erythroxylum sinense</i>	6	7	5	5	5	DbrS	•	•	+	•	•	•	•	1
岭南柯	<i>Lithocarpus brevicaudatus</i>	6	8	5	6	6	EbrT	•	•	+	•	•	•	•	1
假地枫皮	<i>Illicium jiadifengpi</i>	5	7	6	5	6	EbrT	•	•	+	•	•	•	•	1
浙闽新木姜子	<i>Neolitsea aurata</i> var. <i>undulata</i>	6	8	5	4	6	EbrS	•	•	+	•	•	•	•	1
厚朴	<i>Magnolia officinalis</i> (<i>Houpoea officinalis</i>)	7	7	5	5	6	DbrT	•	•	+	•	•	•	•	1
异叶榕	<i>Ficus heteromorpha</i>	6	7	6	5	6	EbrS	•	•	+	•	•	•	•	1
华桑	<i>Morus cathayana</i>	7	5	6	6	6	DbrT	•	•	+	•	•	•	•	1
长叶木犀	<i>Osmanthus marginatus</i> var. <i>longissimus</i>	7	7	7	5	6	EbrT	•	•	+	•	•	•	•	1
钟花樱桃	<i>Cerasus campanulata</i>	7	7	5	5	5	DbrT	•	•	+	•	•	•	•	1
毛叶山樱花	<i>Cerasus serrulata</i> var. <i>pubescens</i>	7	5	6	5	5	DbrT	•	•	+	•	•	•	•	1
鳞木	<i>Padus buergeriana</i>	6	6	5	4	5	DbrT	•	•	+	•	•	•	•	1
毛叶石楠	<i>Photinia villosa</i>	7	7	4	5	5	DbrS	•	•	+	•	•	•	•	1
棕脉花楸	<i>Sorbus dunnii</i>	6	6	5	5	5	DbrT	•	•	+	•	•	•	•	1
江南花楸	<i>Sorbus hemsleyi</i>	7	5	5	5	5	EbrT	•	•	+	•	•	•	•	1
银钟花	<i>Halesia macgregorii</i>	7	8	5	5	6	DbrT	•	•	+	•	•	•	•	1
小叶白辛树	<i>Pterostyrax corymbosus</i>	7	7	6	5	6	DbrT	•	•	+	•	•	•	•	1
灰叶安息香	<i>Styrax calvescens</i>	5	6	6	5	6	EbrS	•	•	+	•	•	•	•	1
南岭山矾	<i>Symplocos pendula</i> var. <i>hirtistylis</i>	6	7	6	5	6	EbrT	•	•	+	•	•	•	•	1
团花山矾	<i>Symplocos glomerata</i>	6	7	6	5	6	EbrT	•	•	+	•	•	•	•	1
南方红豆杉	<i>Taxus wallichiana</i> var. <i>mairei</i>	4	8	5	5	6	EneT	•	•	+	•	•	•	•	1
柳杉	<i>Cryptomeria japonica</i> var. <i>sinensis</i>	5	7	7	5	6	EneT	•	•	+	•	•	•	•	1
大萼杨桐	<i>Adinandra glischroloma</i> var. <i>macrosepala</i>	7	8	5	5	6	EbrS	•	•	+	•	•	•	•	1
厚叶红淡比	<i>Cleyera pachyphylla</i>	5	8	5	5	6	EbrS	•	•	+	•	•	•	•	1
尖萼紫茎	<i>Stewartia sinensis</i> var. <i>acutisepala</i>	6	6	5	5	6	DbrT	•	•	+	•	•	•	•	1
青皮槭	<i>Acer cappadocicum</i>	7	6	6	5	6	DbrT	•	•	•	+	•	•	•	1
杈叶槭	<i>Acer robustum</i> (<i>Acer ceriferum</i>)	7	5	6	5	6	DbrT	•	•	•	+	•	•	•	1
扇叶槭	<i>Acer flabellatum</i>	6	6	6	5	6	DbrT	•	•	•	+	•	•	•	1
建始槭	<i>Acer henryi</i>	6	6	6	6	6	DbrT	•	•	•	+	•	•	•	1
五裂槭	<i>Acer oliverianum</i>	6	6	5	6	5	DbrT	•	•	•	+	•	•	•	1
鸡爪槭	<i>Acer palmatum</i>	6	7	5	6	5	DbrT	•	•	•	+	•	•	•	1
中华槭	<i>Acer sinense</i>	7	7	5	5	6	DbrT	•	•	•	+	•	•	•	1
房县槭	<i>Acer sterculiaceum</i> subsp. <i>franchetii</i>	6	5	6	5	6	DbrT	•	•	•	+	•	•	•	1
刺叶冬青	<i>Ilex bioritsensis</i>	6	6	5	5	6	EbrS	•	•	•	+	•	•	•	1
康定冬青	<i>Ilex franchetiana</i>	6	7	5	5	6	EbrS	•	•	•	+	•	•	•	1
全缘冬青	<i>Ilex integra</i>	5	7	5	5	5	EbrS	•	•	•	+	•	•	•	1
猫儿刺	<i>Ilex pernyi</i>	7	6	5	5	6	EbrS	•	•	•	+	•	•	•	1

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP	
		L	T	W	R											N
		S														
黄叶五加	<i>Gamblea ciliata</i>	6	6	5	5	6	DbrS	.	.	.	+	1
椴木	<i>Aralia elata</i>	7	4	5	6	6	DbrS	.	.	.	+	1
人参木	<i>Chengiopanax fargesii</i>	5	7	6	5	6	DbrS	.	.	.	+	1
异叶梁王茶	<i>Metapanax davidii</i>	6	7	5	5	6	EbrS	.	.	.	+	1
豪猪刺	<i>Berberis julianae</i>	6	7	6	5	6	EbrS	.	.	.	+	1
香桦	<i>Betula insignis</i>	6	7	5	5	6	DbrT	.	.	.	+	1
鹅耳枥	<i>Carpinus turczaninowii</i>	6	5	6	5	5	DbrT	.	.	.	+	1
大穗鹅耳枥	<i>Carpinus fargesii</i>	6	5	5	5	5	DbrT	.	.	.	+	1
云南双盾木	<i>Dipelta yunnanensis</i>	6	6	5	5	6	DbrS	.	.	.	+	1
蕊被忍冬	<i>Lonicera gynochlamydea</i>	6	5	5	5	6	DbrS	.	.	.	+	1
桦叶荚蒾	<i>Viburnum betulifolium</i>	6	6	5	5	6	DbrS	.	.	.	+	1
水红木	<i>Viburnum cylindricum</i>	7	7	5	5	6	EbrS	.	.	.	+	1
荚蒾	<i>Viburnum dilatatum</i>	6	6	5	6	6	DbrS	.	.	.	+	1
巴东荚蒾	<i>Viburnum henryi</i>	7	6	6	5	6	EbrS	.	.	.	+	1
显脉荚蒾	<i>Viburnum nervosum</i>	5	5	6	5	6	DbrS	.	.	.	+	1
蝴蝶戏花珠	<i>Viburnum plicatum</i> var. <i>tomentosum</i>	7	7	6	5	5	DbrS	.	.	.	+	1
卫矛	<i>Euonymus alatus</i>	7	6	5	5	6	DbrS	.	.	.	+	1
窄叶冷地卫矛	<i>Euonymus cornutoides</i> (<i>E. cornutus</i>)	6	6	5	5	6	DbrS	.	.	.	+	1
裂果卫矛	<i>Euonymus dielsianus</i>	6	7	5	5	5	EbrS	.	.	.	+	1
西南卫矛	<i>Euonymus hamiltonianus</i>	5	7	5	5	6	EbrS	.	.	.	+	1
三尖杉	<i>Cephalotaxus fortunei</i>	4	7	6	5	6	EneT	.	.	.	+	1
城口椴叶树	<i>Clethra fargesii</i>	6	7	5	5	6	DbrS	.	.	.	+	1
长叶珊瑚	<i>Aucuba himalaica</i> var. <i>dolichophylla</i> (<i>A. himalaica</i>)	5	7	5	5	6	EbrT	.	.	.	+	1
倒披针叶珊瑚	<i>Aucuba himalaica</i> var. <i>oblanceolata</i>	5	7	5	5	6	EbrT	.	.	.	+	1
川鄂山茱萸	<i>Cornus chinensis</i>	5	6	5	5	6	DbrT	.	.	.	+	1
尖叶四照花	<i>Cornus elliptica</i>	5	7	6	5	6	EbrT	.	.	.	+	1
中华青荚叶	<i>Helwingia chinensis</i>	6	6	5	5	6	EbrT	.	.	.	+	1
青荚叶	<i>Helwingia japonica</i>	5	6	6	5	6	DbrS	.	.	.	+	1
毛柃	<i>Cornus walteri</i>	6	5	6	5	6	DbrT	.	.	.	+	1
君迁子	<i>Diospyros lotus</i>	6	7	5	5	6	DbrT	.	.	.	+	1
长叶胡颓子	<i>Elaeagnus bockii</i>	7	6	5	5	6	EbrS	.	.	.	+	1
披针叶胡颓子	<i>Elaeagnus lanceolata</i>	6	5	5	5	6	EbrS	.	.	.	+	1
牛奶子	<i>Elaeagnus umbellata</i>	6	6	5	5	6	DbrS	.	.	.	+	1
灯笼吊钟花	<i>Enkianthus chinensis</i>	6	7	5	5	6	DbrS	.	.	.	+	1
珍珠花	<i>Lyonia ovalifolia</i>	7	6	4	3	5	DbrS	.	.	.	+	1
耳叶杜鹃	<i>Rhododendron auriculatum</i>	5	6	6	5	6	EbrS	.	.	.	+	1
腺萼马银花	<i>Rhododendron bachii</i>	5	7	5	4	5	EbrS	.	.	.	+	1
长蕊杜鹃	<i>Rhododendron stamineum</i>	5	7	6	4	5	EbrS	.	.	.	+	1
四川杜鹃	<i>Rhododendron sutchuenense</i>	5	6	6	5	6	EbrS	.	.	.	+	1
湖北紫荆	<i>Cercis glabra</i>	6	6	6	6	6	EbrT	.	.	.	+	1
小花香槐	<i>Cladrastis delavayi</i>	7	7	5	5	6	DbrT	.	.	.	+	1
翅荚香槐	<i>Cladrastis platycarpa</i>	7	7	5	5	6	DbrT	.	.	.	+	1
南岭黄檀	<i>Dalbergia balansae</i>	5	8	6	5	5	DbrT	.	.	.	+	1
茅栗	<i>Castanea seguinii</i>	7	6	5	5	6	DbrT	.	.	.	+	1
曼青冈	<i>Cyclobalanopsis oxyodon</i>	7	6	5	5	5	EbrT	.	.	.	+	1
水青冈	<i>Fagus longipetiolata</i>	7	6	7	5	5	DbrT	.	.	.	+	1
绵柯	<i>Lithocarpus henryi</i>	7	6	6	5	6	EbrT	.	.	.	+	1
瑞木	<i>Corylopsis multiflora</i>	5	7	5	6	5	EbrS	.	.	.	+	1
缺萼枫香	<i>Liquidambar acalycina</i>	7	5	5	5	6	DbrT	.	.	.	+	1
野八角	<i>Illicium simonsii</i>	5	8	6	5	6	EbrT	.	.	.	+	1
猫儿屎	<i>Decaisnea insignis</i>	5	6	7	6	6	DbrS	.	.	.	+	1
绿叶甘藷	<i>Lindera neesiana</i>	7	7	4	5	6	DbrS	.	.	.	+	1
三椏乌药	<i>Lindera obtusiloba</i>	6	6	5	5	6	DbrS	.	.	.	+	1
云和新木姜子	<i>Neolitsea aurata</i> var. <i>paraciculata</i>	6	7	6	6	6	EbrS	.	.	.	+	1
红果黄肉楠	<i>Actinodaphne cupularis</i>	6	7	6	5	6	EbrS	.	.	.	+	1

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP	
		L	T	W	R											N
		S														
川桂	<i>Cinnamomum wilsonii</i>	4	7	6	6	5	EbrT	•	•	•	+	•	•	•	•	1
香叶子	<i>Lindera fragrans</i>	6	6	6	5	6	EbrT	•	•	•	+	•	•	•	•	1
黑壳楠	<i>Lindera megaphylla</i>	7	7	5	6	6	EbrT	•	•	•	+	•	•	•	•	1
西藏钓樟	<i>Lindera pulcherrima</i>	7	7	7	5	5	EbrT	•	•	•	+	•	•	•	•	1
毛叶木姜子	<i>Litsea mollis (L. euosma)</i>	6	7	5	5	5	DbrS	•	•	•	+	•	•	•	•	1
木姜子	<i>Litsea pungens</i>	7	6	6	6	6	EbrT	•	•	•	+	•	•	•	•	1
钝叶木姜子	<i>Litsea veitchiana</i>	6	7	6	5	6	DbrS	•	•	•	+	•	•	•	•	1
宜昌楠	<i>Machilus ichangensis</i>	6	6	7	6	6	EbrT	•	•	•	+	•	•	•	•	1
簇叶新木姜子	<i>Neolitsea confertifolia</i>	6	7	7	5	6	EbrT	•	•	•	+	•	•	•	•	1
利川楠	<i>Phoebe lichuanensis</i>	6	7	7	5	6	EbrT	•	•	•	+	•	•	•	•	1
多花含笑	<i>Michelia floribunda</i>	6	7	6	5	6	EbrT	•	•	•	+	•	•	•	•	1
乐东拟单性木兰	<i>Parakmeria lotungensis</i>	7	7	6	5	7	EbrT	•	•	•	+	•	•	•	•	1
望春玉兰	<i>Magnolia biondii (Yulania biondii)</i>	6	6	6	5	6	DbrT	•	•	•	+	•	•	•	•	1
玉兰	<i>Magnolia denudata (Yulania denudata)</i>	6	6	6	5	6	DbrT	•	•	•	+	•	•	•	•	1
武当木兰	<i>Magnolia sprengerii (Yulania sprengerii)</i>	7	5	7	6	6	DbrT	•	•	•	+	•	•	•	•	1
香椿	<i>Toona sinensis</i>	6	5	5	5	6	DbrT	•	•	•	+	•	•	•	•	1
三角叶榕	<i>Ficus deltoidea</i>	6	9	6	5	6	EbrS	•	•	•	+	•	•	•	•	1
珙桐	<i>Davidia involucrata</i>	5	7	6	5	6	DbrT	•	•	•	+	•	•	•	•	1
蜡子树	<i>Ligustrum leucanthum</i>	7	6	6	5	5	DbrS	•	•	•	+	•	•	•	•	1
柄果海桐	<i>Pittosporum podocarpum</i>	5	6	6	5	6	EbrS	•	•	•	+	•	•	•	•	1
厚圆果海桐	<i>Pittosporum rehderianum</i>	5	6	6	5	6	EbrS	•	•	•	+	•	•	•	•	1
棱果海桐	<i>Pittosporum trigonocarpum</i>	7	8	6	5	6	EbrS	•	•	•	+	•	•	•	•	1
崖花子	<i>Pittosporum truncatum</i>	5	7	6	5	6	EbrS	•	•	•	+	•	•	•	•	1
薄叶鼠李	<i>Rhamnus leptophylla</i>	6	5	4	8	6	DbrS	•	•	•	+	•	•	•	•	1
山鼠李	<i>Rhamnus wilsonii</i>	6	7	6	5	6	EbrS	•	•	•	+	•	•	•	•	1
微毛樱桃	<i>Cerasus clarifolia</i>	6	6	6	5	6	DbrS	•	•	•	+	•	•	•	•	1
华中樱桃	<i>Cerasus conradinae</i>	6	6	6	4	5	DbrT	•	•	•	+	•	•	•	•	1
尾叶樱桃	<i>Cerasus dielsiana</i>	6	7	6	4	5	DbrT	•	•	•	+	•	•	•	•	1
皱叶柳叶栒子	<i>Cotoneaster salicifolius var. rugosus</i>	6	7	6	5	6	EbrS	•	•	•	+	•	•	•	•	1
湖北海棠	<i>Malus hupehensis</i>	8	6	4	5	6	DbrT	•	•	•	+	•	•	•	•	1
粗梗稠李	<i>Padus napaulensis</i>	6	6	6	5	6	DbrT	•	•	•	+	•	•	•	•	1
细齿稠李	<i>Padus obtusata</i>	6	5	6	5	5	DbrT	•	•	•	+	•	•	•	•	1
绢毛稠李	<i>Padus wilsonii</i>	7	6	7	5	6	DbrT	•	•	•	+	•	•	•	•	1
绒毛石楠	<i>Photinia schneideriana</i>	6	7	6	5	6	DbrS	•	•	•	+	•	•	•	•	1
火棘	<i>Pyracantha fortuneana</i>	6	6	4	5	5	EbrS	•	•	•	+	•	•	•	•	1
卵果蔷薇	<i>Rosa helenae</i>	6	7	5	5	5	DbrS	•	•	•	+	•	•	•	•	1
棠叶悬钩子	<i>Rubus malifolius</i>	6	7	5	5	5	DbrS	•	•	•	+	•	•	•	•	1
木莓	<i>Rubus swinhoei</i>	7	7	5	4	5	DbrS	•	•	•	+	•	•	•	•	1
美脉花楸	<i>Sorbus caloneura</i>	6	7	6	5	6	DbrT	•	•	•	+	•	•	•	•	1
湖北花楸	<i>Sorbus hupehensis</i>	5	6	6	5	5	DbrT	•	•	•	+	•	•	•	•	1
华西花楸	<i>Sorbus wilsoniana</i>	6	7	5	5	5	DbrT	•	•	•	+	•	•	•	•	1
毛萼红果树	<i>Stranvaesia amphidoxa</i>	6	7	5	5	6	EbrS	•	•	•	+	•	•	•	•	1
臭檀吴萸	<i>Evodia daniellii (Tetradium daniellii)</i>	6	8	4	7	5	DbrT	•	•	•	+	•	•	•	•	1
朵花椒	<i>Zanthoxylum molle</i>	6	7	4	6	5	DbrT	•	•	•	+	•	•	•	•	1
野花椒	<i>Zanthoxylum simulans</i>	6	6	5	7	5	DbrS	•	•	•	+	•	•	•	•	1
泡花树	<i>Meliosma cuneifolia</i>	5	5	6	5	6	DbrT	•	•	•	+	•	•	•	•	1
暖木	<i>Meliosma veitchiorum</i>	6	7	5	5	6	DbrT	•	•	•	+	•	•	•	•	1
异色溲疏	<i>Deutzia discolor</i>	6	6	6	5	6	DbrS	•	•	•	+	•	•	•	•	1
腊莲绣球	<i>Hydrangea strigosa</i>	7	5	5	4	5	DbrS	•	•	•	+	•	•	•	•	1
绢毛山梅花	<i>Philadelphus sericanthus</i>	5	6	6	6	6	DbrS	•	•	•	+	•	•	•	•	1
毛泡桐	<i>Paulownia tomentosa</i>	6	5	5	5	6	DbrT	•	•	•	+	•	•	•	•	1
西域旌节花	<i>Stachyurus himalaicus</i>	6	5	6	5	6	DbrS	•	•	•	+	•	•	•	•	1
白辛树	<i>Pterostyrax psilophyllus (P. hispidus)</i>	7	7	6	5	6	DbrT	•	•	•	+	•	•	•	•	1
毛山矾	<i>Symplocos groffii</i>	5	8	6	5	6	EbrT	•	•	•	+	•	•	•	•	1
腺缘山矾	<i>Symplocos glandulifera</i>	6	7	5	5	6	EbrT	•	•	•	+	•	•	•	•	1
碎米树	<i>Symplocos tanakana</i>	6	6	4	5	6	DbrS	•	•	•	+	•	•	•	•	1

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP	
		L	T	W	R											N
		S														
红豆杉	<i>Taxus wallichiana</i> var. <i>chinensis</i>	4	7	5	5	6	EneT	.	.	.	+	1
水青树	<i>Tetracentron sinense</i>	7	6	7	6	6	DbrT	.	.	.	+	1
贵州连蕊茶	<i>Camellia costei</i>	6	7	5	4	6	EbrS	.	.	.	+	1
西南红山茶	<i>Camellia pitardii</i>	6	7	5	3	6	EbrS	.	.	.	+	1
短柱柃	<i>Eurya brevistyla</i>	6	6	5	5	6	EbrS	.	.	.	+	1
紫茎	<i>Stewartia sinensis</i>	6	6	5	5	6	DbrT	.	.	.	+	1
鄂椴	<i>Tilia oliveri</i>	7	6	5	5	6	DbrT	.	.	.	+	1
少脉椴	<i>Tilia paucicostata</i>	7	6	5	5	6	DbrT	.	.	.	+	1
椴树	<i>Tilia tuan</i>	7	6	5	6	6	DbrT	.	.	.	+	1
小果朴	<i>Celtis cerasifera</i>	6	7	5	7	6	DbrT	.	.	.	+	1
兴山榆	<i>Ulmus bergmanniana</i>	5	7	6	6	6	DbrT	.	.	.	+	1
腺叶山矾	<i>Symplocos adenophylla</i>	6	8	5	5	6	EbrT	+	.	.	.	1
岭南槭	<i>Acer tutcheri</i>	6	8	6	5	6	DbrT	+	.	.	.	1
阔叶猕猴桃	<i>Actinidia latifolia</i>	7	8	7	5	6	EwL	+	.	.	.	1
假鹰爪	<i>Desmos chinensis</i>	6	8	7	5	6	EbrS	+	.	.	.	1
瓜馥木	<i>Fissistigma oldhamii</i>	5	8	7	4	6	EwL	+	.	.	.	1
斜脉暗罗	<i>Polyalthia plagioneura</i>	5	8	6	5	6	EbrT	+	.	.	.	1
羊角拗	<i>Strophanthus divaricatus</i>	7	8	5	4	5	EbrS	+	.	.	.	1
短柱络石	<i>Trachelospermum brevistylum</i>	7	7	5	5	5	EwL	+	.	.	.	1
黄毛叶冬青	<i>Ilex dasyphylla</i>	7	7	5	5	5	EbrS	+	.	.	.	1
薄叶冬青	<i>Ilex fragilis</i>	6	6	5	5	6	DbrS	+	.	.	.	1
谷木叶冬青	<i>Ilex memecylifolia</i>	6	7	5	5	6	EbrT	+	.	.	.	1
毛叶冬青	<i>Ilex pubilimba</i>	5	8	6	5	6	EbrT	+	.	.	.	1
拟榕叶冬青	<i>Ilex subficoidea</i>	6	8	5	5	6	EbrT	+	.	.	.	1
野榕头	<i>Aralia armata</i>	6	7	5	5	5	DbrS	+	.	.	.	1
短柄幌伞枫	<i>Heteropanax brevipedicellatus</i>	5	8	6	5	6	EbrS	+	.	.	.	1
大叶黄杨	<i>Buxus megistophylla</i>	6	7	6	5	6	EbrS	+	.	.	.	1
屈头鸡	<i>Capparis versicolor</i>	7	8	4	5	5	EbrS	+	.	.	.	1
华南忍冬	<i>Lonicera confusa</i>	7	8	5	5	6	EwL	+	.	.	.	1
忍冬	<i>Lonicera japonica</i>	7	6	5	5	6	EwL	+	.	.	.	1
密花假卫矛	<i>Microtropis gracilipes</i>	5	7	6	5	6	EbrS	+	.	.	.	1
茄叶斑鸠菊	<i>Vernonia solanifolia</i>	7	8	6	5	6	EbrS	+	.	.	.	1
小叶红叶藤	<i>Rourea microphylla</i>	5	9	7	5	6	EwL	+	.	.	.	1
牛耳枫	<i>Daphniphyllum calycinum</i>	6	7	5	5	6	EbrT	+	.	.	.	1
毛柿	<i>Diospyros strigosa</i>	6	8	6	5	6	DbrS	+	.	.	.	1
秃瓣杜英	<i>Elaeocarpus glabripetalus</i>	5	7	5	6	6	EbrT	+	.	.	.	1
假木荷	<i>Craibiodendron stellatum</i>	6	7	5	5	6	EbrT	+	.	.	.	1
毛棉杜鹃	<i>Rhododendron moulmainsense</i>	6	7	5	4	5	EbrS	+	.	.	.	1
粘木	<i>Ixonanthes reticulata</i>	6	8	6	5	6	EbrT	+	.	.	.	1
黑面神	<i>Breynia fruticosa</i>	7	7	5	4	5	DbrS	+	.	.	.	1
天香藤	<i>Albizia comiculata</i>	7	8	6	5	6	DwL	+	.	.	.	1
羊蹄甲	<i>Bauhinia purpurea</i>	7	8	6	5	6	EbrT	+	.	.	.	1
刺果苏木	<i>Caesalpinia bonduc</i> (C. <i>crista</i>)	5	8	6	5	6	DwL	+	.	.	.	1
藤黄檀	<i>Dalbergia hancei</i>	6	7	6	5	5	DwL	+	.	.	.	1
灰毛崖豆藤	<i>Callerya cinerea</i> (<i>Millettia dielsiana</i>)	7	7	5	5	5	EwL	+	.	.	.	1
葶苈红豆	<i>Ormosia pachycarpa</i>	6	8	6	5	6	EbrT	+	.	.	.	1
罗浮锥	<i>Castanopsis fabri</i>	6	8	6	5	6	EbrT	+	.	.	.	1
毛锥	<i>Castanopsis fordii</i>	6	8	5	5	6	EbrT	+	.	.	.	1
红锥	<i>Castanopsis hystrix</i>	7	9	6	5	6	EbrT	+	.	.	.	1
黑叶锥	<i>Castanopsis nigrescens</i>	5	7	6	5	6	EbrT	+	.	.	.	1
竹叶青冈	<i>Cyclobalanopsis neglecta</i> (C. <i>bambusaefolia</i>)	7	8	5	5	6	EbrT	+	.	.	.	1
福建青冈	<i>Cyclobalanopsis chungii</i>	5	8	6	5	6	EbrT	+	.	.	.	1
饭甄青冈	<i>Cyclobalanopsis fleuryi</i>	6	7	6	5	6	EbrT	+	.	.	.	1
雷公青冈	<i>Cyclobalanopsis hui</i>	7	8	6	5	6	EbrT	+	.	.	.	1
烟斗柯	<i>Lithocarpus corneus</i>	6	7	4	5	5	EbrT	+	.	.	.	1
耳柯	<i>Lithocarpus haipinii</i>	6	8	4	5	5	EbrT	+	.	.	.	1
硬叶稠	<i>Lithocarpus lohanguvii</i>	7	8	7	5	6	EbrT	+	.	.	.	1
小硬叶稠	<i>Lithocarpus synbalanus</i> (<i>Pasania synbalanos</i>)	5	8	7	5	6	EbrT	+	.	.	.	1

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP	
		L	T	W	R											N
		S														
紫玉盘柯	<i>Lithocarpus uvariifolius</i>	6	8	4	5	5	EbrT	+	.	.	.	1
小叶买麻藤	<i>Gnetum parvifolium</i>	5	8	7	5	6	EwL	+	.	.	.	1
蕈树	<i>Altingia chinensis</i>	6	8	6	5	5	EbrT	+	.	.	.	1
蚊母树	<i>Distylium racemosum</i>	6	7	4	5	4	DbrS	+	.	.	.	1
大果马蹄荷	<i>Exbucklandia tonkinensis</i>	6	8	6	5	6	EbrT	+	.	.	.	1
壳菜果	<i>Mytilaria laosensis</i>	7	8	4	4	5	EbrT	+	.	.	.	1
半枫荷	<i>Semiliquidambar cathayensis</i>	6	7	5	5	6	EbrT	+	.	.	.	1
红花八角	<i>Illicium dunnianum</i>	6	8	6	5	5	EbrS	+	.	.	.	1
少叶黄杞	<i>Engelhardtia fenzelii</i>	6	8	5	4	5	EbrT	+	.	.	.	1
广东琼楠	<i>Beilschmiedia fordii</i>	5	8	6	5	6	EbrT	+	.	.	.	1
网脉琼楠	<i>Beilschmiedia tsangii</i>	6	8	6	6	6	EbrT	+	.	.	.	1
毛桂	<i>Cinnamomum appelianum</i>	7	8	5	6	6	EbrT	+	.	.	.	1
黄樟	<i>Cinnamomum parthenoxylon (C. por- rectum)</i>	6	7	6	5	6	EbrT	+	.	.	.	1
尖脉木姜	<i>Litsea acutivena</i>	4	8	6	5	6	EbrT	+	.	.	.	1
华南木姜子	<i>Litsea greenmaniana</i>	6	8	6	6	6	EbrT	+	.	.	.	1
大果木姜	<i>Litsea lancilimba</i>	5	8	6	5	6	EbrT	+	.	.	.	1
黄心树	<i>Machilus gamblei (M. suaveolens)</i>	6	8	7	5	6	EbrS	+	.	.	.	1
显脉新木姜子	<i>Neolitsea phanerophlebia</i>	5	7	6	6	6	EbrT	+	.	.	.	1
华马钱	<i>Strychnos cathayensis</i>	6	8	5	5	6	EwL	+	.	.	.	1
广东木莲	<i>Manglietia kwangtungensis (M. moto)</i>	6	8	6	5	6	EbrT	+	.	.	.	1
观光木	<i>Michelia odora (Tsoongiodendron odorum)</i>	7	8	6	7	6	EbrT	+	.	.	.	1
白桂木	<i>Artocarpus hypargyreus</i>	4	9	7	5	6	EbrT	+	.	.	.	1
对叶榕	<i>Ficus hispida</i>	6	8	6	5	6	EbrS	+	.	.	.	1
山血丹	<i>Ardisia lindleyana (A. punctata)</i>	4	8	6	5	6	EbrS	+	.	.	.	1
酸藤子	<i>Embelia laeta</i>	6	8	6	5	6	EwL	+	.	.	.	1
白花酸藤子	<i>Embelia ribes</i>	7	8	6	5	6	EwL	+	.	.	.	1
网脉酸藤子	<i>Embelia rudis</i>	7	7	6	5	6	EwL	+	.	.	.	1
岗松	<i>Baeckea frutescens</i>	7	8	3	3	5	EbrS	+	.	.	.	1
子楝树	<i>Decaspermum gracilentum</i>	5	8	6	5	6	EbrS	+	.	.	.	1
广东山龙眼	<i>Helicia kwangtungensis</i>	6	8	7	5	6	EbrT	+	.	.	.	1
旁杞木	<i>Carallia pectinifolia</i>	6	8	7	5	5	EbrS	+	.	.	.	1
山楨	<i>Crataegus pinnatifida</i>	7	5	6	6	6	DbrT	+	.	.	.	1
锈毛石斑木	<i>Rhaphiolepis ferruginea</i>	7	8	5	5	5	EbrT	+	.	.	.	1
深裂悬钩子	<i>Rubus reflexus var. lanceolobus</i>	6	8	7	5	6	DwL	+	.	.	.	1
水团花	<i>Adina pilulifera</i>	5	7	8	5	5	EbrS	+	.	.	.	1
鸡眼藤	<i>Morinda parvifolia</i>	7	7	6	5	6	EwL	+	.	.	.	1
钩藤	<i>Uncaria rhynchophylla</i>	5	7	6	5	6	DwL	+	.	.	.	1
三桠苦	<i>Evodia lepta</i>	5	8	6	5	6	EbrT	+	.	.	.	1
山橘	<i>Fortunella hindsii</i>	6	8	6	5	6	EbrS	+	.	.	.	1
飞龙掌血	<i>Toddalia asiatica</i>	7	6	5	7	5	EbrS	+	.	.	.	1
海南紫荆木	<i>Madhuca hainanensis</i>	6	9	5	5	6	EbrT	+	.	.	.	1
革叶铁榄	<i>Sinosideroxylon wightianum</i>	6	8	5	8	5	EbrT	+	.	.	.	1
常山	<i>Dichroa febrifuga</i>	5	6	6	5	6	DbrS	+	.	.	.	1
黑老虎	<i>Kadsura coccinea</i>	7	7	6	5	6	EwL	+	.	.	.	1
锐尖山香园	<i>Turpinia arguta</i>	5	8	5	5	6	DbrS	+	.	.	.	1
岭南山茉莉	<i>Huodendron biaristatum var. parviflo- rum</i>	6	9	5	5	6	EbrT	+	.	.	.	1
木瓜红	<i>Rehderodendron macrocarpum</i>	5	7	6	5	6	DbrT	+	.	.	.	1
密花山矾	<i>Symplocos congesta</i>	6	7	6	5	6	EbrT	+	.	.	.	1
长尾毛蕊茶	<i>Camellia caudata</i>	5	8	6	5	6	EbrT	+	.	.	.	1
油茶	<i>Camellia oleifera</i>	6	7	5	3	6	EbrS	+	.	.	.	1
南山茶	<i>Camellia semiserrata</i>	6	8	5	4	6	EbrS	+	.	.	.	1
尖叶毛柃	<i>Eurya acuminatissima</i>	5	8	6	5	6	EbrS	+	.	.	.	1
耳叶柃	<i>Eurya auriformis</i>	6	8	5	4	6	EbrS	+	.	.	.	1
柃木	<i>Eurya japonica</i>	6	7	5	3	6	EbrS	+	.	.	.	1
柔毛紫茎	<i>Stewartia villosa (Hartia villosa)</i>	6	7	5	5	6	EbrT	+	.	.	.	1
厚叶厚皮香	<i>Ternstroemia kwangtungensis</i>	6	7	5	5	6	EbrS	+	.	.	.	1

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP	
		L	T	W	R											N
大果核果茶	<i>Pyrenaria spectabilis</i> (<i>Tutcheria championii</i>)	5	8	5	5	6	EbrT	+	.	.	.	1
大叶紫珠	<i>Callicarpa macrophylla</i>	7	8	5	5	6	DbrS	+	.	.	.	1
钩毛紫珠	<i>Callicarpa peichieniana</i>	7	7	7	5	6	DbrS	+	.	.	.	1
杧果	<i>Mangifera indica</i>	7	8	5	4	6	EbrT	+	.	.	1
凹叶冬青	<i>Ilex chinensis</i>	5	7	5	6	6	EbrS	+	.	.	1
越南冬青	<i>Ilex cochinchinensis</i>	5	8	5	5	6	EbrT	+	.	.	1
长刺葱木	<i>Aralia spinifolia</i>	8	7	4	4	5	DbrS	+	.	.	1
二歧破布木	<i>Cordia dichotoma</i>	7	8	6	5	5	EbrS	+	.	.	1
乌榄	<i>Canarium pimela</i>	7	9	6	5	5	EbrT	+	.	.	1
显脉杜英	<i>Elaeocarpus dubius</i>	5	8	6	5	6	EbrT	+	.	.	1
广东假木荷	<i>Craibiodendron scleranthum</i> var. <i>kwangtungense</i>	6	7	5	5	6	EbrT	+	.	.	1
吊钟花	<i>Enkianthus quinqueflorus</i>	6	7	5	5	6	DbrS	+	.	.	1
弯蒴杜鹃	<i>Rhododendron henryi</i>	6	7	5	4	6	EbrS	+	.	.	1
岭南杜鹃	<i>Rhododendron mariae</i>	6	7	5	4	6	DbrS	+	.	.	1
鼎湖杜鹃	<i>Rhododendron tingwuense</i>	6	8	5	5	6	EbrS	+	.	.	1
小盘木	<i>Microdesmis caseariifolia</i>	5	8	6	5	5	EbrS	+	.	.	1
大叶土密树	<i>Bridelia retusa</i>	6	8	5	4	5	DbrT	+	.	.	1
五月茶	<i>Antidesma bunius</i>	6	8	5	4	6	EbrT	+	.	.	1
黄毛五月茶	<i>Antidesma fordii</i>	5	8	6	4	6	EbrT	+	.	.	1
云南银柴	<i>Aporosa yunnanensis</i>	5	8	4	4	6	EbrT	+	.	.	1
安达曼血桐	<i>Macaranga andamanica</i>	4	7	6	5	6	EbrS	+	.	.	1
粗毛野桐	<i>Mallotus hookerianus</i>	5	8	5	5	6	EbrS	+	.	.	1
小籽海红豆	<i>Adenanthera pavonina</i> var. <i>microsperma</i> (<i>A. microsperma</i>)	6	8	7	5	6	DbrT	+	.	.	1
大叶合欢	<i>Archidendron turgidum</i>	6	7	6	5	6	DbrT	+	.	.	1
云开红豆	<i>Ormosia merrilliana</i>	7	8	6	5	6	EbrT	+	.	.	1
软荚红豆	<i>Ormosia semicastrata</i>	6	8	6	5	5	EbrT	+	.	.	1
锥树	<i>Castanopsis chinensis</i>	6	8	6	5	6	EbrT	+	.	.	1
球花脚骨脆	<i>Casearia glomerata</i>	6	8	6	4	5	EbrT	+	.	.	1
茶秆竹	<i>Pseudosasa amabilis</i>	7	7	5	5	5	EbaS	+	.	.	1
黄牛木	<i>Cratoxylum cochinchinense</i>	7	8	5	4	5	DbrT	+	.	.	1
岭南山竹子	<i>Garcinia oblongifolia</i>	5	8	6	5	6	EbrT	+	.	.	1
凤凰润楠	<i>Machilus phoenicis</i>	6	7	6	5	6	EbrT	+	.	.	1
轮叶木姜子	<i>Litsea verticillata</i>	6	8	6	6	6	EbrT	+	.	.	1
广东润楠	<i>Machilus kwangtungensis</i>	5	8	6	6	6	EbrT	+	.	.	1
粗壮润楠	<i>Machilus robusta</i>	7	7	5	5	5	EbrT	+	.	.	1
锈叶新木姜子	<i>Neolitsea cambodiana</i>	6	7	6	6	6	EbrT	+	.	.	1
灰白新木姜子	<i>Neolitsea pallens</i>	7	8	6	5	6	EbrS	+	.	.	1
香港木兰	<i>Magnolia championii</i> (<i>Lirianthe championii</i>)	5	8	7	5	6	EbrS	+	.	.	1
深山含笑	<i>Michelia maudiae</i>	6	8	7	5	6	EbrT	+	.	.	1
毛稔	<i>Melastoma sanguineum</i>	5	8	6	5	6	EbrS	+	.	.	1
谷木	<i>Memecylon ligustrifolium</i>	5	8	6	5	6	EbrS	+	.	.	1
黑叶谷木	<i>Memecylon nigrescens</i>	5	8	6	5	6	EbrS	+	.	.	1
黄毛榕	<i>Ficus esquiroliana</i>	7	8	6	5	6	EbrT	+	.	.	1
胭脂	<i>Artocarpus tonkinensis</i>	6	9	7	5	6	EbrT	+	.	.	1
琴叶榕	<i>Ficus pandurata</i>	7	8	6	5	6	EbrS	+	.	.	1
杂色榕	<i>Ficus variegata</i>	7	9	7	5	6	EbrT	+	.	.	1
白肉榕	<i>Ficus vasculosa</i>	7	9	8	5	6	EbrT	+	.	.	1
肖蒲桃	<i>Syzygium acuminatissimum</i>	6	8	7	5	6	EbrT	+	.	.	1
子凌蒲桃	<i>Syzygium championii</i>	6	8	6	5	6	EbrS	+	.	.	1
蒲桃	<i>Syzygium jambos</i>	6	9	7	5	6	EbrT	+	.	.	1
山蒲桃	<i>Syzygium levinei</i>	6	9	6	5	6	EbrT	+	.	.	1
红枝蒲桃	<i>Syzygium rehderianum</i>	6	9	7	5	6	EbrT	+	.	.	1
鱼尾葵	<i>Caryota ochlandra</i> (<i>C. maxima</i>)	5	9	7	4	5	EclS	+	.	.	1
长叶竹柏	<i>Nageia fleuryi</i>	5	8	6	4	6	EneT	+	.	.	1
臀果木	<i>Pygeum topengii</i>	5	8	6	5	6	EbrT	+	.	.	1
鱼骨木	<i>Canthium dicoccum</i>	6	8	5	5	5	EbrS	+	.	.	1

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP	
		L	T	W	R											N
		S														
猪肚木	<i>Canthium horridium</i>	6	8	5	5	5	EbrS	+	.	.	1
山石榴	<i>Catunaregam spinosa</i>	5	8	6	5	6	EbrS	+	.	.	1
龙船花	<i>Ixora chinensis</i>	7	8	5	5	6	EbrS	+	.	.	1
乌檀	<i>Nauclea officinalis</i>	5	8	7	5	6	EbrT	+	.	.	1
香港大沙叶	<i>Pavetta hongkongensis</i>	6	8	5	5	5	EbrS	+	.	.	1
山油柑	<i>Acronychia pedunculata</i>	6	8	6	5	6	EbrT	+	.	.	1
柑桔	<i>Citrus reticulata</i>	7	7	6	4	6	EbrT	+	.	.	1
山椴叶泡花树	<i>Meliosma thorelii</i>	5	8	6	5	6	EbrT	+	.	.	1
龙眼	<i>Dimocarpus longan</i>	6	8	6	5	6	EbrT	+	.	.	1
荔枝	<i>Litchi chinensis</i>	6	8	6	5	6	EbrT	+	.	.	1
褐叶柄果木	<i>Mischocarpus pentapetalus</i>	5	8	6	5	6	EbrT	+	.	.	1
韶子	<i>Nephelium chryseum</i>	6	9	6	5	6	EbrT	+	.	.	1
金叶树	<i>Chrysophyllum lanceolatum</i> var. <i>stellatocarpon</i>	5	8	6	5	6	EbrT	+	.	.	1
肉实树	<i>Sarcosperma laurinum</i>	5	9	6	5	6	EbrT	+	.	.	1
窄叶半枫荷	<i>Pterospermum lanceaeifolium</i>	5	8	6	5	6	sEbrT	+	.	.	1
越南山矾	<i>Symplocos cochinchinensis</i>	6	8	6	5	6	EbrT	+	.	.	1
岗柃	<i>Eurya groffii</i>	6	7	5	5	6	EbrS	+	.	.	1
黑柃	<i>Eurya macartneyi</i>	6	7	5	4	6	EbrS	+	.	.	1
土沉香	<i>Aquilaria sinensis</i>	7	9	6	5	6	EbrT	+	.	.	1
了哥王	<i>Wikstroemia indica</i>	6	8	4	4	5	DbrS	+	.	.	1
破布叶	<i>Microcos paniculata</i>	6	8	5	5	6	DbrS	+	.	.	1
白颜树	<i>Gironniera subaequalis</i>	5	8	6	6	6	EbrT	+	.	.	1
狭叶山黄麻	<i>Trema angustifolia</i>	7	8	6	5	6	DbrT	+	.	.	1
棘桐	<i>Clerodendrum japonicum</i>	6	6	6	5	6	sEbrS	+	.	.	1
烏來冬青	<i>Ilex uraiensis</i>	5	8	6	5	6	EbrT	+	.	.	1
早田氏冬青	<i>Ilex hayataiana</i>	5	6	5	5	6	EbrS	+	.	.	1
台湾毛櫨木	<i>Aralia decaisneana</i>	6	7	5	5	6	DbrS	+	.	.	1
台中莢蒾	<i>Viburnum formosanum</i>	6	7	6	5	6	DbrS	+	.	.	1
台湾核子木	<i>Perrottetia arisanensis</i>	6	7	6	5	6	DbrT	+	.	.	1
笔筒树	<i>Sphaeropteris lepifera</i> (<i>Cyathea lepifera</i>)	7	9	8	5	6	EclS	+	.	.	1
黑桫欏	<i>Alsophila podophylla</i> (<i>Alsophila podophylla</i>)	5	9	8	5	6	EclS	+	.	.	1
桫欏	<i>Alsophila spinulosa</i> (<i>Cyathea spinulosa</i>)	4	9	8	5	6	EclS	+	.	.	1
野梧桐	<i>Mallotus japonicus</i>	7	6	5	5	5	DbrS	+	.	.	1
长果青冈	<i>Cyclobalanopsis longinux</i>	6	7	6	5	6	EbrT	+	.	.	1
青叶润楠	<i>Machilus zuihoensis</i> var. <i>mushaensis</i>	6	7	6	5	6	EbrT	+	.	.	1
杜荃山	<i>Maesa japonica</i>	3	7	6	4	6	EbrS	+	.	.	1
台湾枇杷	<i>Eriobotrya deflexa</i>	6	8	5	5	6	EbrT	+	.	.	1
西南粗叶木	<i>Lasianthus henryi</i> (<i>L. appressihirtus</i> var. <i>maximus</i>)	5	8	6	5	6	EbrS	+	.	.	1
小花鼠刺	<i>Itea parviflora</i>	6	7	6	5	6	EbrS	+	.	.	1
台湾赤杨叶	<i>Alniphyllum pterospermum</i>	6	7	7	5	6	DbrT	+	.	.	1
海桐山矾	<i>Symplocos heishanensis</i>	6	7	5	5	6	EbrT	+	.	.	1
岭南灰木	<i>Symplocos sonoharae</i>	6	7	6	5	6	EbrT	+	.	.	1
长梗紫麻	<i>Oreocnide pedunculata</i>	5	9	7	5	6	DbrS	+	.	.	1
锐叶紫珠	<i>Callicarpa tikusikensis</i>	6	8	6	5	6	DbrS	+	.	.	1
滨盐肤木	<i>Rhus chinensis</i> var. <i>roxburghii</i> (<i>R. javanica</i> var. <i>roxburghii</i>)	7	6	4	6	4	DbrT	+	.	.	1
菜豆树	<i>Radermachera sinica</i>	6	8	6	5	6	DbrT	+	.	.	1
黑叶山柑	<i>Capparis sabiifolia</i>	4	9	7	5	7	EbrS	+	.	.	1
呂宋莢蒾	<i>Viburnum luzonicum</i>	5	7	6	5	6	DbrS	+	.	.	1
菱叶卫矛	<i>Euonymus tashiroi</i>	6	7	6	5	6	EbrS	+	.	.	1
福建賽卫矛	<i>Microtropis fokienensis</i>	6	7	6	5	6	EbrS	+	.	.	1
畚大越桔	<i>Vaccinium randaiense</i>	5	7	5	5	6	EbrS	+	.	.	1
秋枫	<i>Bischofia javanica</i>	6	9	8	4	5	EbrT	+	.	.	1
粗糠柴	<i>Mallotus philippinensis</i>	7	8	5	5	6	EbrT	+	.	.	1
台湾紅豆	<i>Ormosia formosana</i>	6	8	6	5	6	EbrT	+	.	.	1
吊皮锥	<i>Castanopsis kawakamii</i>	4	8	6	5	6	EbrT	+	.	.	1

中文名 Chinese name	拉丁学名 Latin name	生态指示值 Ecological indicator value				GF	天童 TT	古田 GTS	百山 BSZ	八大 BDG	黑石 HSD	鼎湖 DHS	福山 FS	莲花 LHC	NP	
		L	T	W	R											N
		S														
毛果青冈	<i>Cyclobalanopsis pachyloma</i>	6	7	6	5	6	EbrT	+	1	
杏叶柯	<i>Lithocarpus amygdalifolius</i>	6	7	5	6	6	EbrT	+	1	
油叶石栎	<i>Lithocarpus konishii</i> (<i>Pasania konishii</i>)	6	8	7	5	6	EbrT	+	1	
南投柯	<i>Lithocarpus nantoensis</i>	6	8	7	5	6	EbrT	+	1	
尖叶假蚊母树	<i>Distyliopsis dunni</i>	6	7	6	5	6	EbrS	+	1	
秀柱花	<i>Eustigma oblongifolium</i>	6	8	6	5	6	EbrT	+	1	
台湾八角	<i>Illicium arborescens</i>	5	7	6	5	6	EbrT	+	1	
台琼楠	<i>Beilschmiedia erythrophloia</i>	6	8	6	6	6	EbrT	+	1	
土肉桂	<i>Cinnamomum osmophloeum</i>	6	8	6	6	6	EbrT	+	1	
黄肉树	<i>Litsea hypophaea</i>	4	8	6	5	6	EbrT	+	1	
台楠	<i>Phoebe formosana</i>	6	7	6	6	6	EbrT	+	1	
菲律宾榕	<i>Ficus ampelas</i>	4	9	7	5	6	DbrT	+	1	
槟榔	<i>Areca catechu</i>	8	9	6	5	6	EclT	+	1	
台湾五叶松	<i>Pinus morrissonicola</i>	6	7	5	4	5	EneT	+	1	
台湾罗汉松	<i>Podocarpus nakaii</i>	5	8	6	4	6	EneT	+	1	
莲花池山龙眼	<i>Helicia renetiensis</i>	6	8	7	5	5	EbrT	+	1	
台湾石楠	<i>Photinia lucida</i> (<i>Pourthiaea lucida</i>)	6	8	5	5	6	DbrS	+	1	
梅	<i>Armeniaca mume</i> (<i>Prunus mume</i>)	5	6	6	5	6	DbrS	+	1	
毛序石斑木	<i>Rhaphiolepis indica</i> var. <i>tashiroi</i>	6	8	6	5	6	EbrS	+	1	
文山粗叶木	<i>Lasianthus hispidulus</i> (<i>L. bunzanensis</i>)	5	9	7	5	6	EbrS	+	1	
鸡屎树	<i>Lasianthus hirsutus</i> (<i>L. cyanocarpus</i>)	5	8	7	5	6	EbrS	+	1	
斜脉粗叶木	<i>Lasianthus verticillatus</i> (<i>L. obliquinervis</i>)	5	8	6	5	6	EbrS	+	1	
漆叶泡花树	<i>Meliosma rhoifolia</i>	5	8	6	5	6	EbrT	+	1	
台湾梭罗	<i>Reevesia formosana</i>	6	8	5	5	6	DbrT	+	1	
茶叶灰木	<i>Symplocos adinandrifolia</i> var. <i>theifolia</i>	5	8	6	5	6	EbrS	+	1	
糙果茶	<i>Camellia furfuracea</i>	7	8	5	5	6	EbrS	+	1	
毛蕊柃叶连蕊茶	<i>Camellia euryoides</i> var. <i>nokoensis</i> (<i>Camellia nokoensis</i>)	5	7	6	5	6	EbrS	+	1	
柳叶毛蕊茶	<i>Camellia salicifolia</i>	6	8	5	5	6	EbrS	+	1	
四蕊朴	<i>Celtis tetrandra</i> (<i>Celtis formosana</i>)	6	7	5	7	6	DbrT	+	1	
异色山黄麻	<i>Trema orientalis</i>	7	8	4	5	6	DbrT	+	1	

GF, 生长型; NP, 物种出现的样地数。L, 光照; T, 温度; W, 水分; R, 土壤反应; N, 土壤肥力。*, 括号内是8大样地中某些样地所用的学名, 中文名称随拉丁学名而定, 异名不再列出。EbrT: 常绿阔叶乔木; EbrS: 常绿阔叶灌木; EneT: 常绿针叶乔木; EclT: 常绿簇叶乔木; EcLS: 常绿簇叶灌木; DbrT: 落叶阔叶乔木; DbrS: 落叶阔叶灌木; EwL: 常绿木质藤本; DwL: 落叶木质藤本。+表示物种在该样地出现, ·表示物种在该样地没有出现。

GF, Growth form; NP, Numbers of plots where species exist. L, Light; T, Temperature; W, Moisture; R, Soil reaction; N, Soil fertility. *, The name within brackets represents that it was used by some plots across eight dynamics plots. Chinese name was decided according to its latin name. Variant name was not given. EbrT, Evergreen broadleaf tree; EbrS, Evergreen broadleaf shrub; EneT, Evergreen needle-leaved tree; EclT, Evergreen cluster leaf tree; EcLS, Evergreen cluster leaf shrub; DbrT, Deciduous broadleaf tree; DbrS, Deciduous broadleaf shrub; EwL, Evergreen woody liana; DwL, Deciduous woody liana. + represents that a species appeared in a given plot. · represents that a species did not appear in a given plot.