

中国脊椎动物红色名录

蒋志刚^{1,2,3*} 江建平^{4*} 王跃招^{4*} 张 鄂^{5*} 张雁云^{6*} 李立立¹ 谢 锋⁴ 蔡 波⁴
曹 亮⁵ 郑光美⁶ 董 路⁶ 张正旺⁶ 丁 平⁷ 罗振华^{1#} 丁长青⁸ 马志军⁹
汤宋华¹ 曹文宣⁵ 李春旺^{1, 3} 胡慧建¹⁰ 马 勇¹ 吴 毅¹¹ 王应祥¹² 周开亚¹³
刘少英¹⁴ 陈跃英⁴ 李家堂⁴ 冯祚建¹ 王 燕⁴ 王 斌⁴ 李 成⁴ 宋雪琳⁵
蔡 蕾¹⁵ 臧春鑫¹⁶ 曾 岩^{1, 2} 孟智斌^{1, 2} 方红霞¹ 平晓鸽¹

1 (中国科学院动物研究所, 北京 100101) 2 (中华人民共和国濒危物种科学委员会, 北京 100101)

3 (中国科学院大学, 北京 100049) 4 (中国科学院成都生物研究所, 成都 610041)

5 (中国科学院水生生物研究所, 武汉 430072) 6 (北京师范大学生命科学学院, 北京 100875)

7 (浙江大学生命科学学院, 杭州 310058) 8 (北京林业大学自然保护区学院, 北京 100083)

9 (复旦大学生物多样性科学研究所, 上海 200438) 10 (广东省生物资源应用研究所暨华南濒危动物研究所, 广州 510260)

11 (广州大学生命科学学院, 广州 510006) 12 (中国科学院昆明动物研究所, 昆明 650223)

13 (南京师范大学生命科学学院, 南京 210046) 14 (四川林业科学研究院, 成都 610081)

15 (中华人民共和国环境保护部自然生态保护司, 北京 100035) 16 (中国环境科学研究院, 北京 100012)

为全面评估中国野生脊椎动物濒危状况, 环境保护部联合中国科学院于2013年启动了《中国生物多样性红色名录——脊椎动物卷》编制工作。通过这项工作, 我们编制了《中国脊椎动物红色名录》。

本次评估主要依据以下3个标准: (1) IUCN Red List Categories and Criteria (Version 3.1) (IUCN, 2012a); (2) Guidelines for Using the IUCN Red List Categories and Criteria (Version 8.1) (IUCN Standards and Petitions Subcommittee, 2010); (3) Guidelines for Application of IUCN Red List Criteria at Regional and National Levels (Version 4.0) (IUCN, 2012b)。

本次评估使用了以下IUCN等级: 灭绝(Extinct, EX)、野外灭绝(Extinct in the Wild, EW)、区域灭绝(Regionally Extinct, RE)、极危(Critically Endangered, CR)、濒危(Endangered, EN)、易危(Vulnerable, VU)、近危(Near Threatened, NT)、无危(Least Concern, LC)、数据缺乏(Data Deficient, DD)。

《中国脊椎动物红色名录》评估的信息来源主要有标本数据、文献数据和专家咨询。(1)标本数据:

主要来源于中国科学院和各高等院校标本馆以及地方自然博物馆。根据标本数据, 利用 GIS 技术获得各物种的占有面积和分布范围等信息, 作为红色名录评估的重要基础数据。(2)文献资料: 也是本次评估的重要信息来源, 主要涉及新种发现、物种分布、生态、保护及资源利用等方面。(3)专家咨询: 相关领域的专家结合自身知识和研究成果, 查阅参考文献, 提供了其研究领域内物种最新信息, 包括物种分类信息、种群数量和趋势、野外生境状况、威胁因素、利用状况和保护现状等。信息收集截止于2015年3月31日。

本次评估的哺乳动物编目系统依据蒋志刚等(2015), 评估了673种哺乳动物, 其中特有种150种; 鸟类编目系统依照郑光美(2011); 爬行动物编目系统依据蔡波等(2015); 两栖动物编目系统依据费梁等(2012), 评估了408种。

《中国脊椎动物红色名录》评估包括信息收集、数据库建立和组织实施, 组建了顾问委员会、核心专家组、工作组和咨询专家库。顾问委员会由

收稿日期: 2016-05-09; 接受日期: 2016-05-13

基金项目: 环境保护部生物多样性保护专项——中国脊椎动物红色名录项目

* 通讯作者. E-mail: jiangzg@ioz.ac.cn; JiangJP@cib.ac.cn; arcib@cib.ac.cn; zhange@ihb.ac.cn; zhangyy@bnu.edu.cn

† 现在工作单位: 华中师范大学生命科学学院。

国家濒危物种科学委员会陈宜瑜院士、中国科学院张亚平院士、环境保护部金鉴明院士、东北林业大学马建章院士和北京师范大学郑光美院士组成。顾问委员会对整个评估过程进行了指导。哺乳类、鸟类、爬行类、两栖类和内陆鱼类分别建立了工作组、核心专家组和通讯专家组。工作组负责按照预定的红色名录判定规程开展工作, 包括资料收集与整理、红色名录初步判定、与通讯评审专家联络和通讯函评结果汇总。核心专家组对红色名录评估的方法、标准使用、数据来源等重要科学问题进行界定, 讨论审核有关物种的受威胁等级。工作组在全国范围遴选咨询专家, 建立了咨询专家库。各咨询专家参加了红色名录的通讯函评和会议评审。评审结束后, 按照统一格式, 整理每个物种包含的信息, 形

成最终的物种评估说明书。物种评估说明书的内容包括物种的学名、中文名、拉丁科名、中文科名、评估受威胁等级及IUCN红色名录等级标准。

《中国脊椎动物红色名录》于2015年5月6日通过中华人民共和国环境保护部和中国科学院的联合验收, 并于5月23日以中华人民共和国环境保护部、中国科学院2015年第32号公告形式发布。有关哺乳类、鸟类、爬行类、两栖类和内陆鱼类红色名录的评估结果分析见蒋志刚等(2016)、张雁云等(2016)、蔡波等(2016)、江建平等(2016)和曹亮等(2016)。本数据论文列出了《中国脊椎动物红色名录》, 按哺乳纲、鸟纲、爬行纲、两栖纲和内陆鱼类排序。

文中参考文献见 <http://www.biodiversity-science.net/fileup/PDF/2016076-1.pdf>。

Red List of China's Vertebrates

Zhigang Jiang^{1,2,3*}, Jianping Jiang^{4*}, Yuezhao Wang^{4*}, E Zhang^{5*}, Yanyun Zhang^{6*}, Lili Li¹, Feng Xie⁴, Bo Cai⁴, Liang Cao⁵, Guangmei Zheng⁶, Lu Dong⁶, Zhengwang Zhang⁶, Ping Ding⁷, Zhenhua Luo^{1#}, Changqing Ding⁸, Zhijun Ma⁹, Songhua Tang¹, Wenxuan Cao⁵, Chunwang Li^{1,3}, Huijian Hu¹⁰, Yong Ma¹, Yi Wu¹¹, Yingxiang Wang¹², Kaiya Zhou¹³, Shaoying Liu¹⁴, Yueying Chen⁴, Jiatang Li⁴, Zuojian Feng¹, Yan Wang⁴, Bin Wang⁴, Cheng Li⁴, Xuelin Song⁵, Lei Cai¹⁵, Chunxin Zang¹⁶, Yan Zeng^{1,2}, Zhibin Meng^{1,2}, Hongxia Fang¹, Xiaoge Ping¹

1 Institute of Zoology, Chinese Academy of Sciences, Beijing 100101

2 Endangered Species Scientific Commission of the People's Republic of China, Beijing 100101

3 University of Chinese Academy of Sciences, Beijing 100049

4 Chengdu Institute of Biology, Chinese Academy of Sciences, Chengdu 610041

5 Institute of Hydrobiology, Chinese Academy of Sciences, Wuhan 430072

6 College of Life Sciences, Beijing Normal University, Beijing 100875

7 College of Life Sciences, Zhejiang University, Hangzhou 310058

8 School of Nature Conservation, Beijing Forestry University, Beijing 100083

9 Institute of Biodiversity Science, Fudan University, Shanghai 200438

10 Guangdong Institute of Applied Biological Resources, Guangzhou 510260

11 College of Life Sciences, Guangzhou University, Guangzhou 510006

12 Kunming Institute of Zoology, Chinese Academy of Sciences, Kunming 650223

13 College of Life Sciences, Nanjing Normal University, Nanjing 210046

14 Sichuan Institute of Forestry Sciences, Chengdu 610081

15 Department of Nature and Ecology Conservation, Ministry of Environmental Protection of the People's Republic of China, Beijing 100035

16 Chinese Research Academy of Environmental Sciences, Beijing 100012

To assess the overall threat status of wild vertebrates in China, the Ministry of Environmental Protection, allied with the Chinese Academy of Sciences, initiated a program compiling a *China Biodiversity Red List—Vertebrates* in 2013. Through this program, we

compiled a *Red List of China's Vertebrates* using three documents as reference: (1) *IUCN Red List Categories and Criteria* (Version 3.1) (IUCN, 2012a); (2) *Guidelines for Using the IUCN Red List Categories and Criteria* (Version 8.1) (IUCN Standards and Petitions

Received: 2016-05-09; Accepted: 2016-05-13

Supported by Ministry of Environmental Protection of the People's Republic of China.

*Authors for correspondence. E-mail: jiangzg@ioz.ac.cn; JiangJP@cib.ac.cn; arcib@cib.ac.cn; zhange@ihb.ac.cn; zhangyy@bnu.edu.cn

† Current Work Unit: School of Life Sciences, Central China Normal University.

Subcommittee, 2010); and (3) *Guidelines for Application of IUCN Red List Criteria at Regional and National Levels* (Version 4.0) (IUCN, 2012b).

We applied the following IUCN categories, i.e. Extinct (EX), Extinct in the Wild (EW), Regionally Extinct (RE), Critically Endangered (CR), Endangered (EN), Vulnerable (VU), Near Threatened (NT), Least Concern (LC), and Data Deficient (DD), to describe the status of vertebrates in China.

The information for assessing *Red List of China's Vertebrates* was mainly collected from specimens, literature and experts. Specimen data were collected from museums located at the Chinese Academy of Sciences and other universities as well as local natural history museums. Based on the specimen data collected, we analyzed the data using GIS to gain information about the extent of occurrence and area of occupancy of each vertebrate species evaluated, which provided fundamental data for the assessment. In addition to specimen data, literature review provided the main information for this assessment, in reference to new species, species distribution, ecology, conservation, and resource utilization. Furthermore, expert consultation was another important assessment method. Experts are familiar with latest status of the species they study. By referring to literature and field experience, the experts provided sufficient and updated information of relevant species, including the taxonomic definition, population size and trends, habitat conditions, threats, utilization, and conservation information. The deadline for information collection was March 31, 2015. The mammalian inventory system in the assessment followed the system of *China's Mammal Diversity* (Jiang et al, 2015), including 673 species of mammals, among which 150 endemic species were assessed. The inventory systems of birds, reptiles and amphibians followed that in Zheng (2011), Cai et al (2015) and Fei et al (2012), respectively.

The assessment of the *Red List of China's Vertebrates* included the following steps: information collection, database establishment, formation of an advisory committee, core experts group, and working group, and establishment of a pool of corresponding experts. Members of the advisory committee consisted

of Academician Yiyu Chen (from the Endangered Species Scientific Commission of the People's Republic of China), Academician Yaping Zhang (from the Chinese Academy of Sciences), Academician Jianming Jin (from the Ministry of Environmental Protection), Academician Jianzhang Ma (from Northeast Forestry University) and Academician Guangmei Zheng (from Beijing Normal University). The advisory commission oversaw assessment progress. Five working groups, one core expert group and corresponding expert teams of mammals, birds, reptiles, amphibians and continental fishes were formed. The core expert group assisted each working group in determining the evaluation method, criteria, and verified species data. The working groups were responsible for implementing the assessment plan as specified, including data collection and organization, initial assessment of red listed species, contacting experts by correspondence, and compiling evaluation results. The core experts discussed and reviewed the species' living status. The working groups gathered advisory experts across the nation and formed an advisory expert pool. The advisory experts participated in the Red List evaluation by correspondence or at review meetings. After the review, we finished assessing each species using unified standards, including scientific name, Chinese name, family name, Chinese family name, status assessed, and IUCN criteria.

On May 6, 2015, the *Red List of China's Vertebrates* passed an evaluation jointly held by the Ministry of Environmental Protection of the People's Republic of China and the Chinese Academy of Sciences. The Red List was officially released in the form of the 32nd Announcement of the Ministry of Environmental Protection of the People's Republic of China and the Chinese Academy of Sciences on May 23, 2015. Detailed information and analyses of the results of the Red List can be found in Jiang ZG et al (2016), Zhang et al (2016), Cai et al (2016), Jiang JP et al (2016) and Cao et al (2016). This paper contains the Red List of China's Vertebrates including that of mammals, birds, reptiles, amphibians and continental fishes.

The references cited in this data paper can be found at the website www.biodiversity-science.net/fileup/PDF/2016076-1.pdf.

中国脊椎动物红色名录

按哺乳纲、鸟纲、爬行纲、两栖纲和内陆鱼类的目级分类系统排列, 其中虎的评估水平为亚种。Δ为特有种; *为争议种。

Red List of China's Vertebrates

The list is arranged according to order of the taxonomy system, in the sequence of mammals, birds, reptiles, amphibians and continental fishes, among them tiger assessed at the level of subspecies. Δ Endemic species; * Species in dispute.

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
哺乳动物 Mammals			云南鼯鼠 <i>Sorex excelsus</i>	LC	
1 劳亚食虫目 Eulipotyphla			细鼯鼠 <i>Sorex gracillimus</i>	NT	
(1) 猬科 Erinaceidae			远东鼯鼠 <i>Sorex isodon</i>	NT	
中国毛猬 <i>Hylomys suillus</i>	NT		柯氏鼯鼠 <i>Sorex kozlovi</i> Δ	DD	
海南新毛猬 <i>Neohylomys hainanensis</i> Δ	VU	B1+2a	姬鼯鼠 <i>Sorex minutissimus</i>	NT	
中国鼯鼠 <i>Neotetracus sinensis</i>	LC		小鼯鼠 <i>Sorex minutus</i>	NT	
东北刺猬 <i>Erinaceus amurensis</i>	LC		大鼯鼠 <i>Sorex mirabilis</i>	NT	
大耳猬 <i>Hemiechinus auritus</i>	LC		克什米尔鼯鼠 <i>Sorex planiceps</i>	NT	
达乌尔猬 <i>Mesechinus dauuricus</i>	LC		扁颅鼯鼠 <i>Sorex roboratus</i>	NT	
侯氏猬 <i>Mesechinus hughi</i> Δ	NT		陕西鼯鼠 <i>Sorex sinalis</i> Δ	NT	
小齿猬 <i>Mesechinus miodon</i> Δ	DD		藏鼯鼠 <i>Sorex thibetanus</i> Δ	NT	
林猬 <i>Mesechinus sylvaticus</i> Δ	LC		苔原鼯鼠 <i>Sorex tundrensis</i>	NT	
(2) 鼯鼠科 Talpidae			长爪鼯鼠 <i>Sorex unguiculatus</i>	LC	
等齿鼯鼠 <i>Uropsilus aequodonenia</i> Δ	NT		淡灰黑齿鼯鼠 <i>Blarinella griselda</i>	LC	
峨眉鼯鼠 <i>Uropsilus andersoni</i> Δ	VU	B1+2a(i)	川鼯 <i>Blarinella quadratacauda</i> Δ	LC	
长吻鼯鼠 <i>Uropsilus gracilis</i>	LC		狭颅黑齿鼯鼠 <i>Blarinella wardi</i>	NT	
贡山鼯鼠 <i>Uropsilus investigator</i> Δ	NT		大爪长尾鼯鼠 <i>Soriculus nigrescens</i>	NT	
鼯鼠 <i>Uropsilus soricipes</i> Δ	LC		米什米长尾鼯鼠 <i>Episoriculus baileyi</i>	DD	
长尾鼯鼠 <i>Scaptonyx fuscicaudus</i>	LC		长尾鼯 <i>Episoriculus caudatus</i>	LC	
甘肃鼯 <i>Scapanulus oweni</i> Δ	NT		台湾长尾鼯 <i>Episoriculus fumidus</i> Δ	NT	
宽齿鼯 <i>Euroscaptor grandis</i> Δ	VU	B1+2a(i)	大长尾鼯鼠 <i>Episoriculus leucops</i>	NT	
克氏鼯 <i>Euroscaptor klossi</i>	VU	B1	缅甸长尾鼯 <i>Episoriculus macrurus</i>	NT	
长吻鼯 <i>Euroscaptor longirostris</i>	LC		灰腹长尾鼯鼠 <i>Episoriculus sacratu</i> s Δ	DD	
短尾鼯 <i>Euroscaptor micrura</i>	VU	B1	高氏缺齿鼯 <i>Chodsigoa caovansunga</i>	CR	B1+2a; C1
小齿鼯 <i>Euroscaptor parvidens</i>	VU	B1	川西缺齿鼯鼠 <i>Chodsigoa hypsibia</i> Δ	LC	
台湾缺齿鼯 <i>Mogera kanoana</i> Δ	DD		小缺齿鼯鼠 <i>Chodsigoa lamula</i> Δ	NT	
华南缺齿鼯 <i>Mogera insularis</i>	LC		云南缺齿鼯鼠 <i>Chodsigoa parca</i>	NT	
缺齿鼯 <i>Mogera robusta</i>	LC		滇北长尾鼯 <i>Chodsigoa parva</i> Δ	NT	
小缺齿鼯 <i>Mogera wogura</i>	NT		大缺齿鼯鼠 <i>Chodsigoa salenskii</i> Δ	NT	
钓鱼岛鼯 <i>Mogera uchidai</i> Δ	DD		斯氏缺齿鼯鼠 <i>Chodsigoa smithii</i> Δ	LC	
白尾鼯 <i>Parascaptor leucura</i>	VU	B1+2a(i)	细尾缺齿鼯鼠 <i>Chodsigoa sodalis</i> Δ	DD	
麝鼯 <i>Scaptochirus moschatus</i> Δ	NT		水鼯鼠 <i>Neomys fodiens</i>	VU	B1+2a(i)
(3) 鼯鼠科 Soricidae			微尾鼯 <i>Anourosorex squamipes</i>	LC	
天山鼯鼠 <i>Sorex asper</i>	NT		台湾短尾鼯 <i>Anourosorex yamashinai</i> Δ	DD	
小纹背鼯鼠 <i>Sorex bedfordiae</i>	LC		喜马拉雅水麝鼯 <i>Chimarrogale himalayica</i>	VU	B1+2a(i)
帕米尔鼯鼠 <i>Sorex buchariensis</i>	LC		利安得水麝鼯 <i>Chimarrogale leander</i>	DD	
中鼯鼠 <i>Sorex caecutiens</i>	NT		灰腹水鼯 <i>Chimarrogale styani</i>	VU	B1+2a(i)
甘肃鼯鼠 <i>Sorex cansulus</i> Δ	NT		蹼足鼯 <i>Nectogale elegans</i>	LC	
纹背鼯鼠 <i>Sorex cylindricauda</i> Δ	NT		小臭鼯 <i>Suncus etruscus</i>	NT	
栗齿鼯鼠 <i>Sorex daphaenodon</i>	NT		臭鼯 <i>Suncus murinus</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
灰麝鼩 <i>Crocidura attenuata</i>	LC		中华菊头蝠 <i>Rhinolophus sinicus</i>	LC	
白尾梢麝鼩 <i>Crocidura fuliginosa</i>	LC		小褐菊头蝠 <i>Rhinolophus stheno</i>	NT	
格氏小麝鼩 <i>Crocidura gmelini</i>	NT		托氏菊头蝠 <i>Rhinolophus thomasi</i>	NT	
南小麝鼩 <i>Crocidura indochinensis</i>	NT		楔鞍菊头蝠 <i>Rhinolophus xinanzhongguoensis</i> Δ	DD	
大麝鼩 <i>Crocidura lasiura</i>	NT		云南菊头蝠 <i>Rhinolophus yunnanensis</i>	VU	B1; C2a(i)
白齿麝鼩 <i>Crocidura leucodon</i>	LC		(9) 蹄蝠科 Hipposideridae		
华南中麝鼩 <i>Crocidura rapax</i> Δ	LC		大蹄蝠 <i>Hipposideros armiger</i>	LC	
山东小麝鼩 <i>Crocidura shantungensis</i>	LC		灰小蹄蝠 <i>Hipposideros cineraceus</i>	NT	
西伯利亚麝鼩 <i>Crocidura sibirica</i>	NT		大耳小蹄蝠 <i>Hipposideros fulvus</i>	DD	
台湾长尾麝鼩 <i>Crocidura tanakae</i> Δ	LC		中蹄蝠 <i>Hipposideros larvatus</i>	LC	
西南中麝鼩 <i>Crocidura vorax</i>	LC		莱氏蹄蝠 <i>Hipposideros lylei</i>	VU	B1+2a(i)
五指山小麝鼩 <i>Crocidura wuchihensis</i>	VU	B1+2a(i)	小蹄蝠 <i>Hipposideros pomona</i>	LC	
2 攀鼯目 Scandentia			普氏蹄蝠 <i>Hipposideros pratti</i>	NT	
(4) 树鼯科 Tupaiidae			三叶蹄蝠 <i>Aselliscus stoliczkanus</i>	NT	
北树鼯 <i>Tupaia belangeri</i>	LC		无尾蹄蝠 <i>Coelops frithii</i>	VU	B1+2a(i)
3 翼手目 Chiroptera			(10) 犬吻蝠科 Molossidae		
(5) 狐蝠科 Pteropodidae			宽耳犬吻蝠 <i>Tadarida insignis</i>	NT	
抱尾果蝠 <i>Rousettus amplexicaudatus</i>	VU	B1+2a(i)	华北犬吻蝠 <i>Tadarida latouchei</i>	NT	
棕果蝠 <i>Rousettus leschenaultii</i>	LC		皱唇犬吻蝠 <i>Tadarida plicata</i>	LC	
琉球狐蝠 <i>Pteropus dasymallus</i>	EN	B1+2a(i)	(11) 蝙蝠科 Vespertilionidae		
印度大狐蝠 <i>Pteropus giganteus</i>	DD		西南鼠耳蝠 <i>Myotis altarium</i>	NT	
短耳犬蝠 <i>Cynopterus brachyotis</i>	VU	B1+2a(i)	缺齿鼠耳蝠 <i>Myotis annectans</i>	NT	
犬蝠 <i>Cynopterus sphinx</i>	NT		栗鼠耳蝠 <i>Myotis badius</i> Δ	DD	
球果蝠 <i>Sphaerias blanfordi</i>	VU	B1+2a(i)	尖耳鼠耳蝠 <i>Myotis blythii</i>	NT	
长舌果蝠 <i>Eonycteris spelaea</i>	VU	B1+2a(i)	远东鼠耳蝠 <i>Myotis bombinus</i>	NT	
安氏长舌果蝠 <i>Macroglossus sobrinus</i>	EN	B1+2a(i)	布氏鼠耳蝠 <i>Myotis brandtii</i>	NT	
无尾果蝠 <i>Megaerops ecaudatus</i>	DD		中华鼠耳蝠 <i>Myotis chinensis</i>	NT	
泰国无尾果蝠 <i>Megaerops niphanae</i>	DD		沼泽鼠耳蝠 <i>Myotis dasycneme</i>	LC	
(6) 鞘尾蝠科 Emballonuridae			大卫鼠耳蝠 <i>Myotis davidii</i> Δ	LC	
黑髯墓蝠 <i>Taphozous melanopogon</i>	LC		毛腿鼠耳蝠 <i>Myotis fimbriatus</i> Δ	NT	
大墓蝠 <i>Taphozous theobaldi</i>	NT		绯鼠耳蝠 <i>Myotis formosus</i>	VU	B1; C2a(i)
(7) 假吸血蝠科 Megadermatidae			长尾鼠耳蝠 <i>Myotis frater</i>	DD	
印度假吸血蝠 <i>Megaderma lyra</i>	VU	B1+2a(i)	小巨足鼠耳蝠 <i>Myotis hasseltii</i>	VU	B1; C2a(i)
马来假吸血蝠 <i>Megaderma spasma</i>	DD		毛须鼠耳蝠 <i>Myotis hirsutus</i> Δ	NT	
(8) 菊头蝠科 Rhinolophidae			霍氏鼠耳蝠 <i>Myotis horsfieldii</i>	LC	
中菊头蝠 <i>Rhinolophus affinis</i>	LC		伊氏鼠耳蝠 <i>Myotis ikonnikovi</i>	LC	
马铁菊头蝠 <i>Rhinolophus ferrumequinum</i>	LC		华南水鼠耳蝠 <i>Myotis laniger</i>	LC	
台湾菊头蝠 <i>Rhinolophus formosae</i> Δ	NT		宽吻鼠耳蝠 <i>Myotis latirostris</i> Δ	NT	
华南菊头蝠 <i>Rhinolophus huananus</i> Δ	NT		长指鼠耳蝠 <i>Myotis longipes</i>	LC	
短翼菊头蝠 <i>Rhinolophus lepidus</i>	NT		大趾鼠耳蝠 <i>Myotis macrodactylus</i>	NT	
大菊头蝠 <i>Rhinolophus luctus</i>	NT		山地鼠耳蝠 <i>Myotis montivagus</i>	LC	
大耳菊头蝠 <i>Rhinolophus macrotis</i>	LC		喜山鼠耳蝠 <i>Myotis muricola</i>	NT	
马氏菊头蝠 <i>Rhinolophus marshalli</i>	NT		纳氏鼠耳蝠 <i>Myotis nattereri</i>	NT	
单角菊头蝠 <i>Rhinolophus monoceros</i> Δ	VU	B1; C2a(i)	尼泊尔鼠耳蝠 <i>Myotis nipalensis</i>	DD	
丽江菊头蝠 <i>Rhinolophus osgoodi</i> Δ	DD		北京鼠耳蝠 <i>Myotis pequinius</i> Δ	LC	
高鞍菊头蝠 <i>Rhinolophus paradoxolophus</i>	NT		东亚水鼠耳蝠 <i>Myotis petax</i>	DD	
皮氏菊头蝠 <i>Rhinolophus pearsoni</i>	LC		大足鼠耳蝠 <i>Myotis pilosus</i>	NT	
小菊头蝠 <i>Rhinolophus pusillus</i>	LC		高颅鼠耳蝠 <i>Myotis siligorensis</i>	NT	
贵州菊头蝠 <i>Rhinolophus rex</i> Δ	NT		台湾鼠耳蝠 <i>Myotis taiwanensis</i> Δ	NT	
施氏菊头蝠 <i>Rhinolophus schnitzleri</i> Δ	DD		东亚伏翼 <i>Pipistrellus abramus</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
锡兰伏翼 <i>Pipistrellus ceylonicus</i>	LC		白腹管鼻蝠 <i>Murina leucogaster</i>	LC	
印度伏翼 <i>Pipistrellus coromandra</i>	LC		罗蕾莱管鼻蝠 <i>Murina lorelieae</i> Δ	DD	
爪哇伏翼 <i>Pipistrellus javanicus</i>	NT		台湾管鼻蝠 <i>Murina puta</i> Δ	NT	
古氏伏翼 <i>Pipistrellus kuhlii</i>	LC		隐姬管鼻蝠 <i>Murina recondita</i> Δ	DD	
棒茎伏翼 <i>Pipistrellus paterculus</i>	LC		水甫管鼻蝠 <i>Murina shuipiensis</i> Δ	DD	
普通伏翼 <i>Pipistrellus pipistrellus</i>	LC		乌苏里管鼻蝠 <i>Murina ussuriensis</i>	DD	
小伏翼 <i>Pipistrellus tenuis</i>	NT		毛翼管鼻蝠 <i>Harpiocephalus harpia</i>	NT	
大黑伏翼 <i>Arielulus circumdatus</i>	VU	B1; C2a(i)	哈氏彩蝠 <i>Kerivoula hardwickii</i>	DD	
黄喉黑伏翼 <i>Arielulus torquatus</i> Δ	VU	B1; C2a(i)	彩蝠 <i>Kerivoula picta</i>	EN	B1; C2a(i)
茶褐伏翼 <i>Falsistrellus affinis</i>	LC		泰坦尼亚彩蝠 <i>Kerivoula titania</i>	NT	
大灰伏翼 <i>Falsistrellus mordax</i>	NT		4 灵长目 Primates		
灰伏翼 <i>Hypsugo pulveratus</i>	NT		(12) 懒猴科 Lorisidae		
萨氏伏翼 <i>Hypsugo savii</i>	NT		蜂猴 <i>Nycticebus bengalensis</i>	EN	A2bd
道氏伏翼 <i>Scotozous dormeri</i>	LC		倭蜂猴 <i>Nycticebus pygmaeus</i>	CR	A2bd; C2a(i)
南蝠 <i>Ia io</i>	NT		(13) 猴科 Cercopithecidae		
双色蝙蝠 <i>Vespertilio murinus</i>	LC		短尾猴 <i>Macaca arctoides</i>	VU	A2bd; C2a(i)
东方蝙蝠 <i>Vespertilio sinensis</i>	LC		熊猴 <i>Macaca assamensis</i>	VU	A2bd; B2
北棕蝠 <i>Eptesicus nilssoni</i>	LC		台湾猴 <i>Macaca cyclopis</i>	EN	A2bd; B2
肥耳棕蝠 <i>Eptesicus pachyotis</i>	LC		北豚尾猴 <i>Macaca leonina</i>	CR	A2bd; C2a(i)
大棕蝠 <i>Eptesicus serotinus</i>	LC		白颊猕猴 <i>Macaca leucogenys</i> Δ	CR	A2bd; C2a(i)
大山蝠 <i>Nyctalus aviator</i>	NT		猕猴 <i>Macaca mulatta</i>	LC	
褐山蝠 <i>Nyctalus noctula</i>	NT		达旺猴 <i>Macaca munzala</i>	EN	A2bd; B2; C2a(ii)
中华山蝠 <i>Nyctalus plancyi</i> Δ	LC		藏酋猴 <i>Macaca thibetana</i> Δ	VU	A2bd; B2
扁颅蝠 <i>Tylonycteris pachypus</i>	LC		长尾叶猴 <i>Semnopithecus schistaceus</i>	CR	A2bd; B2
小扁颅蝠 <i>Tylonycteris pygmaeus</i> Δ	DD		印支灰叶猴 <i>Trachypithecus crepusculus</i>	EN	A2bd; B2; C2a(ii)
褐扁颅蝠 <i>Tylonycteris robustula</i>	NT		黑叶猴 <i>Trachypithecus francoisi</i>	EN	A2bd; B1ab(i, ii, iii); C2a(i)
北京宽耳蝠 <i>Barbastella beijingensis</i> Δ	DD		菲氏叶猴 <i>Trachypithecus phayrei</i>	VU	A2bd; B1ab(i, ii, iii)
亚洲宽耳蝠 <i>Barbastella leucomelas</i>	VU	B1; C2a(i)	白头叶猴 <i>Trachypithecus leucocephalus</i>	CR	A2bd; B1ab(i, ii, iii); C2a(i)
斑蝠 <i>Scotomanes ornatus</i>	LC		戴帽叶猴 <i>Trachypithecus shortridgei</i>	CR	A2bd; B1ab(i, ii, iii); C2a(i)
大黄蝠 <i>Scotophilus heathi</i>	LC		滇金丝猴 <i>Rhinopithecus bieti</i> Δ	EN	A2bd; B1ab(i, ii, iii) +2bd
小黄蝠 <i>Scotophilus kuhlii</i>	LC		黔金丝猴 <i>Rhinopithecus brelichi</i> Δ	CR	A2bd; B2; C2a(ii)
大耳蝠 <i>Plecotus auritus</i>	LC		川金丝猴 <i>Rhinopithecus roxellana</i> Δ	VU	A2bd; B2
灰大耳蝠 <i>Plecotus austriacus</i>	NT		缅甸金丝猴 <i>Rhinopithecus strykeri</i>	CR	A2bd; B2; C2a(ii)
台湾大耳蝠 <i>Plecotus taivanus</i> Δ	NT		(14) 长臂猿科 Hylobatidae		
亚洲长翼蝠 <i>Miniopterus fuliginosus</i>	NT		白掌长臂猿 <i>Hylobates lar</i>	CR	A2bd; B1ab(i, ii, iii); C2a(i)
琉球长翼蝠 <i>Miniopterus fuscus</i>	VU	B1; C2a(i)	东白眉长臂猿 <i>Hoolock leuconedys</i>	CR	A2bd; B2; C2a(ii)
几内亚长翼蝠 <i>Miniopterus magnater</i>	NT		西黑冠长臂猿 <i>Nomascus concolor</i>	CR	A2bd; B1ab(i, ii, iii); C2a(i)
南长翼蝠 <i>Miniopterus pusillus</i>	NT		东黑冠长臂猿 <i>Nomascus nasutus</i>	CR	A2bd; B1ab(i, ii, iii); C2a(i)
金管鼻蝠 <i>Murina aurata</i>	NT		海南长臂猿 <i>Nomascus hainanus</i> Δ	CR	A2bd; B1ab(i, ii, iii); C2a(i); D
黄胸管鼻蝠 <i>Murina bicolor</i> Δ	DD		北白颊长臂猿 <i>Nomascus leucogenys</i>	CR	A2bd; B1ab(i, ii, iii); C2a(i)
金毛管鼻蝠 <i>Murina chrysochaetes</i> Δ	DD		(15) 人科 Hominidae		
圆耳管鼻蝠 <i>Murina cyclotis</i>	NT		人 <i>Homo sapiens</i>	LC	
艾氏管鼻蝠 <i>Murina eleryi</i>	NT		5 鳞甲目 Pholidota		
姬管鼻蝠 <i>Murina gracilis</i> Δ	DD		(16) 鲛鲤科 Manidae		
哈氏管鼻蝠 <i>Murina harrisoni</i>	DD		印度穿山甲 <i>Manis crassicaudata</i>	DD	
东北管鼻蝠 <i>Murina hilgendorfi</i>	LC		马来穿山甲 <i>Manis javanica</i>	DD	
中管鼻蝠 <i>Murina huttoni</i>	LC		穿山甲 <i>Manis pentadactyla</i>	CR	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii); C2a(i)

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
6 食肉目 Carnivora			小灵猫 <i>Viverricula indica</i>	VU	A3d; B1ab(i, ii, iii); C2a(i)
(17) 犬科 Canidae			斑林狸 <i>Prionodon pardicolor</i>	VU	A3d; C2a(i)
狼 <i>Canis lupus</i>	NT		椰子猫 <i>Paradoxurus hermaphroditus</i>	VU	A3d; C2a(i)
沙狐 <i>Vulpes corsac</i>	NT		果子狸 <i>Paguma larvata</i>	NT	
藏狐 <i>Vulpes ferrilata</i>	NT		熊狸 <i>Arctictis binturong</i>	EN	A3d; B1ab(i, ii, iii); C2a(i)
赤狐 <i>Vulpes vulpes</i>	NT		小齿狸 <i>Arctogalidia trivirgata</i>	EN	B1ab(i, ii, iii); C2a(i)
貉 <i>Nyctereutes procyonoides</i>	NT		缟灵猫 <i>Chrotogale owstoni</i>	CR	C2a(i)
豺 <i>Cuon alpinus</i>	EN	A1a+3d	(25) 獐科 Herpestidae		
(18) 熊科 Ursidae			爪哇獐 <i>Herpestes javanicus</i>	VU	B1ab(i, ii, iii); C2a(i)
棕熊 <i>Ursus arctos</i>	VU	A3d; B1ab(i, ii, iii)	食蟹獐 <i>Herpestes urva</i>	NT	
黑熊 <i>Ursus thibetanus</i>	VU	A3d; B1ab(i, ii, iii)	(26) 猫科 Felidae		
马来熊 <i>Helarctos malayanus</i>	CR	A3d; B1ab(i, ii, iii); C1	荒漠猫 <i>Felis bieti</i> Δ	CR	A2ab
(19) 大熊猫科 Ailuropodidae			丛林猫 <i>Felis chaus</i>	EN	A2ab
大熊猫 <i>Ailuropoda melanoleuca</i> Δ	VU	C1(i)	野猫 <i>Felis silvestris</i>	EN	A2ab
(20) 小熊猫科 Ailuridae			兔狲 <i>Otocolobus manul</i>	EN	A2ab; B1ab(i, ii, iii)
小熊猫 <i>Ailurus fulgens</i>	VU	A3d; B1ab(i, ii, iii)	豹猫 <i>Prionailurus bengalensis</i>	VU	A2ab; B1ab(i, ii, iii)
(21) 海狮科 Otariidae			猞猁 <i>Lynx lynx</i>	EN	A2ab
北海狗 <i>Callorhinus ursinus</i>	VU	A3d	云猫 <i>Pardofelis marmorata</i>	CR	A2ab
北海狮 <i>Eumetopias jubatus</i>	NT		金猫 <i>Pardofelis temminckii</i>	CR	A2d; B1ab(i, ii, iii); C2(i)
(22) 鼬科 Mustelidae			云豹 <i>Neofelis nebulosa</i>	CR	A2ab; B1ab(i, ii, iii)
黄喉貂 <i>Martes flavigula</i>	NT		金钱豹 <i>Panthera pardus</i>	EN	A2ab; B1ab(i, ii, iii)
石貂 <i>Martes foina</i>	EN	A3d; B1ab(i, ii, iii); +2ab(i, ii, iii); C2a(i)	东北虎 <i>Panthera tigris altaica</i>	CR	A2d; B2ab(i, ii, iii); C2(i); D1
紫貂 <i>Martes zibellina</i>	VU	A3d; B1ab(i, ii, iii); +2ab(i, ii, iii); C2a(i)	华南虎 <i>Panthera tigris amoyensis</i>	CR	A2d; B1ab(i, ii, iii); C2(i); D1
貂熊 <i>Gulo gulo</i>	EN	B1ab(i, ii, iii); +2ab(i, ii, iii); C2a(i)	印支虎 <i>Panthera tigris corbetti</i>	CR	A2d; B1ab(i, ii, iii); C2(i); D1
香鼬 <i>Mustela altaica</i>	NT		新疆虎 <i>Panthera tigris virgata</i>	EX	
白鼬 <i>Mustela erminea</i>	EN	A3d; C2a(i)	孟加拉虎 <i>Panthera tigris tigris</i>	CR	A2d; B1ab(i, ii, iii); C2(i); D1
艾鼬 <i>Mustela eversmanni</i>	VU	A3d; C2a(i)	雪豹 <i>Panthera uncia</i>	EN	A2ab; C1
黄腹鼬 <i>Mustela kathiah</i>	NT		7 海牛目 Sirenia		
伶鼬 <i>Mustela nivalis</i>	VU	A3d; C2a(i)	(27) 儒艮科 Dugongidae		
黄鼬 <i>Mustela sibirica</i>	LC		儒艮 <i>Dugong dugon</i>	CR	B1+2a(i)
纹鼬 <i>Mustela strigidorsa</i>	EN	A3d; C2a(i)	8 长鼻目 Proboscidea		
虎鼬 <i>Vormela peregusna</i>	EN	A3d; C2a(i)	(28) 象科 Elephantidae		
鼬獾 <i>Melogale moschata</i>	NT		亚洲象 <i>Elephas maximus</i>	EN	C2a(i); D
缅甸鼬獾 <i>Melogale personata</i>	EN	A3d; C2a(i)	9 奇蹄目 Perissodactyla		
亚洲狗獾 <i>Meles leucurus</i>	NT		(29) 犀科 Rhinocerotidae		
猪獾 <i>Arctonyx collaris</i>	NT		双角犀 <i>Dicerorhinus sumatrensis</i>	RE	
水獭 <i>Lutra lutra</i>	EN	B1ab(i, ii, iii); +2ab(i, ii, iii); C2a(i)	爪哇犀 <i>Rhinoceros sondaicus</i>	RE	
江獭 <i>Lutrogale perspicillata</i>	EN	C2a(i)	大独角犀 <i>Rhinoceros unicornis</i>	RE	
小爪水獭 <i>Aonyx cinerea</i>	EN	A3d; C2a	(30) 马科 Equidae		
(23) 海豹科 Phocidae			野马 <i>Equus ferus</i>	EW	
斑海豹 <i>Phoca largha</i>	VU	A3d	蒙古野驴 <i>Equus hemionus</i>	VU	A1acd; B1ab(i, ii, iii); +2ab(i, ii, iii)
环斑小头海豹 <i>Pusa hispida</i>	LC		藏野驴 <i>Equus kiang</i>	NT	
髯海豹 <i>Erignathus barbatus</i>	LC		10 鲸偶蹄目 Cetartiodactyla		
(24) 灵猫科 Viverridae			(31) 猪科 Suidae		
大斑灵猫 <i>Viverra zibetha</i>	EN	A3d; B1ab(i, ii, iii); C2a(i)	野猪 <i>Sus scrofa</i>	LC	
大灵猫 <i>Viverra zibetha</i>	VU	A3d; B1ab(i, ii, iii); C2a(i)	(32) 骆驼科 Camelidae		

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
野骆驼 <i>Camelus ferus</i>	CR	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii)	藏原羚 <i>Procapra picticaudata</i> Δ	NT	
(33) 麝鹿科 Tragulidae			普氏原羚 <i>Procapra przewalskii</i> Δ	CR	A1acd; B1ab(i, ii, iii)
威氏小麝鹿 <i>Tragulus williamsoni</i>	CR	A1acd; B1ab(i, ii, iii)	塔里木鹅喉羚 <i>Gazella yarkandensis</i>	VU	A1acd; B1ab(i, ii, iii)
(34) 麝科 Moschidae			藏羚 <i>Pantholops hodgsonii</i> Δ	NT	
安徽麝 <i>Moschus anhuiensis</i> Δ	CR	2ab(i, ii, iii)	高鼻羚羊 <i>Saiga tatarica</i>	EW	
林麝 <i>Moschus berezovskii</i>	CR	A1acd; B1ab(i, ii, iii)	秦岭羚牛 <i>Budorcas bedfordi</i> Δ	VU	A1acd; B1ab(i, ii, iii)
高山麝 <i>Moschus chrysogaster sifanicus</i>	CR	A1acd; B1ab(i, ii, iii)	四川羚牛 <i>Budorcas tibetanus</i> Δ	VU	A1acd; B1ab(i, ii, iii)
黑麝 <i>Moschus fuscus</i> Δ	CR	A1acd; B1ab(i, ii, iii)	不丹羚牛 <i>Budorcas whitei</i>	VU	A1acd; B1ab(i, ii, iii)
白腹麝(喜马拉雅麝) <i>Moschus leucogaster</i>	EN	A1acd; B1ab(i, ii, iii)	赤斑羚 <i>Naemorhedus baileyi</i>	EN	B1ab(i, ii, iii)
原麝 <i>Moschus moschiferus</i>	CR	A1acd; B1ab(i, ii, iii)	长尾斑羚 <i>Naemorhedus caudatus</i>	CR	A2cd +3cd
(35) 鹿科 Cervidae			缅甸斑羚 <i>Naemorhedus evansi</i>	DD	
獐 <i>Hydropotes inermis</i>	VU	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii)	喜马拉雅斑羚 <i>Naemorhedus goral</i>	EN	B1ab(i, ii, iii)
毛冠鹿 <i>Elaphodus cephalophus</i>	VU	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii)	中华斑羚 <i>Naemorhedus griseus</i>	VU	A1acd; B1ab(i, ii, iii)
黑鹿 <i>Muntiacus crinifrons</i> Δ	EN	A1acd; B1ab(i, ii, iii)	塔尔羊 <i>Hemitragus jemlahicus</i>	CR	B1ab(i, ii, iii)
林鹿 <i>Muntiacus feae</i>	EN	A1acd; B1ab(i, ii, iii)	北山羊 <i>Capra sibirica</i>	NT	
贡山鹿 <i>Muntiacus gongshanensis</i> Δ	CR	B1ab(i, ii, iii)	岩羊 <i>Pseudois nayaur</i>	LC	
海南鹿 <i>Muntiacus nigripes</i>	EN	A1acd; B1ab(i, ii, iii)	矮岩羊 <i>Pseudois schaeferi</i> Δ	CR	A1acd; B1ab(i, ii, iii)
叶鹿 <i>Muntiacus putaoensis</i>	EN	A1acd; B1ab(i, ii, iii)	戈壁盘羊 <i>Ovis darwini</i>	CR	B1ab(i, ii, iii)
小鹿 <i>Muntiacus reevesi</i> Δ	VU	B1ab(i, ii, iii)	西藏盘羊 <i>Ovis hodgsoni</i> Δ	NT	
赤鹿 <i>Muntiacus vaginalis</i>	NT		雅布赖盘羊 <i>Ovis jubata</i>	CR	B1ab(i, ii, iii)
豚鹿 <i>Axis porcinus</i>	CR	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii)	天山盘羊 <i>Ovis karelini</i>	EN	B1ab(i, ii, iii)
东方坡鹿 <i>Panolia siamensis</i>	CR	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii)	帕米尔盘羊 <i>Ovis polii</i>	VU	A1acd; B1ab(i, ii, iii)
马来水鹿 <i>Cervus equinus</i>	NT		中华鬣羚 <i>Capricornis milneedwardsii</i>	VU	A1acd; B1ab(i, ii, iii)
东北梅花鹿 <i>Cervus hortulorum</i>	CR	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii)	台湾鬣羚 <i>Capricornis swinhoei</i> Δ	LC	
华南梅花鹿 <i>Cervus pseudaxis</i>	CR	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii)	喜马拉雅鬣羚 <i>Capricornis thar</i>	EN	A1acd; B1ab(i, ii, iii)
四川梅花鹿 <i>Cervus sichuanicus</i> Δ	CR	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii)	(37) 露脊鲸科 Balaenidae		
台湾梅花鹿 <i>Cervus taiouanus</i> Δ	CR	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii)	北太平洋露脊鲸 <i>Eubalaena japonica</i>	EN	D
阿拉善马鹿 <i>Cervus alashanicus</i> Δ	EN	B1ab(i, ii, iii)+2ab (i, ii, iii)	(38) 灰鲸科 Eschrichtiidae		
四川马鹿 <i>Cervus macneilli</i> Δ	CR	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii)	灰鲸 <i>Eschrichtius robustus</i>	LC	
西藏马鹿 <i>Cervus wallichii</i>	EN	B1ab(i, ii, iii)+2ab (i, ii, iii)	(39) 须鲸科 Balaenopteridae		
东北马鹿 <i>Cervus xanthopygus</i>	EN	B1ab(i, ii, iii)+2ab (i, ii, iii)	小须鲸 <i>Balaenoptera acutorostrata</i>	LC	
塔里木马鹿 <i>Cervus yarkandensis</i> Δ	EN	B1ab(i, ii, iii)+2ab (i, ii, iii)	塞鲸 <i>Balaenoptera borealis</i>	EN	A1ad
白唇鹿 <i>Przewalskium albirostris</i> Δ	EN	B1ab(i, ii, iii)+2ab (i, ii, iii)	布氏鲸 <i>Balaenoptera edeni</i>	DD	
麋鹿 <i>Elaphurus davidianus</i> Δ	CR	A1acd; B1ab(i, ii, iii) +2ab(i, ii, iii)	蓝鲸 <i>Balaenoptera musculus</i>	EN	A1abd
狍 <i>Capreolus pygargus</i>	NT		大村鲸 <i>Balaenoptera omurai</i>	DD	
欧亚驼鹿 <i>Alces alces</i>	CR	B1ab(i, ii, iii); D	长须鲸 <i>Balaenoptera physalus</i>	EN	A1d
美洲驼鹿 <i>Alces americanus</i>	CR	B1ab(i, ii, iii); D	大翅鲸 <i>Megaptera novaeangliae</i>	LC	
驯鹿 <i>Rangifer tarandus</i>	CR	A1acd; B1ab(i, ii, iii)	(40) 白鬚豚科 Lipotidae		
(36) 牛科 Bovidae			白鬚豚 <i>Lipotes vexillifer</i> Δ	CR	D; E
大额牛 <i>Bos frontalis</i>	CR	A1acd; B1ab(i, ii, iii)	(41) 抹香鲸科 Physeteridae		
印度野牛 <i>Bos gaurus</i>	CR	A1acd; B1ab(i, ii, iii)	抹香鲸 <i>Physeter macrocephalus</i>	DD	
爪哇野牛 <i>Bos javanicus</i>	CR	A1acd; B1ab(i, ii, iii)	小抹香鲸 <i>Kogia breviceps</i>	DD	
野牦牛 <i>Bos mutus</i> Δ	VU	A1acd; B1ab(i, ii, iii)	侏抹香鲸 <i>Kogia sima</i>	DD	
野水牛 <i>Bubalus arnee</i>	EW		(42) 喙鲸科 Ziphiidae		
蒙原羚 <i>Procapra gutturosa</i>	CR	A1acd; B1ab(i, ii, iii)	鹅喙鲸 <i>Ziphius cavirostris</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
柏氏中喙鲸 <i>Mesoplodon densirostris</i>	DD		阿拉善黄鼠 <i>Spermophilus alashanicus</i>	LC	
银杏齿中喙鲸 <i>Mesoplodon ginkgodens</i>	DD		短尾黄鼠 <i>Spermophilus brevicauda</i>	LC	
小中喙鲸 <i>Mesoplodon peruvianus</i>	DD		达乌尔黄鼠 <i>Spermophilus dauricus</i>	LC	
贝氏喙鲸 <i>Berardius bairdii</i>	DD		淡尾黄鼠 <i>Spermophilus pallidicauda</i>	LC	
朗氏喙鲸 <i>Indopacetus pacificus</i>	DD		长尾黄鼠 <i>Spermophilus parryi</i> *	LC	
(43) 鼠海豚科 Phocoenidae			天山黄鼠 <i>Spermophilus relictus</i>	LC	
窄脊江豚 <i>Neophocaena asiaeorientalis</i>	CR	D; E	灰旱獭 <i>Marmota baibacina</i>	LC	
印太江豚 <i>Neophocaena phocaenoides</i>	VU	C2; E	长尾旱獭 <i>Marmota caudata</i>	LC	
(44) 海豚科 Delphinidae			喜马拉雅旱獭 <i>Marmota himalayana</i>	LC	
糙齿海豚 <i>Steno bredanensis</i>	LC		西伯利亚旱獭 <i>Marmota sibirica</i>	LC	
中华白海豚 <i>Sousa chinensis</i>	EN	C1	毛耳飞鼠 <i>Belomys pearsonii</i>	LC	
热带点斑原海豚 <i>Stenella attenuata</i>	LC		复齿鼯鼠 <i>Trogopterus xanthipes</i> Δ	VU	A1acd; B1ab(i, ii, iii)+2ab(i, ii, iii)
条纹原海豚 <i>Stenella coeruleoalba</i>	LC		红白鼯鼠 <i>Petaurista alborufus</i> Δ	LC	
飞旋原海豚 <i>Stenella longirostris</i>	DD		灰头小鼯鼠 <i>Petaurista caniceps</i>	LC	
长喙真海豚 <i>Delphinus capensis</i>	DD		台湾大鼯鼠 <i>Petaurista grandis</i> * Δ	DD	
短喙真海豚 <i>Delphinus delphis</i>	LC		海南大鼯鼠 <i>Petaurista hainana</i> * Δ	DD	
印太瓶鼻海豚 <i>Tursiops aduncus</i>	DD		白颊鼯鼠(黑龙江鼯鼠) <i>Petaurista leucogenys</i> *(<i>Petaurista watasei</i>)	DD	
瓶鼻海豚 <i>Tursiops truncatus</i>	LC		丽鼯鼠 <i>Petaurista magnificus</i>	NT	
弗氏海豚 <i>Lagenodelphis hosei</i>	LC		白斑小鼯鼠 <i>Petaurista marica</i> * (<i>Petaurista elegans</i>)	LC	
里氏海豚 <i>Grampus griseus</i>	LC		红背鼯鼠 <i>Petaurista petaurista</i>	VU	A1acd; B2b(i, ii, iii)
太平洋斑纹海豚 <i>Lagenorhynchus obliquidens</i>	LC		霜背大鼯鼠 <i>Petaurista philippensis</i>	LC	
瓜头鲸 <i>Peponocephala electra</i>	LC		橙色小鼯鼠 <i>Petaurista sybilla</i> *	LC	
虎鲸 <i>Orcinus orca</i>	DD		灰鼯鼠 <i>Petaurista xanthotis</i> Δ	LC	
伪虎鲸 <i>Pseudorca crassidens</i>	DD		云南大鼯鼠 <i>Petaurista yunnanensis</i> * Δ	DD	
小虎鲸 <i>Feresa attenuata</i>	DD		沟牙鼯鼠 <i>Aeretes melanopterus</i> Δ	NT	
短肢领航鲸 <i>Globicephala macrorhynchus</i>	DD		绒毛鼯鼠 <i>Eupetaurus cinereus</i>	DD	
11 啮齿目 Rodentia			小飞鼠 <i>Pteromys volans</i>	VU	A1acd; B2b(i, ii, iii)
(45) 松鼠科 Sciuridae			黑白飞鼠 <i>Hylopetes alboniger</i>	NT	
松鼠 <i>Sciurus vulgaris</i>	NT		海南小飞鼠 <i>Hylopetes phayrei</i>	LC	
金背松鼠 <i>Callosciurus caniceps</i> *	LC		(46) 河狸科 Castoridae		
赤腹松鼠 <i>Callosciurus erythraeus</i>	LC		河狸 <i>Castor fiber</i>	CR	A1acd; B1ab(i, ii, iii)+2ab(i, ii, iii); C2a(ii)
印支松鼠 <i>Callosciurus inornatus</i>	LC		(47) 仓鼠科 Cricetidae		
黄足松鼠 <i>Callosciurus phayrei</i>	LC		原仓鼠 <i>Cricetus cricetus</i>	NT	
蓝腹松鼠 <i>Callosciurus pygerythrus</i>	LC		高山仓鼠 <i>Cricetulus alticola</i>	DD	
五纹松鼠 <i>Callosciurus quinquestriatus</i>	NT		黑线仓鼠 <i>Cricetulus barabensis</i>	LC	
明纹花松鼠 <i>Tamiops macclellandii</i>	LC		藏仓鼠 <i>Cricetulus kamensis</i> Δ	NT	
倭花鼠 <i>Tamiops maritimus</i>	LC		长尾仓鼠 <i>Cricetulus longicaudatus</i>	LC	
隐纹花松鼠 <i>Tamiops swinhoei</i>	LC		灰仓鼠 <i>Cricetulus migratorius</i>	LC	
橙喉长吻松鼠 <i>Dremomys gularis</i>	NT		萨氏仓鼠 <i>Cricetulus sokolovi</i> *	LC	
橙腹长吻松鼠 <i>Dremomys lokriah</i>	NT		大仓鼠 <i>Tscherskia triton</i>	LC	
珀氏长吻松鼠 <i>Dremomys pernyi</i>	LC		甘肃仓鼠 <i>Cansumys canus</i> Δ	LC	
红腿长吻松鼠 <i>Dremomys pyrrhomerus</i>	NT		无斑短尾仓鼠 <i>Allocrietulus curtatus</i>	LC	
红颊长吻松鼠 <i>Dremomys rufigenis</i>	LC		短尾仓鼠 <i>Allocrietulus eversmanni</i>	LC	
巨松鼠 <i>Ratufa bicolor</i>	VU	A1ac; B1ab(i, ii, iii)+2ab(i, ii, iii)	坎氏毛足鼠 <i>Phodopus campbelli</i>	DD	
条纹松鼠 <i>Menetes berdmorei</i>	LC		小毛足鼠 <i>Phodopus roborovskii</i>	LC	
岩松鼠 <i>Sciurotamias davidianus</i> Δ	LC		林旅鼠 <i>Myopus schisticolor</i>	NT	
侧纹岩松鼠 <i>Rupestes forresti</i> Δ	LC		鼯形田鼠 <i>Ellobius talpinus</i>	LC	
北花松鼠 <i>Tamias sibiricus</i>	LC		灰棕背鼯 <i>Myodes centralis</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
天山林麝 <i>Myodes frater</i> Δ	LC		蒙古兔尾鼠 <i>Eolagurus przewalskii</i>	NT	
棕背麝 <i>Myodes rufocanus</i>	LC		沟牙田鼠 <i>Proedromys bedfordi</i> Δ	VU	B1ab(i, ii, iii)+2ab (i, ii, iii); C1
红背麝 <i>Myodes rutilus</i>	LC		凉山沟牙田鼠 <i>Proedromys liangshanensis</i> Δ	NT	
山西林麝 <i>Myodes shanseius</i> Δ	DD		(48) 鼠科 Muridae		
克钦绒鼠 <i>Eothenomys cachinus</i>	NT		长尾攀鼠 <i>Vandeleuria oleracea</i>	NT	
中华绒鼠 <i>Eothenomys chinensis</i> Δ	NT		小绒鼠 <i>Hapalomys delacouri</i>	VU	A2c
西南绒鼠 <i>Eothenomys custos</i> Δ	LC		长尾猿鼠 <i>Hapalomys longicaudatus</i>	DD	
滇绒鼠 <i>Eothenomys eleusis</i> * Δ	LC		笔尾树鼠 <i>Chiropodomys gliroides</i>	LC	
康定绒鼠 <i>Eothenomys hintoni</i> * Δ	NT		费氏树鼠 <i>Chiromyscus chiropus</i>	LC	
黑腹绒鼠 <i>Eothenomys melanogaster</i>	LC		滇攀鼠 <i>Vernaya fulva</i>	EN	B1ab(i, ii, iii)+2ab (i, ii, iii); C1
大绒鼠 <i>Eothenomys miletus</i> Δ	LC		红耳巢鼠 <i>Micromys erythrotis</i>	LC	
昭通绒鼠 <i>Eothenomys olitor</i> Δ	NT		巢鼠 <i>Micromys minutus</i>	LC	
玉龙绒鼠 <i>Eothenomys proditor</i> Δ	NT		黑线姬鼠 <i>Apodemus agrarius</i>	LC	
川西绒鼠 <i>Eothenomys tarquinius</i> * Δ	NT		齐氏姬鼠 <i>Apodemus chevrieri</i> Δ	LC	
德钦绒鼠 <i>Eothenomys wardi</i> Δ	NT		中华姬鼠 <i>Apodemus draco</i>	LC	
洮州绒鼠 <i>Caryomys eva</i> Δ	LC		澜沧江姬鼠 <i>Apodemus ilex</i> * Δ	LC	
苛岚绒鼠 <i>Caryomys inez</i> Δ	LC		大耳姬鼠 <i>Apodemus latronum</i>	LC	
银色高山麝 <i>Alticola argentatus</i>	DD		长尾姬鼠 <i>Apodemus orestes</i>	LC	
戈壁阿尔泰山麝 <i>Alticola barakshin</i>	LC		喜马拉雅姬鼠 <i>Apodemus pallipes</i>	DD	
大耳高山麝 <i>Alticola macrotis</i>	LC		大林姬鼠 <i>Apodemus peninsulae</i>	LC	
蒙古高山麝 <i>Alticola semicanus</i>	LC		台湾姬鼠 <i>Apodemus semotus</i> Δ	LC	
斯氏高山麝 <i>Alticola stoliczkanus</i>	NT		乌拉尔姬鼠 <i>Apodemus uralensis</i>	DD	
扁颅高山麝 <i>Alticola strelzowi</i>	LC		休氏壮鼠 <i>Hadromys humei</i>	NT	
草原兔尾鼠 <i>Lagurus lagurus</i>	LC		云南壮鼠 <i>Hadromys yunnanensis</i> Δ	NT	
水麝 <i>Arvicola amphibius</i>	LC		大齿鼠 <i>Dacnomys millardi</i>	NT	
云南松鼠 <i>Neodon forresti</i>	DD		黑缘齿鼠 <i>Rattus andamanensis</i>	LC	
青海松鼠 <i>Neodon fuscus</i> Δ	LC		东亚屋顶鼠 <i>Rattus brunneusculus</i> *	DD	
高原松鼠 <i>Neodon irene</i> Δ	LC		缅甸鼠 <i>Rattus exulans</i>	LC	
帕米尔松鼠 <i>Neodon juldaschi</i>	LC		黄毛鼠 <i>Rattus losea</i>	LC	
林芝松鼠 <i>Neodon linzhiensis</i> Δ	NT		大足鼠 <i>Rattus nitidus</i>	LC	
锡金松鼠 <i>Neodon sikimensis</i>	LC		褐家鼠 <i>Rattus norvegicus</i>	LC	
白尾松鼠 <i>Phaiomys leucurus</i>	LC		拟家鼠 <i>Rattus pyctoris</i>	LC	
黑田鼠 <i>Microtus agrestis</i>	NT		黄胸鼠 <i>Rattus tanezumi</i>	LC	
普通田鼠 <i>Microtus arvalis</i>	LC		北社鼠 <i>Niviventer confucianus</i>	LC	
克氏田鼠 <i>Microtus clarkei</i>	NT		台湾社鼠 <i>Niviventer culturatus</i> Δ	NT	
东方田鼠 <i>Microtus fortis</i>	LC		安氏白腹鼠 <i>Niviventer andersoni</i> Δ	LC	
狭颅田鼠 <i>Microtus gregalis</i>	LC		台湾白腹鼠 <i>Niviventer coninga</i> Δ	LC	
伊犁田鼠 <i>Microtus ilaeus</i>	LC		川西白腹鼠 <i>Niviventer excelsior</i> Δ	LC	
台湾田鼠 <i>Microtus kikuchii</i> Δ	NT		海南白腹鼠 <i>Niviventer lotipes</i> * Δ	LC	
柴达木根田鼠 <i>Microtus limnophilus</i>	LC		梵鼠 <i>Niviventer brahma</i>	NT	
莫氏田鼠 <i>Microtus maximowiczii</i>	LC		褐尾鼠 <i>Niviventer cremoriventer</i>	VU	A2c
蒙古田鼠 <i>Microtus mongolicus</i>	LC		灰腹鼠 <i>Niviventer eha</i>	LC	
根田鼠 <i>Microtus oeconomus</i>	LC		针毛鼠 <i>Niviventer fulvescens</i>	LC	
社田鼠 <i>Microtus socialis</i>	LC		拟刺毛鼠 <i>Niviventer huang</i> *	LC	
四川田鼠 <i>Volemys millicens</i> Δ	NT		南洋鼠 <i>Niviventer langbianis</i> *	LC	
川西田鼠 <i>Volemys musseri</i> Δ	NT		缅甸山鼠 <i>Niviventer tenaster</i>	DD	
布氏田鼠 <i>Lasiopodomys brandtii</i>	LC		红毛王鼠 <i>Maxomys surifer</i>	LC	
棕色田鼠 <i>Lasiopodomys mandarinus</i>	LC		大泡灰鼠 <i>Berylmys berdmorei</i>	LC	
黄兔尾鼠 <i>Eolagurus luteus</i>	NT		青毛巨鼠 <i>Berylmys bowersi</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria	
小泡灰鼠 <i>Berylmys manipulus</i>	DD	B2a	内蒙羽尾跳鼠 <i>Stylodipus andrewsi</i>	LC		
白腹巨鼠 <i>Leopoldamys edwardsi</i>	LC		羽尾跳鼠 <i>Stylodipus telum</i>	LC		
耐氏大鼠 <i>Leopoldamys neilli</i>	EN		长耳跳鼠 <i>Euchoreutes naso</i>	LC		
卡氏小鼠 <i>Mus caroli</i>	LC		(53) 豪猪科 <i>Hystricidae</i>			
仔鹿小鼠 <i>Mus cervicolor</i>	LC		帚尾豪猪 <i>Atherurus macrourus</i>	LC		
丛林小鼠 <i>Mus cookii</i>	LC		马来豪猪 <i>Hystrix brachyura</i>	LC		
小家鼠 <i>Mus musculus</i>	LC		中国豪猪 <i>Hystrix hodgsoni</i>	LC		
锡金小鼠 <i>Mus pahari</i>	LC		12 兔形目 <i>Lagomorpha</i>			
板齿鼠 <i>Bandicota indica</i>	LC		(54) 鼠兔科 <i>Ochotonidae</i>			
印度地鼠 <i>Nesokia indica</i>	LC		高山鼠兔 <i>Ochotona alpina</i>	LC		
短耳沙鼠 <i>Brachiones przewalskii</i> Δ	LC		青海鼠兔 <i>Ochotona annectens</i> * Δ	LC		
红尾沙鼠 <i>Meriones libycus</i>	LC		宁夏鼠兔 <i>Ochotona argentata</i> Δ	CR		A2c
子午沙鼠 <i>Meriones meridianus</i>	LC		间颅鼠兔 <i>Ochotona cansus</i> Δ	LC		
怪柳沙鼠 <i>Meriones tamariscinus</i>	LC		高原鼠兔 <i>Ochotona curzoniae</i>	LC		
长爪沙鼠 <i>Meriones unguiculatus</i>	LC		达乌尔鼠兔 <i>Ochotona dauurica</i>	LC		
大沙鼠 <i>Rhombomys opimus</i>	LC		红耳鼠兔 <i>Ochotona erythrotis</i> Δ	LC		
(49) 刺山鼠科 <i>Platacanthomyidae</i>		灰颈鼠兔 <i>Ochotona forresti</i>	NT			
猪尾鼠 <i>Typhlomys cinereus</i>	LC	高黎贡鼠兔 <i>Ochotona gaoligongensis</i> Δ	NT			
(50) 鼯鼠科 <i>Spalacidae</i>		川西鼠兔 <i>Ochotona gloveri</i> Δ	LC			
小竹鼠 <i>Cannomys badius</i>	DD	喜马拉雅鼠兔 <i>Ochotona himalayana</i> Δ	LC			
银星竹鼠 <i>Rhizomys pruinosus</i>	LC	秦岭鼠兔 <i>Ochotona huangensis</i> Δ	LC			
中华竹鼠 <i>Rhizomys sinensis</i>	LC	东北鼠兔 <i>Ochotona hyperborea</i>	LC			
大竹鼠 <i>Rhizomys sumatrensis</i>	LC	伊犁鼠兔 <i>Ochotona iliensis</i> Δ	EN	A2c		
暗褐竹鼠 <i>Rhizomys vestitus</i> Δ	DD	柯氏鼠兔 <i>Ochotona koslowi</i> Δ	EN	A2c		
中华鼯鼠 <i>Eospalax fontanierii</i> Δ	LC	拉达克鼠兔 <i>Ochotona ladacensis</i>	LC			
罗氏鼯鼠 <i>Eospalax rothschildi</i> Δ	LC	大耳鼠兔 <i>Ochotona macrotis</i>	LC			
秦岭鼯鼠 <i>Eospalax rufescens</i> Δ	DD	木里鼠兔 <i>Ochotona muliensis</i> Δ	DD			
斯氏鼯鼠 <i>Eospalax smithii</i> Δ	NT	黑鼠兔 <i>Ochotona nigritia</i> Δ	VU	A2c		
草原鼯鼠 <i>Myospalax aspalax</i>	LC	奴布拉鼠兔 <i>Ochotona nubrica</i>	LC			
阿尔泰鼯鼠 <i>Myospalax myospalax</i>	LC	帕氏鼠兔 <i>Ochotona pallasii</i>	LC			
东北鼯鼠 <i>Myospalax psilurus</i>	LC	灰鼠兔 <i>Ochotona roylei</i>	NT			
(51) 睡鼠科 <i>Gliridae</i>		红鼠兔 <i>Ochotona rutila</i>	NT			
林睡鼠 <i>Dryomys nitedula</i>	NT	藏鼠兔 <i>Ochotona thibetana</i>	LC			
四川毛尾睡鼠 <i>Chaetocauda sichuanensis</i> Δ	EN	狭颅鼠兔 <i>Ochotona thomasi</i> Δ	NT			
(52) 跳鼠科 <i>Dipodidae</i>		(55) 兔科 <i>Leporidae</i>				
长尾蹿鼠 <i>Sicista caudata</i>	DD	云南兔 <i>Lepus comus</i>	NT			
中国蹿鼠 <i>Sicista concolor</i>	LC	高丽兔 <i>Lepus coreanus</i> *	CR	B1ab(i, ii, iii)+2ab (i, ii, iii)		
草原蹿鼠 <i>Sicista subtilis</i>	LC	海南兔 <i>Lepus hainanus</i> Δ	NT			
天山蹿鼠 <i>Sicista tianshanica</i>	LC	东北兔 <i>Lepus mandshuricus</i>	LC			
林跳鼠 <i>Eozapus setchuanus</i> Δ	LC	灰尾兔 <i>Lepus oiostolus</i>	LC			
巴里坤跳鼠 <i>Allactaga balikunica</i>	DD	华南兔 <i>Lepus sinensis</i>	LC			
巨泡五趾跳鼠 <i>Allactaga bullata</i>	LC	中亚兔 <i>Lepus tibetanus</i>	LC			
小五趾跳鼠 <i>Allactaga elater</i>	LC	雪兔 <i>Lepus timidus</i>	LC			
大五趾跳鼠 <i>Allactaga major</i> *	LC	蒙古兔 <i>Lepus tolai</i>	LC			
五趾跳鼠 <i>Allactaga sibirica</i>	LC	塔里木兔 <i>Lepus yarkandensis</i> Δ	NT			
小地兔 <i>Pygeretmus pumilio</i>	LC	鸟类 <i>Birds</i>				
五趾心颅跳鼠 <i>Cardiocranius paradoxus</i>	LC	1 潜鸟目 <i>Gaviiformes</i>				
肥尾心颅跳鼠 <i>Salpingotus crassicauda</i>	LC	(1) 潜鸟科 <i>Gaviidae</i>				
三趾心颅跳鼠 <i>Salpingotus kozlovi</i>	LC	红喉潜鸟 <i>Gavia stellate</i>	LC			
三趾跳鼠 <i>Dipus sagitta</i>	LC	黑喉潜鸟 <i>Gavia arctica</i>	LC			

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
太平洋潜鸟 <i>Gavia pacifica</i>	DD		白斑军舰鸟 <i>Fregata ariel</i>	DD	
黄嘴潜鸟 <i>Gavia adamsii</i>	DD		5 鸛形目 Ciconiiformes		
2 鸛形目 Podicipediformes			(11) 鹭科 Ardeidae		
(2) 鸛科 Podicipedidae			苍鹭 <i>Ardea cinerea</i>	LC	
小鸛 <i>Tachybaptus ruficollis</i>	LC		白腹鹭 <i>Ardea insignis</i>	DD	
赤颈鸛 <i>Podiceps grisegena</i>	NT		草鹭 <i>Ardea purpurea</i>	LC	
凤头鸛 <i>Podiceps cristatus</i>	LC		大白鹭 <i>Ardea alba</i>	LC	
角鸛 <i>Podiceps auritus</i>	NT		斑鹭 <i>Egretta picata</i>	DD	
黑颈鸛 <i>Podiceps nigricollis</i>	LC		白脸鹭 <i>Egretta novaehollandiae</i>	DD	
3 鹭形目 Procellariiformes			中白鹭 <i>Egretta intermedia</i>	LC	
(3) 信天翁科 Diomedidae			白鹭 <i>Egretta garzetta</i>	LC	
黑背信天翁 <i>Phoebastria immutabilis</i>	DD		黄嘴白鹭 <i>Egretta eulophotes</i>	VU	C2a(i)
黑脚信天翁 <i>Phoebastria nigripes</i>	DD		岩鹭 <i>Egretta sacra</i>	LC	
短尾信天翁 <i>Phoebastria albatrus</i>	VU	D2	牛背鹭 <i>Bubulcus ibis</i>	LC	
(4) 鹭科 Procellariidae			池鹭 <i>Ardeola bacchus</i>	LC	
暴风鹭 <i>Fulmarus glacialis</i>	DD		绿鹭 <i>Butorides striata</i>	LC	
钩嘴圆尾鹭 <i>Pterodroma rostrata</i>	DD		夜鹭 <i>Nycticorax nycticorax</i>	LC	
白额圆尾鹭 <i>Pterodroma hypoleuca</i>	DD		棕夜鹭 <i>Nycticorax caledonicus</i>	LC	
褐燕鹭 <i>Bulweria bulwerii</i>	DD		海南鸛 <i>Gorsachius magnificus</i>	EN	C2a(i)
白额鹭 <i>Calonectris leucomelas</i>	DD		栗头鸛 <i>Gorsachius goisagi</i>	DD	
淡足鹭 <i>Puffinus carneipes</i>	DD		黑冠鸛 <i>Gorsachius melanolophus</i>	NT	
楔尾鹭 <i>Puffinus pacificus</i>	DD		小苇鸛 <i>Ixobrychus minutus</i>	NT	
短尾鹭 <i>Puffinus tenuirostris</i>	DD		黄斑苇鸛 <i>Ixobrychus sinensis</i>	LC	
灰鹭 <i>Puffinus griseus</i>	DD		紫背苇鸛 <i>Ixobrychus eurhythmus</i>	LC	
(5) 海燕科 Hydrobatidae			栗苇鸛 <i>Ixobrychus cinnamomeus</i>	LC	
白腰叉尾海燕 <i>Oceanodroma leucorhoa</i>	DD		黑苇鸛 <i>Dupetor flavicollis</i>	LC	
黑叉尾海燕 <i>Oceanodroma monorhis</i>	DD		大麻鸛 <i>Botaurus stellaris</i>	LC	
褐翅叉尾海燕 <i>Oceanodroma tristrami</i>	DD		(12) 鸛科 Ciconiidae		
4 鸛形目 Pelecaniformes			彩鸛 <i>Mycteria leucocephala</i>	DD	
(6) 鸛科 Phaethontidae			钳嘴鸛 <i>Anastomus oscitans</i>	LC	
红嘴鸛 <i>Phaethon aethereus</i>	DD		黑鸛 <i>Ciconia nigra</i>	VU	C2a(i)
红尾鸛 <i>Phaethon rubricauda</i>	DD		白鸛 <i>Ciconia ciconia</i>	RE	
白尾鸛 <i>Phaethon lepturus</i>	DD		东方白鸛 <i>Ciconia boyciana</i>	EN	C1+2a(i)
(7) 鸛科 Pelecanidae			秃鸛 <i>Leptoptilos javanicus</i>	DD	
白鸛 <i>Pelecanus onocrotalus</i>	EN	B1ab; D	(13) 鸛科 Threskiornithidae		
斑嘴鸛 <i>Pelecanus philippensis</i>	EN	B1ab; D	圣鸛 <i>Threskiornis aethiopicus</i>	DD	
卷羽鸛 <i>Pelecanus crispus</i>	EN	A2ce+3ce+4ce	黑头白鸛 <i>Threskiornis melanocephalus</i>	CR	A2bcd; C1+2a(i)
(8) 鹈鹕科 Sulidae			白肩黑鸛 <i>Pseudibis davisoni</i>	DD	
蓝脸鹈鹕 <i>Sula dactylatra</i>	LC		朱鸛 <i>Nipponia nippon</i>	EN	B1ab(iii); C1+C2a(ii)
红脚鹈鹕 <i>Sula sula</i>	NT		彩鸛 <i>Plegadis falcinellus</i>	DD	
褐鹈鹕 <i>Sula leucogaster</i>	LC		白琵鹭 <i>Platalea leucorodia</i>	NT	
(9) 鸛科 Phalacrocoracidae			黑脸琵鹭 <i>Platalea minor</i>	EN	C2a(ii)
普通鸛 <i>Phalacrocorax carbo</i>	LC		6 红鸛目 Phoenicopteriformes		
绿背鸛 <i>Phalacrocorax capillatus</i>	DD		(14) 红鸛科 Phoenicopteridae		
海鸛 <i>Phalacrocorax pelagicus</i>	NT		大红鸛 <i>Phoenicopterus ruber</i>	DD	
红脸鸛 <i>Phalacrocorax urile</i>	LC		7 雁形目 Anseriformes		
黑颈鸛 <i>Phalacrocorax niger</i>	LC		(15) 鸭科 Anatidae		
(10) 军舰鸟科 Fregatidae			栗树鸭 <i>Dendrocygna javanica</i>	VU	C2a(i)
白腹军舰鸟 <i>Fregata andrewsi</i>	DD		疣鼻天鹅 <i>Cygnus olor</i>	NT	
黑腹军舰鸟 <i>Fregata minor</i>	LC		大天鹅 <i>Cygnus cygnus</i>	NT	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
小天鹅 <i>Cygnus columbianus</i>	NT		(16) 鸮科 Pandionidae		
鸿雁 <i>Anser cygnoides</i>	VU	A3bcd	鸮 <i>Pandion haliaetus</i>	NT	
豆雁 <i>Anser fabalis</i>	LC		(17) 鹰科 Accipitridae		
白额雁 <i>Anser albifrons</i>	LC		褐冠鵟隼 <i>Aviceda jerdoni</i>	NT	
小白额雁 <i>Anser erythropus</i>	VU	A2abcd	黑冠鵟隼 <i>Aviceda leuphotes</i>	LC	
灰雁 <i>Anser anser</i>	LC		凤头蜂鹰 <i>Pernis ptilorhynchus</i>	NT	
斑头雁 <i>Anser indicus</i>	LC		黑翅鸢 <i>Elanus caeruleus</i>	NT	
雪雁 <i>Anser caerulescens</i>	DD		黑鸢 <i>Milvus migrans</i>	LC	
加拿大雁 <i>Branta canadensis</i>	DD		栗鸢 <i>Haliastur indus</i>	VU	C1
黑雁 <i>Branta bernicla</i>	DD		白腹海雕 <i>Haliaeetus leucogaster</i>	VU	C2a(ii)
白颊黑雁 <i>Branta leucopsis</i>	DD		玉带海雕 <i>Haliaeetus leucoryphus</i>	EN	A2bdce+3cde+4cbde
红胸黑雁 <i>Branta ruficollis</i>	DD		白尾海雕 <i>Haliaeetus albicilla</i>	VU	C1
赤麻鸭 <i>Tadorna ferruginea</i>	LC		虎头海雕 <i>Haliaeetus pelagicus</i>	EN	A2bcde+3cde+4bcde
翘鼻麻鸭 <i>Tadorna tadorna</i>	LC		渔雕 <i>Ichthyophaga humilis</i>	NT	
瘤鸭 <i>Sarkidiornis melanotos</i>	DD		胡兀鹭 <i>Gypaetus barbatus</i>	NT	
棉凫 <i>Nettapus coromandelianus</i>	EN	C2a(ii)	白背兀鹭 <i>Gyps bengalensis</i>	DD	
鸳鸯 <i>Aix galericulata</i>	NT		长嘴兀鹭 <i>Gyps indicus</i>	DD	
赤颈鸭 <i>Anas penelope</i>	LC		高山兀鹭 <i>Gyps himalayensis</i>	NT	
绿眉鸭 <i>Anas americana</i>	DD		兀鹭 <i>Gyps fulvus</i>	NT	
罗纹鸭 <i>Anas falcata</i>	NT		秃鹭 <i>Aegypius monachus</i>	NT	
赤膀鸭 <i>Anas strepera</i>	LC		黑兀鹭 <i>Sarcogyps calvus</i>	CR	A2abce+3bce+4abce
花脸鸭 <i>Anas formosa</i>	NT		短趾雕 <i>Circus gallicus</i>	NT	
绿翅鸭 <i>Anas crecca</i>	LC		蛇雕 <i>Spilornis cheela</i>	NT	
绿头鸭 <i>Anas platyrhynchos</i>	LC		白头鹞 <i>Circus aeruginosus</i>	NT	
斑嘴鸭 <i>Anas poecilorhyncha</i>	LC		白腹鹞 <i>Circus spilonotus</i>	NT	
棕颈鸭 <i>Anas luzonica</i>	DD		白尾鹞 <i>Circus cyaneus</i>	NT	
针尾鸭 <i>Anas acuta</i>	LC		草原鹞 <i>Circus macrourus</i>	NT	
白眉鸭 <i>Anas querquedula</i>	LC		鵟鹞 <i>Circus melanoleucos</i>	NT	
琵嘴鸭 <i>Anas clypeata</i>	LC		乌灰鹞 <i>Circus pygargus</i>	NT	
云石斑鸭 <i>Marmaronetta angustirostris</i>	DD		凤头鹰 <i>Accipiter trivirgatus</i>	NT	
赤嘴潜鸭 <i>Netta rufina</i>	LC		褐耳鹰 <i>Accipiter badius</i>	NT	
帆背潜鸭 <i>Aythya valisineria</i>	DD		赤腹鹰 <i>Accipiter soloensis</i>	LC	
红头潜鸭 <i>Aythya ferina</i>	LC		日本松雀鹰 <i>Accipiter gularis</i>	LC	
青头潜鸭 <i>Aythya baeri</i>	CR	A2cd+3cd+4cd	松雀鹰 <i>Accipiter virgatus</i>	LC	
白眼潜鸭 <i>Aythya nyroca</i>	NT		雀鹰 <i>Accipiter nisus</i>	LC	
凤头潜鸭 <i>Aythya fuligula</i>	LC		苍鹰 <i>Accipiter gentilis</i>	NT	
斑背潜鸭 <i>Aythya marila</i>	LC		白眼鵟鹰 <i>Butastur teesa</i>	DD	
小绒鸭 <i>Polysticta stelleri</i>	DD		棕翅鵟鹰 <i>Butastur liventer</i>	DD	
丑鸭 <i>Histrionicus histrionicus</i>	DD		灰脸鵟鹰 <i>Butastur indicus</i>	NT	
长尾鸭 <i>Clangula hyemalis</i>	EN	C1; D	普通鵟 <i>Buteo buteo</i>	LC	
黑海番鸭 <i>Melanitta nigra</i>	DD		棕尾鵟 <i>Buteo rufinus</i>	NT	
斑脸海番鸭 <i>Melanitta stejnegeri</i>	NT		大鵟 <i>Buteo hemilasius</i>	VU	A2ac
鹊鸭 <i>Bucephala clangula</i>	LC		毛脚鵟 <i>Buteo lagopus</i>	NT	
斑头秋沙鸭 <i>Mergellus albellus</i>	LC		林雕 <i>Ictinaetus malayensis</i>	VU	A2cd
红胸秋沙鸭 <i>Mergus serrator</i>	LC		乌雕 <i>Aquila clanga</i>	EN	A2bcde+3cde+4bcde
普通秋沙鸭 <i>Mergus merganser</i>	LC		草原雕 <i>Aquila nipalensis</i>	VU	A2cd; C1+2b
中华秋沙鸭 <i>Mergus squamatus</i>	EN	C2a(i)	白肩雕 <i>Aquila heliaca</i>	EN	A2bcde+3cde+4cbde
白头硬尾鸭 <i>Oxyura leucocephala</i>	CR	A2bcde+4bcde; B1ab(i); C2a(i); D	金雕 <i>Aquila chrysaetos</i>	VU	A2bcde+3bcde+4bcde; C2a(i)
8 隼形目 Falconiformes			白腹隼雕 <i>Hieraaetus fasciata</i>	VU	A2cd; C1

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
靴隼雕 <i>Hieraaetus pennatus</i>	VU	A2cd; C1	台湾山鹧鸪 <i>Arborophila crudigularis</i> △	NT	
棕腹隼雕 <i>Hieraaetus kienerii</i>	NT		海南山鹧鸪 <i>Arborophila ardens</i> △	EN	B1a+b(iii)
鹰雕 <i>Spizaetus nipalensis</i>	NT		褐胸山鹧鸪 <i>Arborophila brunneopectus</i>	NT	
凤头鹰雕 <i>Spizaetus cirrhatus</i>	NT		绿脚山鹧鸪 <i>Arborophila chloropus</i>	NT	
(18) 隼科 Falconidae			棕胸竹鸡 <i>Bambusicola fytchii</i>	LC	
红腿小隼 <i>Microhierax caerulescens</i>	NT		灰胸竹鸡 <i>Bambusicola thoracicus</i> △	LC	
白腿小隼 <i>Microhierax melanoleucus</i>	VU	B1a; C2a(i)	血雉 <i>Ithaginis cruentus</i>	NT	
黄爪隼 <i>Falco naumanni</i>	VU	A2bcde+3bcde+4bcde; C2a(i)	黑头角雉 <i>Tragopan melanocephalus</i>	DD	
红隼 <i>Falco tinnunculus</i>	LC		红胸角雉 <i>Tragopan satyra</i>	VU	C2a (i)
西红脚隼 <i>Falco vespertinus</i>	NT		灰腹角雉 <i>Tragopan blythii</i>	DD	
红脚隼 <i>Falco amurensis</i>	NT		红腹角雉 <i>Tragopan temminckii</i>	NT	
灰背隼 <i>Falco columbarius</i>	NT		黄腹角雉 <i>Tragopan caboti</i> △	EN	B2ab(i)
燕隼 <i>Falco subbuteo</i>	LC		勺鸡 <i>Pucrasia macrolopha</i>	LC	
猛隼 <i>Falco severus</i>	DD		棕尾虹雉 <i>Lophophorus impejanus</i>	NT	
猎隼 <i>Falco cherrug</i>	EN	A2bcde	白尾梢虹雉 <i>Lophophorus sclateri</i>	EN	C2a(i)
矛隼 <i>Falco rusticolus</i>	NT		绿尾虹雉 <i>Lophophorus lhuysii</i> △	EN	B2ab(iii); C2a(i)
拟游隼 <i>Falco pelegrinoides</i>	NT		原鸡 <i>Gallus gallus</i>	NT	
游隼 <i>Falco peregrinus</i>	NT		黑鹇 <i>Lophura leucomelanos</i>	NT	
9 鸡形目 Galliformes			白鹇 <i>Lophura nycthemera</i>	LC	
(19) 松鸡科 Tetraonidae			蓝腹鹇 <i>Lophura swinhoii</i> △	NT	
镰翅鸡 <i>Dendragapus falcipennis</i>	RE		白马鸡 <i>Crossoptilon crossoptilon</i> △	NT	
柳雷鸟 <i>Lagopus lagopus</i>	VU	C2a(i)	藏马鸡 <i>Crossoptilon harmani</i> △	NT	
岩雷鸟 <i>Lagopus muta</i>	NT		蓝马鸡 <i>Crossoptilon auritum</i> △	NT	
黑琴鸡 <i>Lyrurus tetrix</i>	NT		褐马鸡 <i>Crossoptilon mantchuricum</i> △	VU	C2a(i)
松鸡 <i>Tetrao urogallus</i>	EN	C2a(i)	白颈长尾雉 <i>Syrnaticus ellioti</i> △	VU	B2ab(iii); C2a(i)
黑嘴松鸡 <i>Tetrao parvirostris</i>	EN	A2c+3c+4c	黑颈长尾雉 <i>Syrnaticus humiae</i>	VU	C1+2a(i)
花尾榛鸡 <i>Tetrastes bonasia</i>	LC		黑长尾雉 <i>Syrnaticus mikado</i> △	NT	
斑尾榛鸡 <i>Tetrastes sewerzowi</i> △	NT		白冠长尾雉 <i>Syrnaticus reevesii</i> △	EN	A2cd+3cd+4cd
(20) 雉科 Phasianidae			环颈雉 <i>Phasianus colchicus</i>	LC	
雪鹑 <i>Lerwa lerwa</i>	NT		红腹锦鸡 <i>Chrysolophus pictus</i> △	NT	
红喉雉鹑 <i>Tetraophaps obscurus</i> △	VU	B2ab(i); C2a(i)	白腹锦鸡 <i>Chrysolophus amherstiae</i>	NT	
黄喉雉鹑 <i>Tetraophaps szechenyii</i> △	VU	B2ab(i); C2a(i)	灰孔雀雉 <i>Polyplectron bicalcaratum</i>	EN	C1+2a(i)
藏雪鸡 <i>Tetraogallus tibetanus</i>	NT		海南孔雀雉 <i>Polyplectron katsumatae</i> △	CR	A2cd+3cd+4cd; C2a(i)
阿尔泰雪鸡 <i>Tetraogallus altaicus</i>	VU	B1b(ii, iii); C1	绿孔雀 <i>Pavo muticus</i>	CR	A2cd+3cd+4cd
暗腹雪鸡 <i>Tetraogallus himalayensis</i>	NT		10 鹑形目 Gruiformes		
大石鸡 <i>Alectoris magna</i> △	NT		(21) 三趾鹑科 Turnicidae		
石鸡 <i>Alectoris chukar</i>	LC		林三趾鹑 <i>Turnix sylvaticus</i>	LC	
中华鹧鸪 <i>Francolinus pintadeanus</i>	NT		黄脚三趾鹑 <i>Turnix tanki</i>	LC	
灰山鹑 <i>Perdix perdix</i>	LC		棕三趾鹑 <i>Turnix suscitator</i>	LC	
斑翅山鹑 <i>Perdix dauurica</i>	LC		(22) 鹤科 Gruidae		
高原山鹑 <i>Perdix hodgsoniae</i>	LC		蓑羽鹤 <i>Anthropoides virgo</i>	LC	
日本鹌鹑 <i>Coturnix japonica</i>	LC		白鹤 <i>Grus leucogeranus</i>	CR	A3bcd+4bcd; B2b
鹌鹑 <i>Coturnix coturnix</i>	LC		沙丘鹤 <i>Grus canadensis</i>	DD	
蓝胸鹑 <i>Coturnix chinensis</i>	NT		赤颈鹤 <i>Grus antigone</i>	RE	
环颈山鹧鸪 <i>Arborophila torqueola</i>	LC		白枕鹤 <i>Grus vipio</i>	EN	A2ace; C1
四川山鹧鸪 <i>Arborophila rufipectus</i> △	EN	B2ab(iii); C2a(i)	灰鹤 <i>Grus grus</i>	NT	
红胸山鹧鸪 <i>Arborophila mandellii</i>	VU	C2a(i)	白头鹤 <i>Grus monacha</i>	EN	C1+2a(ii)
白眉山鹧鸪 <i>Arborophila gingica</i> △	VU	C2a(i)	黑颈鹤 <i>Grus nigricollis</i>	VU	C2a(ii)
红喉山鹧鸪 <i>Arborophila rufogularis</i>	LC		丹顶鹤 <i>Grus japonensis</i>	EN	C1
白颊山鹧鸪 <i>Arborophila atrogularis</i>	NT		(23) 秧鸡科 Rallidae		

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
花田鸡 <i>Coturnicops exquisitus</i>	VU	A2cd+3cd; C1	黄颊麦鸡 <i>Vanellus gregarius</i>	DD	
红脚斑秧鸡 <i>Rallina fasciata</i>	DD		金鸻 <i>Pluvialis fulva</i>	LC	
白喉斑秧鸡 <i>Rallina eurizonoides</i>	VU	A1cde	欧金鸻 <i>Pluvialis apricaria</i>	DD	
灰胸秧鸡 <i>Gallirallus striatus</i>	LC		灰鸻 <i>Pluvialis squatarola</i>	LC	
普通秧鸡 <i>Rallus aquaticus</i>	LC		剑鸻 <i>Charadrius hiaticula</i>	LC	
长脚秧鸡 <i>Crex crex</i>	VU	A1cde	长嘴剑鸻 <i>Charadrius placidus</i>	NT	
红脚苦恶鸟 <i>Amaurornis akool</i>	LC		金眶鸻 <i>Charadrius dubius</i>	LC	
白胸苦恶鸟 <i>Amaurornis phoenicurus</i>	LC		环颈鸻 <i>Charadrius alexandrinus</i>	LC	
姬田鸡 <i>Porzana parva</i>	LC		蒙古沙鸻 <i>Charadrius mongolus</i>	LC	
小田鸡 <i>Porzana pusilla</i>	LC		铁嘴沙鸻 <i>Charadrius leschenaultii</i>	LC	
斑胸田鸡 <i>Porzana porzana</i>	LC		红胸鸻 <i>Charadrius asiaticus</i>	DD	
红胸田鸡 <i>Porzana fusca</i>	NT		东方鸻 <i>Charadrius veredus</i>	LC	
斑胁田鸡 <i>Porzana paykullii</i>	VU	A2cd	小嘴鸻 <i>Charadrius morinellus</i>	DD	
棕背田鸡 <i>Porzana bicolor</i>	LC		(33) 鹬科 Scolopacidae		
白眉田鸡 <i>Porzana cinerea</i>	DD		丘鹬 <i>Scolopax rusticola</i>	LC	
董鸡 <i>Gallicrex cinerea</i>	LC		姬鹬 <i>Limnocyptes minimus</i>	LC	
紫水鸡 <i>Porphyrio porphyrio</i>	VU	A3cd	孤沙锥 <i>Gallinago solitaria</i>	LC	
黑水鸡 <i>Gallinula chloropus</i>	LC		拉氏沙锥 <i>Gallinago hardwickii</i>	DD	
白骨顶 <i>Fulica atra</i>	LC		林沙锥 <i>Gallinago nemoricola</i>	VU	C2a(i)
(24) 鸕科 Otididae			针尾沙锥 <i>Gallinago stenura</i>	LC	
大鸕 <i>Otis tarda</i>	EN	B2b(iii); C2b	大沙锥 <i>Gallinago megala</i>	LC	
波斑鸕 <i>Chlamydotis macqueenii</i>	EN	A2cd+3cd; C1	扇尾沙锥 <i>Gallinago gallinago</i>	LC	
小鸕 <i>Tetrax tetrax</i>	DD		半蹼鹬 <i>Limnodromus semipalmatus</i>	NT	
11 鸕形目 Charadriiformes			长嘴半蹼鹬 <i>Limnodromus scolopaceus</i>	DD	
(25) 水雉科 Jacanidae			黑尾膝鹬 <i>Limosa limosa</i>	LC	
水雉 <i>Hydrophasianus chirurgus</i>	NT		斑尾膝鹬 <i>Limosa lapponica</i>	NT	
铜翅水雉 <i>Metopidius indicus</i>	DD		小杓鹬 <i>Numenius minutus</i>	NT	
(26) 彩鹬科 Rostratulidae			中杓鹬 <i>Numenius phaeopus</i>	LC	
彩鹬 <i>Rostratula benghalensis</i>	LC		白腰杓鹬 <i>Numenius arquata</i>	NT	
(27) 蛎鹬科 Haematopodidae			大杓鹬 <i>Numenius madagascariensis</i>	VU	A2cd; C1
蛎鹬 <i>Haematopus ostralegus</i>	LC		鹤鹬 <i>Tringa erythropus</i>	LC	
(28) 鸕嘴鹬科 Ibidorhynchidae			红脚鹬 <i>Tringa totanus</i>	LC	
鸕嘴鹬 <i>Ibidorhyncha struthersii</i>	NT		泽鹬 <i>Tringa stagnatilis</i>	LC	
(29) 反嘴鹬科 Recurvirostridae			青脚鹬 <i>Tringa nebularia</i>	LC	
黑翅长脚鹬 <i>Himantopus himantopus</i>	LC		小青脚鹬 <i>Tringa guttifer</i>	EN	C2a(i)
反嘴鹬 <i>Recurvirostra avosetta</i>	LC		小黄脚鹬 <i>Tringa flavipes</i>	DD	
(30) 石鹬科 Burhinidae			白腰草鹬 <i>Tringa ochropus</i>	LC	
石鹬 <i>Burhinus oedipnemus</i>	LC		林鹬 <i>Tringa glareola</i>	LC	
大石鹬 <i>Esacus recurvirostris</i>	LC		翘嘴鹬 <i>Xenus cinereus</i>	LC	
(31) 燕鹬科 Glareolidae			矶鹬 <i>Actitis hypoleucos</i>	LC	
领燕鹬 <i>Glareola pratincola</i>	LC		灰尾漂鹬 <i>Heteroscelus brevipes</i>	LC	
普通燕鹬 <i>Glareola maldivarum</i>	LC		漂鹬 <i>Heteroscelus incanus</i>	DD	
黑翅燕鹬 <i>Glareola nordmanni</i>	DD		翻石鹬 <i>Arenaria interpres</i>	LC	
灰燕鹬 <i>Glareola lactea</i>	LC		大滨鹬 <i>Calidris tenuirostris</i>	VU	A4bcd
(32) 鸻科 Charadriidae			红腹滨鹬 <i>Calidris canutus</i>	VU	A4bcd
凤头麦鸡 <i>Vanellus vanellus</i>	LC		三趾滨鹬 <i>Calidris alba</i>	LC	
距翅麦鸡 <i>Vanellus duvaucelii</i>	NT		西滨鹬 <i>Calidris mauri</i>	DD	
灰头麦鸡 <i>Vanellus cinereus</i>	LC		红颈滨鹬 <i>Calidris ruficollis</i>	LC	
肉垂麦鸡 <i>Vanellus indicus</i>	DD		小滨鹬 <i>Calidris minuta</i>	DD	
白尾麦鸡 <i>Vanellus leucurus</i>	DD		青脚滨鹬 <i>Calidris temminckii</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria	
长趾滨鹬 <i>Calidris subminuta</i>	LC	A2bcd+3bcd+4bcd; C2a(i)	白额燕鸥 <i>Sterna albifrons</i>	LC	B1; D	
斑胸滨鹬 <i>Calidris melanotos</i>	DD		黑腹燕鸥 <i>Sterna acuticauda</i>	EN		
尖尾滨鹬 <i>Calidris acuminata</i>	LC		白腰燕鸥 <i>Sterna aleutica</i>	LC		
弯嘴滨鹬 <i>Calidris ferruginea</i>	LC		褐翅燕鸥 <i>Sterna anaethetus</i>	LC		
岩滨鹬 <i>Calidris ptilocnemis</i>	DD		乌燕鸥 <i>Sterna fuscata</i>	LC		
黑腹滨鹬 <i>Calidris alpina</i>	LC		灰翅浮鸥 <i>Chlidonias hybrida</i>	LC		
勺嘴鹬 <i>Eurynorhynchus pygmeus</i>	CR		白翅浮鸥 <i>Chlidonias leucopterus</i>	LC		
阔嘴鹬 <i>Limicola falcinellus</i>	LC		黑浮鸥 <i>Chlidonias niger</i>	LC		
高跷鹬 <i>Himantopus himantopus</i>	DD		白顶玄燕鸥 <i>Anous stolidus</i>	LC		
黄胸鹬 <i>Tryngites subruficollis</i>	DD		白燕鸥 <i>Gygis alba</i>	DD		
流苏鹬 <i>Philomachus pugnax</i>	LC		(37) 剪嘴鸥科 Rynchopidae			
红颈瓣蹼鹬 <i>Phalaropus lobatus</i>	LC		剪嘴鸥 <i>Rynchops albigollis</i>	DD		
灰瓣蹼鹬 <i>Phalaropus fulicarius</i>	LC		(38) 海雀科 Alcidae			
(34) 贼鸥科 Stercorariidae			崖海鸦 <i>Uria aalge</i>	DD		
南极贼鸥 <i>Catharacta maccormicki</i>	DD	斑海雀 <i>Brachyramphus marmoratus</i>	DD			
中贼鸥 <i>Stercorarius pomarinus</i>	LC	扁嘴海雀 <i>Synthliboramphus antiquus</i>	NT			
短尾贼鸥 <i>Stercorarius parasiticus</i>	LC	冠海雀 <i>Synthliboramphus wumizusume</i>	DD			
长尾贼鸥 <i>Stercorarius longicaudus</i>	LC	角嘴海雀 <i>Cerorhinca monocerata</i>	DD			
(35) 鸥科 Laridae			12 沙鸡目 Pterocliiformes			
黑尾鸥 <i>Larus crassirostris</i>	LC	(39) 沙鸡科 Pteroclididae				
普通海鸥 <i>Larus canus</i>	LC	西藏毛腿沙鸡 <i>Syrrhaptes tibetanus</i>	LC			
灰翅鸥 <i>Larus glaucescens</i>	LC	毛腿沙鸡 <i>Syrrhaptes paradoxus</i>	LC			
北极鸥 <i>Larus hyperboreus</i>	LC	黑腹沙鸡 <i>Pterocles orientalis</i>	NT			
银鸥 <i>Larus argentatus</i>	LC	13 鸽形目 Columbiformes				
西伯利亚银鸥 <i>Larus vegae</i>	LC	(40) 鸠鸽科 Columbidae				
小黑背银鸥 <i>Larus fuscus</i>	LC	原鸽 <i>Columba livia</i>	LC	B1ab(iii); D		
黄腿银鸥 <i>Larus cachinnans</i>	LC	岩鸽 <i>Columba rupestris</i>	LC			
灰背鸥 <i>Larus schistisagus</i>	LC	雪鸽 <i>Columba leuconota</i>	LC			
渔鸥 <i>Larus ichthyaetus</i>	LC	欧鸽 <i>Columba oenas</i>	LC			
棕头鸥 <i>Larus brunnicephalus</i>	LC	中亚鸽 <i>Columba eversmanni</i>	DD			
红嘴鸥 <i>Larus ridibundus</i>	LC	斑尾林鸽 <i>Columba palumbus</i>	LC			
细嘴鸥 <i>Larus genei</i>	DD	斑林鸽 <i>Columba hodgsonii</i>	LC			
弗氏鸥 <i>Larus pipixcan</i>	DD	灰林鸽 <i>Columba pulchricollis</i>	LC			
黑嘴鸥 <i>Larus saundersi</i>	VU	紫林鸽 <i>Columba punicea</i>	EN			
遗鸥 <i>Larus relictus</i>	EN	黑林鸽 <i>Columba janthina</i>	DD			
小鸥 <i>Larus minutus</i>	NT	欧斑鸠 <i>Streptopelia turtur</i>	LC			
楔尾鸥 <i>Rhodostethia rosea</i>	DD	山斑鸠 <i>Streptopelia orientalis</i>	LC			
叉尾鸥 <i>Xema sabini</i>	LC	灰斑鸠 <i>Streptopelia decaocto</i>	LC			
三趾鸥 <i>Rissa tridactyla</i>	LC	火斑鸠 <i>Streptopelia tranquebarica</i>	LC			
(36) 燕鸥科 Sternidae			珠颈斑鸠 <i>Streptopelia chinensis</i>	LC		
鸥嘴噪鸥 <i>Gelochelidon nilotica</i>	LC	棕斑鸠 <i>Streptopelia senegalensis</i>	LC			
红嘴巨燕鸥 <i>Hydroprogne caspia</i>	LC	斑尾鹃鸠 <i>Macropygia unchall</i>	NT			
小凤头燕鸥 <i>Thalasseus bengalensis</i>	LC	菲律宾鹃鸠 <i>Macropygia tenuirostris</i>	LC			
黄嘴凤头燕鸥 <i>Thalasseus sandvicensis</i>	DD	小鹃鸠 <i>Macropygia ruficeps</i>	LC			
中华凤头燕鸥 <i>Thalasseus bernsteini</i>	CR	绿翅金鸠 <i>Chalcophaps indica</i>	LC			
大风头燕鸥 <i>Thalasseus bergii</i>	NT	橙胸绿鸠 <i>Treron bicinctus</i>	NT			
河燕鸥 <i>Sterna aurantia</i>	NT	灰头绿鸠 <i>Treron pompadora</i>	NT			
粉红燕鸥 <i>Sterna dougallii</i>	LC	厚嘴绿鸠 <i>Treron curvirostra</i>	NT			
黑枕燕鸥 <i>Sterna sumatrana</i>	LC	黄脚绿鸠 <i>Treron phoenicopterus</i>	NT			
普通燕鸥 <i>Sterna hirundo</i>	LC	针尾绿鸠 <i>Treron apicauda</i>	NT			

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
楔尾绿鸠 <i>Treron sphenurus</i>	NT		兰屿角鸮 <i>Otus elegans</i>	NT	
红翅绿鸠 <i>Treron sieboldii</i>	LC		雕鸮 <i>Bubo bubo</i>	NT	
红顶绿鸠 <i>Treron formosae</i>	VU	C1	林雕鸮 <i>Bubo nipalensis</i>	NT	
黑颈果鸠 <i>Ptilinopus leclancheri</i>	LC		雪鸮 <i>Bubo scandiacus</i>	NT	
绿皇鸠 <i>Ducula aenea</i>	EN	A4acd; C2a	毛腿渔鸮 <i>Ketupa blakistoni</i>	CR	A1ac; B1b(ii, iii); C1+2a(i)
山皇鸠 <i>Ducula badia</i>	NT		褐渔鸮 <i>Ketupa zeylonensis</i>	EN	A2bcd+3bcd+4bcd
14 鸮形目 Psittaciformes			黄腿渔鸮 <i>Ketupa flavipes</i>	EN	A2bcd+3bcd+4bcd
(41) 鸮科 Psittacidae			褐林鸮 <i>Strix leptogrammica</i>	NT	
短尾鸮 <i>Loriculus vernalis</i>	DD		灰林鸮 <i>Strix aluco</i>	NT	
小葵花鸮 <i>Cacatua sulphurea</i>	DD		长尾林鸮 <i>Strix uralensis</i>	NT	
蓝腰鸮 <i>Psittinus cyanurus</i>	VU	D2	四川林鸮 <i>Strix davidi</i> △	VU	C2a(i)
亚历山大鸮 <i>Psittacula eupatria</i>	DD		乌林鸮 <i>Strix nebulosa</i>	NT	
红领绿鸮 <i>Psittacula krameri</i>	DD		猛鸮 <i>Surnia ulula</i>	NT	
灰头鸮 <i>Psittacula finschii</i>	DD		花头鸮 <i>Glaucidium passerinum</i>	NT	
花头鸮 <i>Psittacula roseata</i>	DD		领鸮 <i>Glaucidium brodiei</i>	LC	
大紫胸鸮 <i>Psittacula derbiana</i>	VU	B2ab(i); C2a(i)	斑头鸮 <i>Glaucidium cuculoides</i>	LC	
绯胸鸮 <i>Psittacula alexandri</i>	VU	B1ab(iii)	纵纹腹小鸮 <i>Athene noctua</i>	LC	
15 鹃形目 Cuculiformes			横斑腹小鸮 <i>Athene brama</i>	NT	
(42) 杜鹃科 Cuculidae			鬼鸮 <i>Aegolius funereus</i>	VU	C2a(i)
斑翅凤头鹃 <i>Clamator jacobinus</i>	LC		鹰鸮 <i>Ninox scutulata</i>	NT	
红翅凤头鹃 <i>Clamator coromandus</i>	LC		日本鹰鸮 <i>Ninox japonica</i>	DD	
大鹰鸮 <i>Cuculus sparveroides</i>	LC		长耳鸮 <i>Asio otus</i>	LC	
普通鹰鸮 <i>Cuculus varius</i>	LC		短耳鸮 <i>Asio flammeus</i>	NT	
棕腹杜鹃 <i>Cuculus niscolor</i>	LC		17 夜鹰目 Caprimulgiformes		
北棕腹杜鹃 <i>Cuculus hyperythrus</i>	LC		(45) 蛙口夜鹰科 Podargidae		
四声杜鹃 <i>Cuculus micropterus</i>	LC		黑顶蛙口夜鹰 <i>Batrachostomus hodgsoni</i>	DD	
大杜鹃 <i>Cuculus canorus</i>	LC		(46) 夜鹰科 Caprimulgidae		
中杜鹃 <i>Cuculus saturatus</i>	LC		毛腿夜鹰 <i>Eurostopodus macrotis</i>	DD	
东方中杜鹃 <i>Cuculus optatus</i>	LC		普通夜鹰 <i>Caprimulgus indicus</i>	LC	
小杜鹃 <i>Cuculus poliocephalus</i>	LC		欧夜鹰 <i>Caprimulgus europaeus</i>	LC	
栗斑杜鹃 <i>Cacomantis sonneratii</i>	LC		埃及夜鹰 <i>Caprimulgus aegyptius</i>	DD	
八声杜鹃 <i>Cacomantis merulinus</i>	LC		中亚夜鹰 <i>Caprimulgus centralasicus</i> △	DD	
翠金鸮 <i>Chrysococcyx maculatus</i>	NT		长尾夜鹰 <i>Caprimulgus macrurus</i>	DD	
紫金鸮 <i>Chrysococcyx xanthorhynchus</i>	NT		林夜鹰 <i>Caprimulgus affinis</i>	DD	
乌鸮 <i>Surniculus dicruroides</i>	LC		18 雨燕目 Apodiformes		
噪鸮 <i>Eudynamys scolopacea</i>	LC		(47) 雨燕科 Apodidae		
绿嘴地鸮 <i>Phaenicophaeus tristis</i>	LC		爪哇金丝燕 <i>Aerodramus fuciphagus</i>	CR	B1b(ii, iii); C1+2a(i)
褐翅鸮 <i>Centropus sinensis</i>	LC		短嘴金丝燕 <i>Aerodramus brevirostris</i>	NT	
小鸮 <i>Centropus bengalensis</i>	LC		大金丝燕 <i>Aerodramus maximus</i>	DD	
16 鸱形目 Strigiformes			白喉针尾雨燕 <i>Hirundapus caudacutus</i>	LC	
(43) 草鸱科 Tytonidae			灰喉针尾雨燕 <i>Hirundapus cochinchinensis</i>	NT	
仓鸮 <i>Tyto alba</i>	NT		棕雨燕 <i>Cypsiurus balasiensis</i>	LC	
东方草鸮 <i>Tyto longimembris</i>	DD		普通雨燕 <i>Apus apus</i>	LC	
栗鸮 <i>Phodilus badius</i>	NT		暗背雨燕 <i>Apus acuticauda</i>	DD	
(44) 鸱科 Strigidae			白腰雨燕 <i>Apus pacificus</i>	LC	
黄嘴角鸮 <i>Otus spilocephalus</i>	NT		小白腰雨燕 <i>Apus nipalensis</i>	LC	
领角鸮 <i>Otus lettia</i>	LC		(48) 凤头雨燕科 Hemiprocnidae		
纵纹角鸮 <i>Otus brucei</i>	DD		凤头雨燕 <i>Hemiprocne coronata</i>	LC	
西红角鸮 <i>Otus scops</i>	LC		19 咬鹃目 Trogoniformes		
红角鸮 <i>Otus sunia</i>	LC		(49) 咬鹃科 Trogonidae		

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
红头咬鹃 <i>Harpactes erythrocephalus</i>	NT		黄腰响蜜鴃 <i>Indicator xanthonotus</i>	NT	
橙胸咬鹃 <i>Harpactes oreskios</i>	NT		(57) 啄木鸟科 Picidae		
红腹咬鹃 <i>Harpactes wardi</i>	NT		蚁鴂 <i>Jynx torquilla</i>	LC	
20 佛法僧目 Coraciiformes			斑姬啄木鸟 <i>Picumnus innominatus</i>	LC	
(50) 翠鸟科 Alcedinidae			白眉棕啄木鸟 <i>Sasia ochracea</i>	LC	
斑头大翠鸟 <i>Alcedo hercules</i>	VU	C1+2a(i)	星头啄木鸟 <i>Dendrocopos canicapillus</i>	LC	
普通翠鸟 <i>Alcedo atthis</i>	LC		小星头啄木鸟 <i>Dendrocopos kizuki</i>	LC	
蓝耳翠鸟 <i>Alcedo meninting</i>	LC		小斑啄木鸟 <i>Dendrocopos minor</i>	LC	
三趾翠鸟 <i>Ceyx erithaca</i>	DD		纹腹啄木鸟 <i>Dendrocopos macei</i>	DD	
鹛嘴翡翠 <i>Pelargopsis capensis</i>	DD		纹胸啄木鸟 <i>Dendrocopos atratus</i>	DD	
赤翡翠 <i>Halcyon coromanda</i>	DD		棕腹啄木鸟 <i>Dendrocopos hyperythrus</i>	LC	
白胸翡翠 <i>Halcyon smyrnensis</i>	LC		黄颈啄木鸟 <i>Dendrocopos darjellensis</i>	LC	
蓝翡翠 <i>Halcyon pileata</i>	LC		赤胸啄木鸟 <i>Dendrocopos cathpharius</i>	LC	
白领翡翠 <i>Todirhamphus chloris</i>	LC		白背啄木鸟 <i>Dendrocopos leucotos</i>	LC	
冠鱼狗 <i>Megaceryle lugubris</i>	LC		大斑啄木鸟 <i>Dendrocopos major</i>	LC	
斑鱼狗 <i>Ceryle rudis</i>	LC		白翅啄木鸟 <i>Dendrocopos leucopterus</i>	NT	
(51) 蜂虎科 Meropidae			三趾啄木鸟 <i>Picoides tridactylus</i>	LC	
蓝须夜蜂虎 <i>Nyctornis athertoni</i>	VU	B1a+b(ii)	栗啄木鸟 <i>Celeus brachyurus</i>	LC	
绿喉蜂虎 <i>Merops orientalis</i>	LC		白腹黑啄木鸟 <i>Dryocopus javensis</i>	NT	
蓝喉蜂虎 <i>Merops viridis</i>	LC		黑啄木鸟 <i>Dryocopus martius</i>	LC	
栗喉蜂虎 <i>Merops philippinus</i>	LC		黄冠啄木鸟 <i>Picus chlorolophus</i>	NT	
彩虹蜂虎 <i>Merops ornatus</i>	DD		大黄冠啄木鸟 <i>Picus flavinucha</i>	EN	B1ab(iii)
黄喉蜂虎 <i>Merops apiaster</i>	NT		花腹绿啄木鸟 <i>Picus vittatus</i>	DD	
栗头蜂虎 <i>Merops leschenaultia</i>	LC		鳞喉绿啄木鸟 <i>Picus xanthopygaeus</i>	DD	
(52) 佛法僧科 Coraciidae			鳞腹绿啄木鸟 <i>Picus squamatus</i>	DD	
蓝胸佛法僧 <i>Coracias garrulus</i>	NT		红颈绿啄木鸟 <i>Picus rabieri</i>	DD	
棕胸佛法僧 <i>Coracias benghalensis</i>	NT		灰头绿啄木鸟 <i>Picus canus</i>	LC	
三宝鸟 <i>Eurystomus orientalis</i>	LC		喜山金背啄木鸟 <i>Dinopium shorii</i>	DD	
21 戴胜目 Upupiformes			金背啄木鸟 <i>Dinopium javanense</i>	DD	
(53) 戴胜科 Upupidae			小金背啄木鸟 <i>Dinopium benghalense</i>	DD	
戴胜 <i>Upupa epops</i>	LC		大金背啄木鸟 <i>Chrysocolaptes lucidus</i>	DD	
22 犀鸟目 Bucerotiformes			竹啄木鸟 <i>Gecinulus grantia</i>	LC	
(54) 犀鸟科 Bucerotidae			黄嘴栗啄木鸟 <i>Blythipicus pyrrhotis</i>	LC	
冠斑犀鸟 <i>Anthraceroceros albirostris</i>	CR	B1ab(iii); C1+2(i)	大灰啄木鸟 <i>Mulleripicus pulverulentus</i>	DD	
双角犀鸟 <i>Buceros bicornis</i>	CR	B1ab(ii, iii); D	24 雀形目 Passeriformes		
白喉犀鸟 <i>Anorrhinus tickelli</i>	VU	C1	(58) 阔嘴鸟科 Eurylaimidae		
棕颈犀鸟 <i>Aceros nipalensis</i>	CR	B1ab(I, ii, iii); D	长尾阔嘴鸟 <i>Psarisomus dalhousiae</i>	NT	
花冠皱盔犀鸟 <i>Aceros undulatus</i>	EN	B1ab(iii)+2 ab(iii); D	银胸丝冠鸟 <i>Serilophus lunatus</i>	NT	
23 鴷形目 Piciformes			(59) 八色鸫科 Pittidae		
(55) 拟鴷科 Capitonidae			双瓣八色鸫 <i>Pitta phayrei</i>	VU	C1
大拟啄木鸟 <i>Megalaima virens</i>	LC		蓝枕八色鸫 <i>Pitta nipalensis</i>	VU	C1
绿拟啄木鸟 <i>Megalaima lineate</i>	DD		蓝背八色鸫 <i>Pitta soror</i>	EN	B1b(ii); C1
黄纹拟啄木鸟 <i>Megalaima faiostriata</i>	NT		栗头八色鸫 <i>Pitta oatesi</i>	VU	C1
金喉拟啄木鸟 <i>Megalaima franklinii</i>	DD		蓝八色鸫 <i>Pitta cyanea</i>	DD	
台湾拟啄木鸟 <i>Megalaima nuchalis</i> Δ	LC		绿胸八色鸫 <i>Pitta sordida</i>	VU	C1
黑眉拟啄木鸟 <i>Megalaima oorti</i>	LC		印度八色鸫 <i>Pitta brachyura</i>	DD	
蓝喉拟啄木鸟 <i>Megalaima asiatica</i>	DD		仙八色鸫 <i>Pitta nympha</i>	VU	A2cd+3cd+4cd
蓝耳拟啄木鸟 <i>Megalaima australis</i>	DD		蓝翅八色鸫 <i>Pitta moluccensis</i>	DD	
赤胸拟啄木鸟 <i>Megalaima haemacephala</i>	DD		(60) 百灵科 Alaudidae		
(56) 响蜜鴃科 Indicatoridae			歌百灵 <i>Mirafra javanica</i>	VU	A2abed; B1b(ii, iii)

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria	
草原百灵 <i>Melanocorypha calandra</i>	NT	A2abcd; B1b(ii, iii)	粉红山椒鸟 <i>Pericrocotus roseus</i>	LC	A2ce+3ce+4ce	
二斑百灵 <i>Melanocorypha bimaculata</i>	LC		小灰山椒鸟 <i>Pericrocotus cantonensis</i>	LC		
长嘴百灵 <i>Melanocorypha maxima</i>	LC		灰山椒鸟 <i>Pericrocotus divaricatus</i>	LC		
蒙古百灵 <i>Melanocorypha mongolica</i>	VU		长尾山椒鸟 <i>Pericrocotus ethologus</i>	LC		
白翅百灵 <i>Melanocorypha leucoptera</i>	LC		短嘴山椒鸟 <i>Pericrocotus brevirostris</i>	LC		
黑百灵 <i>Melanocorypha yeltoniensis</i>	LC		赤红山椒鸟 <i>Pericrocotus flammeus</i>	LC		
大短趾百灵 <i>Calandrella brachydactyla</i>	LC		灰喉山椒鸟 <i>Pericrocotus solaris</i>	LC		
细嘴短趾百灵 <i>Calandrella acutirostris</i>	LC		褐背鹡鸰 <i>Hemipus picatus</i>	DD		
短趾百灵 <i>Calandrella cheleensis</i>	LC		(64) 鹎科 <i>Pycnonotidae</i>			
凤头百灵 <i>Galerida cristata</i>	LC		凤头雀嘴鹎 <i>Spizixos canifrons</i>	LC		
云雀 <i>Alauda arvensis</i>	LC		领雀嘴鹎 <i>Spizixos semitorques</i>	LC		
小云雀 <i>Alauda gulgula</i>	LC		纵纹绿鹎 <i>Pycnonotus striatus</i>	LC		
角百灵 <i>Eremophila alpestris</i>	LC		黑头鹎 <i>Pycnonotus atriceps</i>	LC		
(61) 燕科 <i>Hirundinidae</i>			黑冠黄鹎 <i>Pycnonotus melanicterus</i>	LC		
崖沙燕 <i>Riparia riparia</i>	LC	台湾鹎 <i>Pycnonotus taivanus</i> Δ	VU			
淡色崖沙燕 <i>Riparia diluta</i>	LC	白颊鹎 <i>Pycnonotus leucogenys</i>	LC			
褐喉沙燕 <i>Riparia paludicola</i>	LC	红耳鹎 <i>Pycnonotus jocosus</i>	LC			
岩燕 <i>Ptyonoprogne rupestris</i>	LC	黄臀鹎 <i>Pycnonotus xanthorrhous</i>	LC			
纯色岩燕 <i>Ptyonoprogne concolor</i>	NT	白头鹎 <i>Pycnonotus sinensis</i>	LC			
家燕 <i>Hirundo rustica</i>	LC	黑喉红臀鹎 <i>Pycnonotus cafer</i>	LC			
洋燕 <i>Hirundo tahitica</i>	LC	白喉红臀鹎 <i>Pycnonotus aurigaster</i>	LC			
金腰燕 <i>Cecropis daurica</i>	LC	纹喉鹎 <i>Pycnonotus finlaysoni</i>	LC			
斑腰燕 <i>Cecropis striolata</i>	LC	黄绿鹎 <i>Pycnonotus flavescens</i>	NT			
线尾燕 <i>Hirundo smithii</i>	DD	黄腹冠鹎 <i>Alophoixus flaveolus</i>	LC			
毛脚燕 <i>Delichon urbicum</i>	LC	白喉冠鹎 <i>Alophoixus pallidus</i>	LC			
烟腹毛脚燕 <i>Delichon dasypus</i>	LC	灰眼短脚鹎 <i>Iole propinqua</i>	LC			
黑喉毛脚燕 <i>Delichon nipalense</i>	LC	栗耳短脚鹎 <i>Microscelis amaurotis</i>	LC			
(62) 鹡鸰科 <i>Motacillidae</i>		灰短脚鹎 <i>Hemixos flava</i>	LC			
山鹡鸰 <i>Dendronanthus indicus</i>	LC	栗背短脚鹎 <i>Hemixos castanonotus</i>	LC			
白鹡鸰 <i>Motacilla alba</i>	LC	绿翅短脚鹎 <i>Hypsipetes mcclllandii</i>	LC			
日本鹡鸰 <i>Motacilla grandis</i>	LC	黑短脚鹎 <i>Hypsipetes leucocephalus</i>	LC			
黄头鹡鸰 <i>Motacilla citreola</i>	LC	(65) 雀鹋科 <i>Aegithinidae</i>				
黄鹡鸰 <i>Motacilla flava</i>	LC	黑翅雀鹋 <i>Aegithina tiphia</i>	LC			
灰鹡鸰 <i>Motacilla cinerea</i>	LC	大绿雀鹋 <i>Aegithina lafresnayei</i>	LC			
东方田鸲 <i>Anthus rufulus</i>	LC	(66) 叶鹋科 <i>Chloropseidae</i>				
田鸲 <i>Anthus richardi</i>	LC	蓝翅叶鹋 <i>Chloropsis cochinchinensis</i>	LC			
平原鸲 <i>Anthus campestris</i>	LC	金额叶鹋 <i>Chloropsis aurifrons</i>	NT			
布氏鸲 <i>Anthus godlewskii</i>	LC	橙腹叶鹋 <i>Chloropsis hardwickii</i>	LC			
林鸲 <i>Anthus trivialis</i>	LC	(67) 和平鸟科 <i>Irenidae</i>				
树鸲 <i>Anthus hodgsoni</i>	LC	和平鸟 <i>Irena puella</i>	NT			
北鸲 <i>Anthus gustavi</i>	LC	(68) 太平鸟科 <i>Bombycillidae</i>				
草地鸲 <i>Anthus pratensis</i>	LC	太平鸟 <i>Bombycilla garrulus</i>	LC			
红喉鸲 <i>Anthus cervinus</i>	LC	小太平鸟 <i>Bombycilla japonica</i>	LC			
粉红胸鸲 <i>Anthus roseatus</i>	LC	(69) 伯劳科 <i>Laniidae</i>				
水鸲 <i>Anthus spinoletta</i>	LC	虎纹伯劳 <i>Lanius tigrinus</i>	LC			
黄腹鸲 <i>Anthus rubescens</i>	LC	牛头伯劳 <i>Lanius bucephalus</i>	LC			
山鸲 <i>Anthus sylvanus</i>	LC	红背伯劳 <i>Lanius collurio</i>	LC			
(63) 山椒鸟科 <i>Campephagidae</i>		荒漠伯劳 <i>Lanius isabellinus</i>	LC			
大鹃鹲 <i>Coracina macei</i>	LC	红尾伯劳 <i>Lanius cristatus</i>	LC			
暗灰鹃鹲 <i>Coracina melaschistos</i>	LC	栗背伯劳 <i>Lanius collurioides</i>	NT			

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
棕背伯劳 <i>Lanius schach</i>	LC		松鸦 <i>Garrulus glandarius</i>	LC	
灰背伯劳 <i>Lanius tephronotus</i>	LC		灰喜鹊 <i>Cyanopica cyanus</i>	LC	
灰伯劳 <i>Lanius excubitor</i>	LC		台湾蓝鹊 <i>Urocissa caerulea</i> Δ	LC	
南灰伯劳 <i>Lanius meridionalis</i>	LC		黄嘴蓝鹊 <i>Urocissa flavirostris</i>	LC	
黑额伯劳 <i>Lanius minor</i>	LC		红嘴蓝鹊 <i>Urocissa erythrorhyncha</i>	LC	
楔尾伯劳 <i>Lanius sphenocercus</i>	LC		白翅蓝鹊 <i>Urocissa whiteheadi</i>	NT	
(70) 盔鹀科 Prionopidae			黄胸绿鹊 <i>Cissa hypoleuca</i>	NT	
钩嘴林鹀 <i>Tephrodornis gularis</i>	LC		蓝绿鹊 <i>Cissa chinensis</i>	NT	
(71) 黄鹀科 Oriolidae			棕腹树鹊 <i>Dendrocitta vagabunda</i>	LC	
金黄鹀 <i>Oriolus oriolus</i>	LC		灰树鹊 <i>Dendrocitta formosae</i>	LC	
黑枕黄鹀 <i>Oriolus chinensis</i>	LC		黑额树鹊 <i>Dendrocitta frontalis</i>	LC	
细嘴黄鹀 <i>Oriolus tenuirostris</i>	DD		塔尾树鹊 <i>Temnurus temnurus</i>	NT	
黑头黄鹀 <i>Oriolus xanthornus</i>	DD		喜鹊 <i>Pica pica</i>	LC	
朱鹀 <i>Oriolus traillii</i>	NT		黑尾地鸦 <i>Podoces hendersoni</i>	VU	C2(i); D1
鹀 <i>Oriolus mellianus</i>	EN	C2a(ii)	白尾地鸦 <i>Podoces biddulphi</i> Δ	VU	C2(i); D1
(72) 卷尾科 Dicuridae			星鸦 <i>Nucifraga caryocatactes</i>	LC	
黑卷尾 <i>Dicrurus macrocercus</i>	LC		红嘴山鸦 <i>Pyrrhocorax pyrrhocorax</i>	LC	
灰卷尾 <i>Dicrurus leucophaeus</i>	LC		黄嘴山鸦 <i>Pyrrhocorax graculus</i>	LC	
鸦嘴卷尾 <i>Dicrurus annectans</i>	LC		寒鸦 <i>Corvus monedula</i>	LC	
古铜色卷尾 <i>Dicrurus aeneus</i>	LC		达乌里寒鸦 <i>Corvus dauuricus</i>	LC	
发冠卷尾 <i>Dicrurus hottentottus</i>	LC		家鸦 <i>Corvus splendens</i>	LC	
小盘尾 <i>Dicrurus remifer</i>	NT		秃鼻乌鸦 <i>Corvus frugilegus</i>	LC	
大盘尾 <i>Dicrurus paradiseus</i>	VU	A1c; C1	小嘴乌鸦 <i>Corvus corone</i>	LC	
(73) 椋鸟科 Sturnidae			冠小嘴乌鸦 <i>Corvus cornix</i>	LC	
亚洲辉椋鸟 <i>Aplonis panayensis</i>	LC		大嘴乌鸦 <i>Corvus macrorhynchos</i>	LC	
金冠树八哥 <i>Ampeliceps coronatus</i>	DD		白颈鸦 <i>Corvus pectoralis</i>	NT	
鹁哥 <i>Gracula religiosa</i>	VU	A2acd	渡鸦 <i>Corvus corax</i>	LC	
林八哥 <i>Acridotheres grandis</i>	LC		(76) 乌科 Cinclidae		
八哥 <i>Acridotheres cristatellus</i>	LC		河乌 <i>Cinclus cinclus</i>	LC	
爪哇八哥 <i>Acridotheres javanicus</i>	DD		褐河乌 <i>Cinclus pallasii</i>	LC	
白领八哥 <i>Acridotheres albocinctus</i>	LC		(77) 鹪鹩科 Troglodytidae		
家八哥 <i>Acridotheres tristis</i>	LC		鹪鹩 <i>Troglodytes troglodytes</i>	LC	
红嘴椋鸟 <i>Acridotheres burmannicus</i>	LC		(78) 岩鹀科 Prunellidae		
斑翅椋鸟 <i>Saroglossa spiloptera</i>	LC		领岩鹀 <i>Prunella collaris</i>	LC	
黑领椋鸟 <i>Gracupica nigricollis</i>	LC		高原岩鹀 <i>Prunella himalayana</i>	LC	
斑椋鸟 <i>Gracupica contra</i>	LC		鹈岩鹀 <i>Prunella rubeculoides</i>	LC	
北椋鸟 <i>Sturnia sturnina</i>	LC		棕胸岩鹀 <i>Prunella strophiata</i>	LC	
紫背椋鸟 <i>Sturnia philippensis</i>	LC		棕眉山岩鹀 <i>Prunella montanella</i>	LC	
灰背椋鸟 <i>Sturnia sinensis</i>	LC		褐岩鹀 <i>Prunella fulvescens</i>	LC	
灰头椋鸟 <i>Sturnia malabarica</i>	LC		黑喉岩鹀 <i>Prunella atrogularis</i>	LC	
黑冠椋鸟 <i>Temenuchus pagodarum</i>	LC		贺兰山岩鹀 <i>Prunella koslowi</i>	VU	C2a(i)
粉红椋鸟 <i>Pastor roseus</i>	LC		栗背岩鹀 <i>Prunella immaculata</i>	LC	
丝光椋鸟 <i>Sturnus sericeus</i>	LC		(79) 鸫科 Turdidae		
灰椋鸟 <i>Sturnus cineraceus</i>	LC		锈腹短翅鸫 <i>Brachypteryx hyperythra</i>	NT	
紫翅椋鸟 <i>Sturnus vulgaris</i>	LC		栗背短翅鸫 <i>Brachypteryx stellata</i>	LC	
(74) 燕鹀科 Artamidae			白喉短翅鸫 <i>Brachypteryx leucophrys</i>	LC	
灰燕鹀 <i>Artamus fuscus</i>	LC		蓝短翅鸫 <i>Brachypteryx montana</i>	LC	
(75) 鸦科 Corvidae			欧亚鸫 <i>Erithacus rubecula</i>	LC	
北噪鸦 <i>Perisoreus infaustus</i>	NT		日本歌鸫 <i>Erithacus akahige</i>	LC	
黑头噪鸦 <i>Perisoreus internigrans</i> Δ	VU	C2a(i)	琉球歌鸫 <i>Erithacus komadori</i>	DD	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
红尾歌鸲 <i>Luscinia sibilans</i>	LC		白背矶鹑 <i>Monticola saxatilis</i>	LC	
新疆歌鸲 <i>Luscinia megarhynchos</i>	LC		蓝头矶鹑 <i>Monticola cinclorhynchus</i>	LC	
红喉歌鸲 <i>Luscinia calliope</i>	LC		白喉矶鹑 <i>Monticola gularis</i>	LC	
黑胸歌鸲 <i>Luscinia pectoralis</i>	NT		栗腹矶鹑 <i>Monticola rufiventris</i>	LC	
蓝喉歌鸲 <i>Luscinia svecica</i>	LC		蓝矶鹑 <i>Monticola solitarius</i>	LC	
棕头歌鸲 <i>Luscinia ruficeps</i>	EN	C2a(ii)	台湾紫啸鸫 <i>Myophonus insularis</i> Δ	LC	
黑喉歌鸲 <i>Luscinia obscura</i>	EN	C1+2a(i)	紫啸鸫 <i>Myophonus caeruleus</i>	LC	
金胸歌鸲 <i>Luscinia pectardens</i>	VU	C1	橙头地鸫 <i>Zoothera citrina</i>	LC	
栗腹歌鸲 <i>Luscinia brunnea</i>	LC		白眉地鸫 <i>Zoothera sibirica</i>	LC	
蓝歌鸲 <i>Luscinia cyane</i>	LC		光背地鸫 <i>Zoothera mollissima</i>	LC	
红胁蓝尾鸲 <i>Tarsiger cyanurus</i>	LC		长尾地鸫 <i>Zoothera dixonii</i>	LC	
金色林鸲 <i>Tarsiger chrysaeus</i>	LC		虎斑地鸫 <i>Zoothera dauma</i>	LC	
白眉林鸲 <i>Tarsiger indicus</i>	LC		长嘴地鸫 <i>Zoothera marginata</i>	LC	
棕腹林鸲 <i>Tarsiger hyperythrus</i>	DD		大长嘴地鸫 <i>Zoothera monticola</i>	DD	
台湾林鸲 <i>Tarsiger johnstoniae</i> Δ	LC		灰背鸫 <i>Turdus hortulorum</i>	LC	
鹊鸲 <i>Copsychus saularis</i>	LC		蒂氏鸫 <i>Turdus unicolor</i>	DD	
白腰鹊鸲 <i>Copsychus malabaricus</i>	LC		黑胸鸫 <i>Turdus dissimilis</i>	NT	
棕藪鸲 <i>Cercotrichas galactotes</i>	DD		乌灰鸫 <i>Turdus cardis</i>	LC	
贺兰山红尾鸲 <i>Phoenicurus alaschanicus</i> Δ	EN	B1b(ii, iii); C2a(i, ii)+b	白颈鸫 <i>Turdus albocinctus</i>	LC	
红背红尾鸲 <i>Phoenicurus erythronotus</i>	LC		灰翅鸫 <i>Turdus boulboul</i>	LC	
蓝头红尾鸲 <i>Phoenicurus caeruleocephala</i>	LC		乌鸫 <i>Turdus merula</i>	LC	
赭红尾鸲 <i>Phoenicurus ochruros</i>	LC		白头鸫 <i>Turdus poliocephalus</i>	LC	
欧亚红尾鸲 <i>Phoenicurus phoenicurus</i>	LC		灰头鸫 <i>Turdus rubrocanus</i>	LC	
黑喉红尾鸲 <i>Phoenicurus hodgsoni</i>	LC		棕背黑头鸫 <i>Turdus kessleri</i>	LC	
白喉红尾鸲 <i>Phoenicurus schisticeps</i>	LC		褐头鸫 <i>Turdus feae</i>	VU	C2a(ii)
北红尾鸲 <i>Phoenicurus aureus</i>	LC		白眉鸫 <i>Turdus obscurus</i>	LC	
红腹红尾鸲 <i>Phoenicurus erythrogastrus</i>	LC		白腹鸫 <i>Turdus pallidus</i>	LC	
蓝额红尾鸲 <i>Phoenicurus frontalis</i>	LC		赤胸鸫 <i>Turdus chrysolaus</i>	LC	
红尾水鸲 <i>Rhyacornis fuliginosa</i>	LC		赤颈鸫 <i>Turdus ruficollis</i>	LC	
白顶溪鸲 <i>Chaimarrornis leucocephalus</i>	LC		黑喉鸫 <i>Turdus atrogularis</i>	LC	
白腹短翅鸲 <i>Hodgsonius phaenicuroides</i>	LC		红尾鸫 <i>Turdus naumanni</i>	LC	
白尾地鸫 <i>Cinclidium leucurum</i>	LC		斑鸫 <i>Turdus eunomus</i>	LC	
蓝额地鸫 <i>Cinclidium frontale</i>	LC		田鸫 <i>Turdus pilaris</i>	LC	
蓝大翅鸲 <i>Grandala coelicolor</i>	LC		白眉歌鸲 <i>Turdus iliacus</i>	LC	
小燕尾 <i>Enicurus scouleri</i>	LC		欧歌鸲 <i>Turdus philomelos</i>	LC	
黑背燕尾 <i>Enicurus immaculatus</i>	LC		宝兴歌鸲 <i>Turdus mupinensis</i> Δ	LC	
灰背燕尾 <i>Enicurus schistaceus</i>	LC		槲鸲 <i>Turdus viscivorus</i>	LC	
斑背燕尾 <i>Enicurus maculates</i>	LC		(80) 鹎科 Muscicapidae		
紫宽嘴鹎 <i>Cochoa purpurea</i>	LC		白喉林鹎 <i>Rhinomyias brunneatus</i>	VU	C2a(ii)
绿宽嘴鹎 <i>Cochoa viridis</i>	LC		斑鹎 <i>Muscicapa striata</i>	LC	
白喉石鹎 <i>Saxicola insignis</i>	EN	C2a(ii)	灰纹鹎 <i>Muscicapa griseisticta</i>	LC	
黑喉石鹎 <i>Saxicola torquata</i>	LC		乌鹎 <i>Muscicapa sibirica</i>	LC	
白斑黑石鹎 <i>Saxicola caprata</i>	LC		北灰鹎 <i>Muscicapa dauurica</i>	LC	
黑白林鹎 <i>Saxicola jerdoni</i>	LC		褐胸鹎 <i>Muscicapa muttui</i>	LC	
灰林鹎 <i>Saxicola ferreus</i>	LC		棕尾褐鹎 <i>Muscicapa ferruginea</i>	LC	
穗鹎 <i>Oenanthe oenanthe</i>	LC		白眉姬鹎 <i>Ficedula zanthopygia</i>	LC	
东方斑鹎 <i>Oenanthe picata</i>	LC		黄眉姬鹎 <i>Ficedula narcissina</i>	LC	
白顶鹎 <i>Oenanthe pleschanka</i>	LC		绿背姬鹎 <i>Ficedula elisae</i>	NT	
漠鹎 <i>Oenanthe deserti</i>	LC		鹟姬鹎 <i>Ficedula mugimaki</i>	LC	
沙鹎 <i>Oenanthe isabellina</i>	LC		锈胸蓝姬鹎 <i>Ficedula hodgsonii</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
橙胸姬鹇 <i>Ficedula strophiate</i>	LC		眼纹噪鹛 <i>Garrulax ocellatus</i>	NT	
红喉姬鹇 <i>Ficedula albicilla</i>	LC		斑背噪鹛 <i>Garrulax lunulatus</i> Δ	LC	
红胸姬鹇 <i>Ficedula parva</i>	DD		白点噪鹛 <i>Garrulax bieti</i> Δ	VU	C1
棕胸蓝姬鹇 <i>Ficedula hyperythra</i>	LC		大噪鹛 <i>Garrulax maximus</i> Δ	LC	
白喉姬鹇 <i>Ficedula monileger</i>	LC		灰胁噪鹛 <i>Garrulax caerulatus</i>	LC	
斑姬鹇 <i>Ficedula hypoleuca</i>	DD		棕噪鹛 <i>Garrulax poecilorhynchus</i> Δ	LC	
小斑姬鹇 <i>Ficedula westermanni</i>	LC		斑胸噪鹛 <i>Garrulax merulinus</i>	LC	
白眉蓝姬鹇 <i>Ficedula superciliaris</i>	LC		画眉 <i>Garrulax canorus</i>	NT	
灰蓝姬鹇 <i>Ficedula tricolor</i>	LC		台湾画眉 <i>Garrulax taewanus</i> Δ	NT	
玉头姬鹇 <i>Ficedula sapphira</i>	LC		白颊噪鹛 <i>Garrulax sannio</i>	LC	
白腹蓝姬鹇 <i>Cyanoptila cyanomelana</i>	LC		细纹噪鹛 <i>Garrulax lineatus</i>	LC	
铜蓝鹇 <i>Eumyias thalassinus</i>	LC		纯色噪鹛 <i>Garrulax subunicolor</i>	LC	
大仙鹇 <i>Niltava grandis</i>	LC		蓝翅噪鹛 <i>Garrulax squamatus</i>	LC	
小仙鹇 <i>Niltava macgrigorae</i>	LC		橙翅噪鹛 <i>Garrulax elliotii</i> Δ	LC	
棕腹大仙鹇 <i>Niltava davidi</i>	LC		杂色噪鹛 <i>Garrulax variegatus</i>	LC	
棕腹仙鹇 <i>Niltava sundara</i>	LC		灰腹噪鹛 <i>Garrulax henrici</i> Δ	LC	
棕腹蓝仙鹇 <i>Niltava vivida</i>	LC		黑顶噪鹛 <i>Garrulax affinis</i>	LC	
白尾蓝仙鹇 <i>Cyornis concretus</i>	LC		台湾噪鹛 <i>Garrulax morrisonianus</i> Δ	LC	
海南蓝仙鹇 <i>Cyornis hainanus</i>	LC		红头噪鹛 <i>Garrulax erythrocephalus</i>	LC	
灰颊仙鹇 <i>Cyornis poliogenys</i>	LC		红翅噪鹛 <i>Garrulax formosus</i>	LC	
纯蓝仙鹇 <i>Cyornis unicolor</i>	LC		红尾噪鹛 <i>Garrulax milnei</i>	LC	
蓝喉仙鹇 <i>Cyornis rubeculoides</i>	LC		灰胸薮鹛 <i>Liocichla omeiensis</i> Δ	VU	B1ab(i, ii, iii, iv, v); C2a(i, ii) D2
山蓝仙鹇 <i>Cyornis banyumas</i>	LC		黑冠薮鹛 <i>Liocichla bugunorum</i>	VU	
侏蓝仙鹇 <i>Muscicapella hodgsoni</i>	LC		黄痣薮鹛 <i>Liocichla steerii</i> Δ	LC	
方尾鹇 <i>Culicicapa ceylonensis</i>	LC		红翅薮鹛 <i>Liocichla phoenicea</i>	NT	
(81) 扇尾鹇科 Rhipiduridae			棕胸幽鹛 <i>Pellorneum tickelli</i>	NT	
黄腹扇尾鹛 <i>Rhipidura hypoxantha</i>	LC		白腹幽鹛 <i>Pellorneum albiventris</i>	LC	
白喉扇尾鹛 <i>Rhipidura albicollis</i>	LC		棕头幽鹛 <i>Pellorneum ruficeps</i>	LC	
白眉扇尾鹛 <i>Rhipidura aureola</i>	LC		长嘴钩嘴鹛 <i>Pomatorhinus hypoleucos</i>	LC	
(82) 王鹇科 Monarchinae			斑胸钩嘴鹛 <i>Pomatorhinus erythrocnemis</i>	LC	
黑枕王鹇 <i>Hypothymis azurea</i>	LC		灰头钩嘴鹛 <i>Pomatorhinus schisticeps</i>	DD	
紫寿带 <i>Terpsiphone atrocaudata</i>	NT		棕颈钩嘴鹛 <i>Pomatorhinus ruficollis</i>	LC	
寿带 <i>Terpsiphone paradisi</i>	NT		棕头钩嘴鹛 <i>Pomatorhinus ochraceiceps</i>	LC	
(83) 画眉科 Timaliidae			红嘴钩嘴鹛 <i>Pomatorhinus ferruginosus</i>	DD	
黑脸噪鹛 <i>Garrulax perspicillatus</i>	LC		剑嘴鹛 <i>Xiphirhynchus superciliaris</i>	NT	
白喉噪鹛 <i>Garrulax albogularis</i>	LC		长嘴鹇鹛 <i>Rimantor malacoptilus</i>	LC	
白冠噪鹛 <i>Garrulax leucolophus</i>	LC		灰岩鹇鹛 <i>Napothera crispifrons</i>	LC	
小黑领噪鹛 <i>Garrulax monileger</i>	LC		短尾鹇鹛 <i>Napothera brevicaudata</i>	LC	
黑领噪鹛 <i>Garrulax pectoralis</i>	LC		纹胸鹇鹛 <i>Napothera epilepidota</i>	LC	
条纹噪鹛 <i>Garrulax striatus</i>	LC		鳞胸鹇鹛 <i>Pnoepyga albiventer</i>	LC	
白颈噪鹛 <i>Garrulax strepitans</i>	LC		尼泊尔鹇鹛 <i>Pnoepyga immaculata</i>	DD	
褐胸噪鹛 <i>Garrulax maesi</i>	LC		小鳞胸鹇鹛 <i>Pnoepyga pusilla</i>	LC	
栗颈噪鹛 <i>Garrulax ruficollis</i>	LC		短尾鹇鹛 <i>Spelaeornis caudatus</i>	NT	
黑喉噪鹛 <i>Garrulax chinensis</i>	LC		斑翅鹇鹛 <i>Spelaeornis troglodytoides</i>	LC	
蓝冠噪鹛 <i>Garrulax courtoisi</i> Δ	CR	B2ab(i, ii, iii, iv, v); C2a(ii)	丽星鹇鹛 <i>Spelaeornis formosus</i>	NT	
栗臀噪鹛 <i>Garrulax gularis</i>	NT		长尾鹇鹛 <i>Spelaeornis chocolatinus</i>	NT	
山噪鹛 <i>Garrulax davidi</i> Δ	LC		楔嘴鹇鹛 <i>Sphenocichla humei</i>	NT	
黑额山噪鹛 <i>Garrulax sukatschewi</i> Δ	VU	B1ab(i, ii, iii); C2a(i)	黑颈鹇鹛 <i>Stachyris pyrrhops</i>	LC	
灰翅噪鹛 <i>Garrulax cineraceus</i>	LC		弄岗鹇鹛 <i>Stachyris nonggangensis</i> Δ	EN	B1a; C2a(ii); D1
棕颈噪鹛 <i>Garrulax rufogularis</i>	LC		黄喉鹇鹛 <i>Stachyris ambigua</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
红头穗鹛 <i>Stachyris ruficeps</i>	LC		长尾奇鹛 <i>Heterophasia picaoides</i>	LC	
金头穗鹛 <i>Stachyris chrysaea</i>	LC		栗耳凤鹛 <i>Yuhina castaniceps</i>	LC	
黑头穗鹛 <i>Stachyris nigriceps</i>	LC		白颈凤鹛 <i>Yuhina bakeri</i>	LC	
斑颈穗鹛 <i>Stachyris striolata</i>	LC		黄颈凤鹛 <i>Yuhina flavicollis</i>	LC	
纹胸鹛 <i>Macronous gularis</i>	LC		纹喉凤鹛 <i>Yuhina gularis</i>	LC	
红顶鹛 <i>Timalia pileata</i>	LC		白领凤鹛 <i>Yuhina diademata</i>	LC	
金眼鹛雀 <i>Chrysomma sinense</i>	LC		棕臀凤鹛 <i>Yuhina occipitalis</i>	LC	
宝兴鹛雀 <i>Moupinia poecilotis</i> Δ	LC		褐头凤鹛 <i>Yuhina brunneiceps</i> Δ	LC	
矛纹草鹛 <i>Babax lanceolatus</i>	LC		黑颈凤鹛 <i>Yuhina nigrimenta</i>	LC	
大草鹛 <i>Babax waddelli</i>	NT		白腹凤鹛 <i>Erpornis zantholeuca</i>	LC	
棕草鹛 <i>Babax koslowi</i> Δ	NT		火尾绿鹛 <i>Myzornis pyrrhoura</i>	NT	
银耳相思鸟 <i>Leiothrix argentauris</i>	NT		(84) 鸦雀科 Paradoxornithidae		
红嘴相思鸟 <i>Leiothrix lutea</i>	LC		文须雀 <i>Panurus biarmicus</i>	LC	
斑胁姬鹛 <i>Cutia nipalensis</i>	LC		红嘴鸦雀 <i>Conostoma oemodium</i>	LC	
棕腹鸚鵡 <i>Pteruthius rufiventer</i>	DD		褐鸦雀 <i>Paradoxornis unicolor</i>	LC	
红翅鸚鵡 <i>Pteruthius flaviscapis</i>	LC		灰头鸦雀 <i>Paradoxornis gularis</i>	LC	
淡绿鸚鵡 <i>Pteruthius xanthochlorus</i>	NT		三趾鸦雀 <i>Paradoxornis paradoxus</i> Δ	NT	
栗喉鸚鵡 <i>Pteruthius melanotis</i>	DD		斑胸鸦雀 <i>Paradoxornis flavirostris</i>	DD	
栗额鸚鵡 <i>Pteruthius aenobarbus</i>	DD		点胸鸦雀 <i>Paradoxornis guttaticollis</i>	LC	
白头鸚鵡 <i>Gampsorhynchus rufulus</i>	LC		白眶鸦雀 <i>Paradoxornis conspicillatus</i> Δ	NT	
栗额斑翅鸚鵡 <i>Actinodura egeroni</i>	LC		棕头鸦雀 <i>Paradoxornis webbianus</i>	LC	
白眶斑翅鸚鵡 <i>Actinodura ramsayi</i>	LC		灰喉鸦雀 <i>Paradoxornis alphonsianus</i>	LC	
纹头斑翅鸚鵡 <i>Actinodura nipalensis</i>	LC		褐翅鸦雀 <i>Paradoxornis brunneus</i>	LC	
纹胸斑翅鸚鵡 <i>Actinodura waldeni</i>	LC		暗色鸦雀 <i>Paradoxornis zappeyi</i> Δ	VU	B1ab(i, ii, iii); C2a(i)
灰头斑翅鸚鵡 <i>Actinodura souliei</i>	LC		灰冠鸦雀 <i>Paradoxornis przewalskii</i> Δ	EN	C2a(i); D2
台湾斑翅鸚鵡 <i>Actinodura morrisoniana</i> Δ	LC		黄额鸦雀 <i>Paradoxornis fulvifrons</i>	LC	
蓝翅希鹛 <i>Minla cyanouroptera</i>	LC		黑喉鸦雀 <i>Paradoxornis nipalensis</i>	DD	
斑喉希鹛 <i>Minla strigula</i>	LC		金色鸦雀 <i>Paradoxornis verreauxi</i>	NT	
红尾希鹛 <i>Minla ignotincta</i>	LC		短尾鸦雀 <i>Paradoxornis davidianus</i>	NT	
金胸雀鹛 <i>Alcippe chrysotis</i>	LC		黑眉鸦雀 <i>Paradoxornis atrosuperciliaris</i>	LC	
金额雀鹛 <i>Alcippe variegaticeps</i> Δ	VU	B1ab(ii, iv); C2a(i)	红头鸦雀 <i>Paradoxornis ruficeps</i>	LC	
黄喉雀鹛 <i>Alcippe cinerea</i>	LC		震旦鸦雀 <i>Paradoxornis heudei</i>	NT	
栗头雀鹛 <i>Alcippe castaneiceps</i>	LC		(85) 扇尾莺科 Cisticolidae		
白眉雀鹛 <i>Alcippe vinipectus</i>	LC		棕扇尾莺 <i>Cisticola juncidis</i>	LC	
中华雀鹛 <i>Alcippe striaticollis</i> Δ	LC		金头扇尾莺 <i>Cisticola exilis</i>	LC	
棕头雀鹛 <i>Alcippe ruficapilla</i>	LC		山鹛 <i>Rhopophilus pekinensis</i>	LC	
褐头雀鹛 <i>Alcippe cinereiceps</i>	LC		山鹡莺 <i>Prinia crinigera</i>	LC	
路氏雀鹛 <i>Alcippe ludlowi</i>	LC		褐山鹡莺 <i>Prinia polychroa</i>	LC	
棕喉雀鹛 <i>Alcippe rufogularis</i>	LC		黑喉山鹡莺 <i>Prinia atrogularis</i>	LC	
褐胁雀鹛 <i>Alcippe dubia</i>	LC		暗冕山鹡莺 <i>Prinia rufescens</i>	LC	
褐顶雀鹛 <i>Alcippe brunnea</i>	LC		灰胸山鹡莺 <i>Prinia hodgsonii</i>	LC	
褐脸雀鹛 <i>Alcippe poioicephala</i>	LC		黄腹山鹡莺 <i>Prinia flaviventris</i>	LC	
灰眶雀鹛 <i>Alcippe morrisonia</i>	LC		纯色山鹡莺 <i>Prinia inornata</i>	LC	
白眶雀鹛 <i>Alcippe nipalensis</i>	LC		(86) 莺科 Sylviidae		
栗背奇鹛 <i>Heterophasia annectens</i>	LC		栗头地莺 <i>Tesia castaneocoronata</i>	LC	
黑顶奇鹛 <i>Heterophasia capistrata</i>	LC		金冠地莺 <i>Tesia olivea</i>	LC	
灰奇鹛 <i>Heterophasia gracilis</i>	LC		灰腹地莺 <i>Tesia cyaniventer</i>	LC	
黑头奇鹛 <i>Heterophasia melanoleuca</i>	LC		鳞头树莺 <i>Urosphena squameiceps</i>	LC	
白耳奇鹛 <i>Heterophasia auricularis</i> Δ	LC		远东树莺 <i>Cettia canturians</i>	LC	
丽色奇鹛 <i>Heterophasia pulchella</i>	LC		淡脚树莺 <i>Cettia pallidipes</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
短翅树莺 <i>Cettia diphone</i>	LC		巨嘴柳莺 <i>Phylloscopus schwarzi</i>	LC	
强脚树莺 <i>Cettia fortipes</i>	LC		橙斑翅柳莺 <i>Phylloscopus pulcher</i>	LC	
大树莺 <i>Cettia major</i>	LC		灰喉柳莺 <i>Phylloscopus maculipennis</i>	LC	
异色树莺 <i>Cettia flavovivacea</i>	LC		淡黄腰柳莺 <i>Phylloscopus chloronotus</i>	LC	
黄腹树莺 <i>Cettia acanthizoides</i>	LC		四川柳莺 <i>Phylloscopus forresti</i>	LC	
棕顶树莺 <i>Cettia brunnifrons</i>	LC		黄腰柳莺 <i>Phylloscopus proregulus</i>	LC	
宽尾树莺 <i>Cettia cetti</i>	LC		甘肃柳莺 <i>Phylloscopus kansuensis</i> Δ	LC	
斑胸短翅莺 <i>Bradypterus thoracicus</i>	LC		云南柳莺 <i>Phylloscopus yunnanensis</i>	LC	
巨嘴短翅莺 <i>Bradypterus major</i>	NT		黄眉柳莺 <i>Phylloscopus inornatus</i>	LC	
中华短翅莺 <i>Bradypterus tacsanowskii</i>	LC		淡眉柳莺 <i>Phylloscopus humei</i>	LC	
高山短翅莺 <i>Bradypterus mandelli</i>	LC		极北柳莺 <i>Phylloscopus borealis</i>	LC	
台湾短翅莺 <i>Bradypterus alishanensis</i> Δ	LC		暗绿柳莺 <i>Phylloscopus trochiloides</i>	LC	
棕褐短翅莺 <i>Bradypterus luteoventris</i>	LC		双斑绿柳莺 <i>Phylloscopus plumbeitarsus</i>	LC	
矛斑蝗莺 <i>Locustella lanceolata</i>	NT		淡脚柳莺 <i>Phylloscopus tenellipes</i>	LC	
黑斑蝗莺 <i>Locustella naevia</i>	LC		萨岛柳莺 <i>Phylloscopus borealoides</i>	LC	
小蝗莺 <i>Locustella certhiola</i>	LC		乌嘴柳莺 <i>Phylloscopus magnirostris</i>	LC	
北蝗莺 <i>Locustella ochotensis</i>	LC		冕柳莺 <i>Phylloscopus coronatus</i>	LC	
东亚蝗莺 <i>Locustella pleskei</i>	VU	C2a(i)	日本冕柳莺 <i>Phylloscopus ijimae</i>	NT	
鹁蝗莺 <i>Locustella luscinioides</i>	LC		冠纹柳莺 <i>Phylloscopus reguloides</i>	LC	
苍眉蝗莺 <i>Locustella fasciolata</i>	LC		海南柳莺 <i>Phylloscopus hainanus</i> Δ	VU	B1ab(ii, iii, v)
蒲苇莺 <i>Acrocephalus schoenobaenus</i>	LC		峨眉柳莺 <i>Phylloscopus emeiensis</i> Δ	LC	
细纹苇莺 <i>Acrocephalus sorghophilus</i>	EN	C2a(ii)	白斑尾柳莺 <i>Phylloscopus davisoni</i>	LC	
黑眉苇莺 <i>Acrocephalus bistrigiceps</i>	LC		黄胸柳莺 <i>Phylloscopus cantator</i>	LC	
稻田苇莺 <i>Acrocephalus agricola</i>	LC		灰岩柳莺 <i>Phylloscopus calciatilis</i>	NT	
远东苇莺 <i>Acrocephalus tangorum</i>	VU	C2a(ii)	黑眉柳莺 <i>Phylloscopus ricketti</i>	LC	
钝翅苇莺 <i>Acrocephalus concinens</i>	LC		金眶鹀 <i>Seiurus burkii</i>	LC	
芦莺 <i>Acrocephalus scirpaceus</i>	LC		灰冠鹀 <i>Seiurus tephrocephalus</i>	LC	
布氏苇莺 <i>Acrocephalus dumetorum</i>	LC		韦氏鹀 <i>Seiurus whistleri</i>	LC	
大苇莺 <i>Acrocephalus arundinaceus</i>	LC		比氏鹀 <i>Seiurus valentini</i>	LC	
东方大苇莺 <i>Acrocephalus orientalis</i>	LC		峨眉鹀 <i>Seiurus omeiensis</i>	LC	
噪苇莺 <i>Acrocephalus stentoreus</i>	LC		淡尾鹀 <i>Seiurus soror</i>	LC	
厚嘴苇莺 <i>Acrocephalus aedon</i>	LC		灰头鹀 <i>Seiurus xanthoschistos</i>	LC	
靴篱莺 <i>Hippolais caligata</i>	LC		白眶鹀 <i>Seiurus affinis</i>	LC	
赛氏篱莺 <i>Hippolais rama</i>	LC		灰脸鹀 <i>Seiurus poliogenys</i>	LC	
草绿篱莺 <i>Hippolais pallida</i>	LC		栗头鹀 <i>Seiurus castaniceps</i>	LC	
栗头缝叶莺 <i>Orthotomus cucullatus</i>	LC		棕脸鹀 <i>Abroscopus albogularis</i>	LC	
长尾缝叶莺 <i>Orthotomus sutorius</i>	LC		黄腹鹀 <i>Abroscopus superciliosus</i>	LC	
黑喉缝叶莺 <i>Orthotomus atrogularis</i>	LC		黑脸鹀 <i>Abroscopus schisticeps</i>	LC	
花彩雀莺 <i>Leptopoeile sophiae</i>	LC		宽嘴鹀 <i>Tickellia hodgsoni</i>	LC	
凤头雀莺 <i>Leptopoeile elegans</i> Δ	NT		斑背大尾莺 <i>Megalurus pryori</i>	NT	
欧柳莺 <i>Phylloscopus trochilus</i>	DD		沼泽大尾莺 <i>Megalurus palustris</i>	LC	
叽喳柳莺 <i>Phylloscopus collybita</i>	LC		大草莺 <i>Graminicola bengalensis</i>	NT	
东方叽喳柳莺 <i>Phylloscopus sindianus</i>	LC		灰白喉林莺 <i>Sylvia communis</i>	LC	
林柳莺 <i>Phylloscopus sibilatrix</i>	LC		白喉林莺 <i>Sylvia curruca</i>	LC	
褐柳莺 <i>Phylloscopus fuscatus</i>	LC		休氏白喉林莺 <i>Sylvia althaea</i>	LC	
烟柳莺 <i>Phylloscopus fuligiventer</i>	LC		漠白喉林莺 <i>Sylvia minimula</i>	LC	
黄腹柳莺 <i>Phylloscopus affinis</i>	LC		荒漠林莺 <i>Sylvia nana</i>	LC	
棕腹柳莺 <i>Phylloscopus subaffinis</i>	LC		横斑林莺 <i>Sylvia nisoria</i>	LC	
灰柳莺 <i>Phylloscopus griseolus</i>	LC		(87) 戴菊科 Regulidae		
棕眉柳莺 <i>Phylloscopus armandii</i>	LC		戴菊 <i>Regulus regulus</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
台湾戴菊 <i>Regulus goodfellowi</i> Δ	LC		丽鹩 <i>Sitta formosa</i>	EN	B1ab(iii)+2 ab(iii); D
(88) 绣眼鸟科 Zosteropidae			(93) 旋壁雀科 Tichodromidae		
红胁绣眼鸟 <i>Zosterops erythropleurus</i>	LC		红翅旋壁雀 <i>Tichodroma muraria</i>	LC	
灰腹绣眼鸟 <i>Zosterops palpebrosus</i>	LC		(94) 旋木雀科 Certhiidae		
暗绿绣眼鸟 <i>Zosterops japonicus</i>	LC		欧亚旋木雀 <i>Certhia familiaris</i>	LC	
低地绣眼鸟 <i>Zosterops meyeri</i>	DD		四川旋木雀 <i>Certhia tianquanensis</i> Δ	VU	C2a(i)
(89) 攀雀科 Remizidae			高山旋木雀 <i>Certhia himalayana</i>	LC	
白冠攀雀 <i>Remiz coronatus</i>	LC		红腹旋木雀 <i>Certhia nipalensis</i>	LC	
中华攀雀 <i>Remiz consobrinus</i>	LC		褐喉旋木雀 <i>Certhia discolor</i>	LC	
火冠雀 <i>Cephalopyrus flammiceps</i>	LC		(95) 啄花鸟科 Dicaeidae		
(90) 长尾山雀科 Aegithalidae			厚嘴啄花鸟 <i>Dicaeum agile</i>	LC	
银喉长尾山雀 <i>Aegithalos caudatus</i>	LC		黄臀啄花鸟 <i>Dicaeum chrysorrheum</i>	LC	
红头长尾山雀 <i>Aegithalos concinnus</i>	LC		黄腹啄花鸟 <i>Dicaeum melanoxanthum</i>	LC	
棕额长尾山雀 <i>Aegithalos iouschistos</i>	LC		纯色啄花鸟 <i>Dicaeum concolor</i>	LC	
黑眉长尾山雀 <i>Aegithalos bonvaloti</i>	LC		红胸啄花鸟 <i>Dicaeum ignipectus</i>	LC	
银脸长尾山雀 <i>Aegithalos fuliginosus</i> Δ	LC		朱背啄花鸟 <i>Dicaeum cruentatum</i>	LC	
(91) 山雀科 Paridae			(96) 花蜜鸟科 Nectariniidae		
沼泽山雀 <i>Parus palustris</i>	LC		紫颊太阳鸟 <i>Chalcoparia singalensis</i>	LC	
北褐头山雀 <i>Parus montanus</i>	LC		褐喉食蜜鸟 <i>Anthreptes malacensis</i>	LC	
褐头山雀 <i>Parus songarus</i>	LC		蓝枕花蜜鸟 <i>Hypogramma hypogrammicum</i>	LC	
白眉山雀 <i>Parus superciliosus</i> Δ	NT		紫花蜜鸟 <i>Cinnyris asiaticus</i>	LC	
红腹山雀 <i>Parus davidi</i> Δ	LC		黄腹花蜜鸟 <i>Cinnyris jugularis</i>	LC	
煤山雀 <i>Parus ater</i>	LC		蓝喉太阳鸟 <i>Aethopyga gouldiae</i>	LC	
棕枕山雀 <i>Parus rufonuchalis</i>	LC		绿喉太阳鸟 <i>Aethopyga nipalensis</i>	LC	
黑冠山雀 <i>Parus rubidiventris</i>	LC		叉尾太阳鸟 <i>Aethopyga christinae</i>	LC	
黄腹山雀 <i>Parus venustus</i> Δ	LC		黑胸太阳鸟 <i>Aethopyga saturata</i>	LC	
褐冠山雀 <i>Parus dichrous</i>	LC		黄腰太阳鸟 <i>Aethopyga siparaja</i>	LC	
大山雀 <i>Parus major</i>	LC		火尾太阳鸟 <i>Aethopyga ignicauda</i>	LC	
西域山雀 <i>Parus bokharensis</i>	LC		长嘴捕蛛鸟 <i>Arachnothera longirostra</i>	LC	
绿背山雀 <i>Parus monticolus</i>	LC		纹背捕蛛鸟 <i>Arachnothera magna</i>	LC	
眼纹黄山雀 <i>Parus xanthogenys</i>	LC		(97) 雀科 Passeridae		
黄颊山雀 <i>Parus spilonotus</i>	LC		黑顶麻雀 <i>Passer ammodendri</i>	LC	
台湾黄山雀 <i>Parus holsti</i> Δ	LC		家麻雀 <i>Passer domesticus</i>	LC	
灰蓝山雀 <i>Parus cyanus</i>	LC		黑胸麻雀 <i>Passer hispaniolensis</i>	LC	
杂色山雀 <i>Parus varius</i>	NT		山麻雀 <i>Passer rutilans</i>	LC	
黄胸山雀 <i>Cyanistes flavipectus</i>	DD		麻雀 <i>Passer montanus</i>	LC	
地山雀 <i>Pseudopodoces humilis</i> Δ	LC		石雀 <i>Petronia petronia</i>	LC	
黄眉林雀 <i>Sylviparus modestus</i>	LC		白斑翅雪雀 <i>Montifringilla nivalis</i>	LC	
冕雀 <i>Melanochlora sultanea</i>	DD		藏雪雀 <i>Montifringilla henrici</i> Δ	NT	
(92) 鹎科 Sittidae			褐翅雪雀 <i>Montifringilla adamsi</i>	LC	
栗腹鹎 <i>Sitta castanea</i>	LC		白腰雪雀 <i>Onychostruthus taczanowskii</i>	LC	
普通鹎 <i>Sitta europaea</i>	LC		黑喉雪雀 <i>Pyrgilauda davidiana</i>	LC	
栗臀鹎 <i>Sitta nagaensis</i>	LC		棕颈雪雀 <i>Pyrgilauda ruficollis</i>	LC	
白尾鹎 <i>Sitta himalayensis</i>	NT		棕背雪雀 <i>Pyrgilauda blanfordi</i>	LC	
黑头鹎 <i>Sitta villosa</i>	NT		(98) 织雀科 Ploceidae		
滇鹎 <i>Sitta yunnanensis</i> Δ	VU	A3bcd+4bcd; B2b (i, ii, iii)	纹胸织雀 <i>Ploceus manyar</i>	LC	
白脸鹎 <i>Sitta leucopsis</i>	NT		黄胸织雀 <i>Ploceus philippinus</i>	LC	
绒额鹎 <i>Sitta frontalis</i>	DD		(99) 梅花雀科 Estrildidae		
淡紫鹎 <i>Sitta solangiae</i>	VU	B1ab(iii)	红梅花雀 <i>Amandava amandava</i>	DD	
巨鹎 <i>Sitta magna</i>	EN	C1+2a(i)	橙颊梅花雀 <i>Estrilda melpoda</i>	DD	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
白喉文鸟 <i>Lonchura malabarica</i>	LC	A2bde+3bde+4bde	灰腹灰雀 <i>Pyrrhula griseiventris</i>	LC	
白腰文鸟 <i>Lonchura striata</i>	LC		锡嘴雀 <i>Coccothraustes coccothraustes</i>	LC	
斑文鸟 <i>Lonchura punctulata</i>	LC		黑尾蜡嘴雀 <i>Eophona migratoria</i>	LC	
栗腹文鸟 <i>Lonchura malacca</i>	LC		黑头蜡嘴雀 <i>Eophona personata</i>	NT	
禾雀 <i>Padda oryzivora</i>	VU		黄颈拟蜡嘴雀 <i>Mycerobas affinis</i>	LC	
(100) 燕雀科 Fringillidae			白点翅拟蜡嘴雀 <i>Mycerobas melanozanthos</i>	LC	
苍头燕雀 <i>Fringilla coelebs</i>	LC		白斑翅拟蜡嘴雀 <i>Mycerobas carnipes</i>	LC	
燕雀 <i>Fringilla montifringilla</i>	LC		金枕黑雀 <i>Pyrrhoplectes epauletta</i>	LC	
林岭雀 <i>Leucosticte nemoricola</i>	LC		红翅沙雀 <i>Rhodopechys sanguineus</i>	LC	
高山岭雀 <i>Leucosticte brandti</i>	LC		蒙古沙雀 <i>Rhodopechys mongolicus</i>	LC	
褐头岭雀 <i>Leucosticte sillemi</i> Δ	DD	巨嘴沙雀 <i>Rhodospiza obsoleta</i>	DD	B1b(i, ii, iii, iv); C1	
粉红腹岭雀 <i>Leucosticte arctoa</i>	LC	长尾雀 <i>Uragus sibiricus</i>	LC		
松雀 <i>Pinicola enucleator</i>	LC	血雀 <i>Haematospiza sipahi</i>	LC		
红眉松雀 <i>Pinicola subhimachala</i>	LC	(101) 鹀科 Emberizidae			
赤朱雀 <i>Carpodacus rubescens</i>	LC	朱鹀 <i>Urocynchramus pylzowi</i> Δ	NT		
暗胸朱雀 <i>Carpodacus nipalensis</i>	LC	凤头鹀 <i>Melophus lathami</i>	LC		
普通朱雀 <i>Carpodacus erythrinus</i>	LC	蓝鹀 <i>Latoucheornis siemsseni</i> Δ	LC		
红眉朱雀 <i>Carpodacus pulcherrimus</i>	LC	黄鹀 <i>Emberiza citrinella</i>	LC		
曙红朱雀 <i>Carpodacus eos</i>	LC	白头鹀 <i>Emberiza leucocephalos</i>	LC		
粉眉朱雀 <i>Carpodacus rodochroa</i>	LC	藏鹀 <i>Emberiza koslowi</i> Δ	VU		
酒红朱雀 <i>Carpodacus vinaceus</i>	LC	淡灰眉岩鹀 <i>Emberiza cia</i>	LC	A2abc+3bc+4bc; B2a+c(iii)	
棕朱雀 <i>Carpodacus edwardsii</i>	LC	灰眉岩鹀 <i>Emberiza godlewskii</i>	LC		
沙色朱雀 <i>Carpodacus synoicus</i>	LC	三道眉草鹀 <i>Emberiza cioides</i>	LC		
北朱雀 <i>Carpodacus roseus</i>	LC	栗斑腹鹀 <i>Emberiza jankowskii</i>	EN		
斑翅朱雀 <i>Carpodacus trifasciatus</i>	LC	灰颈鹀 <i>Emberiza buchanani</i>	LC		
点翅朱雀 <i>Carpodacus rodopeplus</i>	LC	圃鹀 <i>Emberiza hortulana</i>	LC		
白眉朱雀 <i>Carpodacus thura</i>	LC	红颈苇鹀 <i>Emberiza yessoensis</i>	NT		
红腰朱雀 <i>Carpodacus rhodochlamys</i>	LC	白眉鹀 <i>Emberiza tristrami</i>	NT		
拟大朱雀 <i>Carpodacus rubicilloides</i>	NT	栗耳鹀 <i>Emberiza fucata</i>	LC		
大朱雀 <i>Carpodacus rubicilla</i>	LC	小鹀 <i>Emberiza pusilla</i>	LC		
红胸朱雀 <i>Carpodacus puniceus</i>	LC	黄眉鹀 <i>Emberiza chrysophrys</i>	LC	A2acd+3cd+4acd	
藏雀 <i>Kozlowia roborowskii</i> Δ	VU	田鹀 <i>Emberiza rustica</i>	LC		
红交嘴雀 <i>Loxia curvirostra</i>	LC	黄喉鹀 <i>Emberiza elegans</i>	LC		
白翅交嘴雀 <i>Loxia leucoptera</i>	LC	黄胸鹀 <i>Emberiza aureola</i>	EN		
高山金翅雀 <i>Carduelis spinoides</i>	LC	栗鹀 <i>Emberiza rutila</i>	LC		
欧金翅雀 <i>Carduelis chloris</i>	LC	黑头鹀 <i>Emberiza melanocephala</i>	LC		
黑头金翅雀 <i>Carduelis ambigua</i>	LC	褐头鹀 <i>Emberiza bruniceps</i>	LC		
白腰朱顶雀 <i>Carduelis flammea</i>	LC	硫黄鹀 <i>Emberiza sulphurata</i>	VU		
极北朱顶雀 <i>Carduelis hornemanni</i>	LC	灰头鹀 <i>Emberiza spodocephala</i>	LC		
黄雀 <i>Carduelis spinus</i>	LC	灰鹀 <i>Emberiza variabilis</i>	LC		
藏黄雀 <i>Carduelis thibetana</i>	NT	苇鹀 <i>Emberiza pallasi</i>	LC	C2a(ii)	
红额金翅雀 <i>Carduelis carduelis</i>	LC	芦鹀 <i>Emberiza schoeniclus</i>	LC		
金翅雀 <i>Carduelis sinica</i>	LC	黍鹀 <i>Emberiza calandra</i>	LC		
黄嘴朱顶雀 <i>Carduelis flavirostris</i>	LC	铁爪鹀 <i>Calcarius lapponicus</i>	NT		
赤胸朱顶雀 <i>Carduelis cannabina</i>	LC	雪鹀 <i>Plectrophenax nivalis</i>	LC		
金额丝雀 <i>Serinus pusillus</i>	LC				
褐灰雀 <i>Pyrrhula nipalensis</i>	LC				
红头灰雀 <i>Pyrrhula erythrocephala</i>	LC				
灰头灰雀 <i>Pyrrhula erythaca</i>	LC				
红腹灰雀 <i>Pyrrhula pyrrhula</i>	LC				
			爬行类 Reptiles		
			1 鳄形目 Crocodylia		
			(1) 食鱼鳄科 Gavialidae		
			马来切喙鳄 <i>Tomistoma schlegelii</i>	RE	
			(2) 鳄科 Crocodylidae		

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
湾鳄 <i>Crocodylus porosus</i>	RE		锯缘闭壳龟 <i>Cuora mouhotii</i>	CR	A1cd+2bcd+3cde+4cd
(3) 鼈科 Alligatoridae			地龟 <i>Geoemyda spengleri</i>	EN	A1cd+2bcd+3cd+4cd
扬子鳄 <i>Alligator sinensis</i> Δ	CR	A1ac; C2a(i); D	眼斑水龟 <i>Sacalia bealei</i> Δ	EN	A1cd+2bcd+3cd+4cd
2 龟鳖目 Testudines			四眼斑水龟 <i>Sacalia quadriocellata</i>	EN	A1cd+2bcd+3cd+4cd; C1
(4) 鳖科 Trionychidae			齿缘摄龟 <i>Cyclemys dentata</i> *	DD	
山瑞鳖 <i>Palea steindachneri</i>	EN	A1cd+2bcd+3cde+4cd	欧氏摄龟 <i>Cyclemys oldhami</i>	DD	
鼈 <i>Pelochelys cantorii</i>	CR	A1cd+2bcd+4cd	3 有鳞目 Squamata		
斑鳖 <i>Rafetus swinhoei</i>	CR	A1acd+2bcd; B2ab(ii, iii, iv, v); C2a(i, ii); D	(10) 双足蜥科 Dibamidae		
中华鳖 <i>Pelodiscus sinensis</i>	EN	A1cd+2bcd+3cde+4cd	白尾双足蜥 <i>Dibamus bourreti</i>	VU	A2bcd+3cd; B1ab(ii, iii); D2
东北鳖 <i>Pelodiscus maackii</i>	DD		香港双足蜥 <i>Dibamus bogadeki</i> Δ	VU	A2bcd+3cd; B1ab(ii, iii); D2
小鳖 <i>Pelodiscus parviformis</i> Δ	EN	A1cd+2bcd+3cd+4cd	(11) 睑虎科 Eublepharidae		
砂鳖 <i>Pelodiscus axenaria</i> Δ	EN	A1cd+2bcd+3cd+4cd	里氏睑虎 <i>Goniurosaurus lichtenfelderi</i>	VU	A2bcd+3d
(5) 棱皮龟科 Dermochelyidae			凭祥睑虎 <i>Goniurosaurus luii</i>	NT	
棱皮龟 <i>Dermochelys coriacea</i>	CR	A1abd	霸王岭睑虎 <i>Goniurosaurus bawanglingensis</i> Δ	VU	A2bcd+3d; B1ab(i, ii, iv); D2
(6) 海龟科 Cheloniidae			英德睑虎 <i>Goniurosaurus yingdeensis</i> Δ	CR	A2d+3d; B1ab(i, ii, iii)+2ab(iii)
红海龟 <i>Caretta caretta</i>	CR	A1abd+2bcd(台湾 EN A1abd)	海南睑虎 <i>Goniurosaurus hainanensis</i> Δ	VU	A2bcd+3d
绿海龟 <i>Chelonia mydas</i>	CR	A2bcd+3bcd(台湾 EN A2bd)	荔波睑虎 <i>Goniurosaurus liboensis</i> Δ	EN	A3cde; B1b(i, ii)+2a
玳瑁 <i>Eretmochelys imbricata</i>	CR	A2bcd	(12) 球趾虎科 Sphaerodactylidae		
太平洋丽龟 <i>Lepidochelys olivacea</i>	CR	A2bcd(台湾EN A2bd)	伊犁沙虎 <i>Teratoscincus scincus</i>	EN	A2bcd+3cd; B1ab(ii, iii)
(7) 平胸龟科 Platysternidae			新疆沙虎 <i>Teratoscincus przewalskii</i>	NT	
平胸龟 <i>Platysternon megacephalum</i>	CR	A1d+2bcd+3cd+4cd; C12a(i)	吐鲁番沙虎 <i>Teratoscincus roborowskii</i> Δ	NT	
(8) 陆龟科 Testudinidae			(13) 壁虎科 Gekkonidae		
四爪陆龟 <i>Testudo horsfieldii</i>	CR	A1ad+2bcd+3d+4d; B1ab(iii, iv, v)	长弯脚虎 <i>Cyrtopodion elongatus</i>	LC	
凹甲陆龟 <i>Manouria impressa</i>	CR	A1acd; B1+2acd; C1	大敦弯脚虎 <i>Cyrtopodion dadunensis</i> Δ	DD	
缅甸陆龟 <i>Indotestudo elongata</i>	CR	A1cd+2cd; C1	墨脱弯脚虎 <i>Cyrtopodion medogensis</i> Δ	DD	
(9) 地龟科 Geoemydidae			宽斑隆趾虎 <i>Altiphylax stoliczkai</i>	DD	
乌龟 <i>Mauremys reevesii</i>	EN	A1cd+2bcd+3cd+4cd	灰中趾虎 <i>Mediodactylus russowii</i>	VU	A2bcd+3cd; B1ab(ii, iii); D2
黑颈乌龟 <i>Mauremys nigricans</i>	CR	A1d+2bcd+3cd+4cd; C1	瓦氏裸趾虎 <i>Cyrtodactylus wayakonei</i>	DD	
黄喉拟水龟 <i>Mauremys mutica</i>	EN	A1cd+2bcd+3cde+4cd	卡西裸趾虎 <i>Cyrtodactylus khasiensis</i>	DD	
花龟 <i>Mauremys sinensis</i>	EN	A1cd+2bcd+3cde+4cd	西藏裸趾虎 <i>Cyrtodactylus tibetanus</i> Δ	LC	
黄缘闭壳龟 <i>Cuora flavomarginata</i>	CR	A1d+2bcd+3cde+ 4cd; C1 (台湾EN A1bd+3d)	赵氏裸趾虎 <i>Cyrtodactylus zhaoermii</i> Δ	DD	
黄额闭壳龟 <i>Cuora galbinifrons</i>	CR	A1d+2bcd+3cde+4cd; B1b(iii, iv, v); C1	雅美鳞趾虎 <i>Lepidodactylus yami</i> Δ	VU	B1ab(ii, iii); D2
金头闭壳龟 <i>Cuora aurocapitata</i> Δ	CR	A1d+2bcd+3cde+4cd; B1b(iii, iv, v); C2a(i); D	哀鳞趾虎 <i>Lepidodactylus lugubris</i>	VU	B1ab(ii, iii); D2
潘氏闭壳龟 <i>Cuora pani</i> Δ	CR	A1ad+2bcd+3cde+ 4cd; B1ab(iii, iv, v); C2a(i); D	半叶趾虎 <i>Hemiphyllodactylus typus</i>	DD	
百色闭壳龟 <i>Cuora mccordi</i> Δ	CR	A1d+2bcd+3cd+4cd; B1b(iii, iv, v); C2a(i); D	云南半叶趾虎 <i>Hemiphyllodactylus yunnanensis</i>	NT	
周氏闭壳龟 <i>Cuora zhoui</i> Δ	CR	A1ad+2bcd+3cde+ 4cd; B1ab(iii, iv, v); C2a(i); D	截趾虎 <i>Gehyra mutilata</i>	VU	A2bcd+3cd; B1ab(ii, iii)
云南闭壳龟 <i>Cuora yunnanensis</i> Δ	CR	A1acd+2bcd+3cde+ 4cd; B2ab(ii, iii, iv, v)+c(iii); C2a(i); D	隐耳漠虎 <i>Alsophylax pipiens</i>	LC	
三线闭壳龟 <i>Cuora trifasciata</i>	CR	A1d+2bcd+3cd+4cd; C12a(i)	新疆漠虎 <i>Alsophylax przewalskii</i>	VU	A2bcd+3cd; B1ab(ii, iii); D2

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
原尾蜥虎 <i>Hemidactylus bowringii</i>	LC		瓦山滑蜥 <i>Scincella barbouri</i> Δ	NT	
疣尾蜥虎 <i>Hemidactylus frenatus</i>	LC		锡金滑蜥 <i>Scincella sikimensis</i>	LC	
密疣蜥虎 <i>Hemidactylus brookii</i> *	LC		长肢滑蜥 <i>Scincella doriae</i>	LC	
史氏蜥虎 <i>Hemidactylus stejnegeri</i>	VU	B1ab(ii, iii); D2	喜山滑蜥 <i>Scincella himalayanus</i>	NT	
缅北蜥虎 <i>Hemidactylus aquilonius</i>	DD		山滑蜥 <i>Scincella monticola</i>	LC	
蝎尾蜥虎 <i>Hemidactylus platyurus</i>	NT		宁波滑蜥 <i>Scincella modesta</i> Δ	LC	
锯尾蜥虎 <i>Hemidactylus garnotii</i>	LC		桓仁滑蜥 <i>Scincella huanrenensis</i>	NT	
兰屿壁虎 <i>Gekko kikuchii</i> Δ	VU	B1ab(ii, iii); D2	台湾滑蜥 <i>Scincella formosensis</i> Δ	LC	
粗疣壁虎 <i>Gekko scabridus</i> Δ	LC		昆明滑蜥 <i>Scincella schmidtii</i> Δ	NT	
大壁虎 <i>Gekko gecko</i>	CR	A1abcde+2cd+3cd+4bcd	西域滑蜥 <i>Scincella przewalskii</i> Δ	NT	
黑疣大壁虎 <i>Gekko reevesii</i>	CR	A1abcde+2cd+3cd+4bcd	中国棱蜥 <i>Tropidophorus sinicus</i>	LC	
耳疣壁虎 <i>Gekko auriverrucosus</i> Δ	DD		海南棱蜥 <i>Tropidophorus hainanus</i>	LC	
中国壁虎 <i>Gekko chinensis</i> Δ	LC		广西棱蜥 <i>Tropidophorus guangxiensis</i> Δ	NT	
铅山壁虎 <i>Gekko hokouensis</i>	LC		缅甸棱蜥 <i>Tropidophorus berdmorei</i>	LC	
多疣壁虎 <i>Gekko japonicus</i>	LC		光蜥 <i>Ateuchosaurus chinensis</i>	LC	
蹼趾壁虎 <i>Gekko subpalmatus</i> Δ	LC		岩岸岛蜥 <i>Emoia atrocostata</i>	LC	
无蹼壁虎 <i>Gekko swinhonis</i> Δ	VU	A2cd+3cd	(15) 蜥蜴科 Lacertidae		
太白壁虎 <i>Gekko taibaiensis</i> Δ	LC		北草蜥 <i>Takydromus septentrionalis</i> Δ	LC	
荔波壁虎 <i>Gekko liboensis</i> Δ	LC		南草蜥 <i>Takydromus sexlineatus</i>	LC	
文县壁虎 <i>Gekko wenxianensis</i> Δ	LC		黑龙江草蜥 <i>Takydromus amurensis</i>	LC	
梅氏壁虎 <i>Gekko melli</i> Δ	VU	B1ab(ii, iii)+2ab(i, ii)	雪山草蜥 <i>Takydromus hsuehshanensis</i> Δ	LC	
鹰氏壁虎 <i>Gekko adleri</i>	DD		恒春草蜥 <i>Takydromus sauteri</i> Δ	NT	
海南壁虎 <i>Gekko similignum</i> Δ	DD		蓬莱草蜥 <i>Takydromus stejnegeri</i> Δ	LC	
(14) 石龙子科 Scincidae			白条草蜥 <i>Takydromus wolteri</i>	LC	
铜蜓蜥 <i>Sphenomorphus indicus</i>	LC		台湾草蜥 <i>Takydromus formosanus</i> Δ	LC	
股鳞蜥 <i>Sphenomorphus incognitus</i>	NT		崇安草蜥 <i>Takydromus sylvaticus</i> Δ	EN	A2bcd+3cd; B1ab(ii, iii)+2ab(iii)
斑蜓蜥 <i>Sphenomorphus maculatus</i>	LC		峨眉草蜥 <i>Takydromus intermedius</i> Δ	NT	
台湾蜓蜥 <i>Sphenomorphus taiwanensis</i> Δ	LC		古氏草蜥 <i>Takydromus kuehnei</i>	LC	
墨脱蜓蜥 <i>Sphenomorphus courcyanum</i>	NT		鹿野草蜥 <i>Takydromus luyeanus</i> Δ	LC	
北部湾蜓蜥 <i>Sphenomorphus tonkinensis</i>	LC		翠斑草蜥 <i>Takydromus viridipunctatus</i> Δ	LC	
蓝尾石龙子 <i>Plestiodon elegans</i>	LC		虫纹麻蜥 <i>Eremias vermiculata</i>	LC	
中国石龙子 <i>Plestiodon chinensis</i>	LC		山地麻蜥 <i>Eremias brenchleyi</i> Δ	LC	
崇安石龙子 <i>Plestiodon popei</i> Δ	NT		荒漠麻蜥 <i>Eremias przewalskii</i>	LC	
四线石龙子 <i>Plestiodon quadrilineatus</i>	LC		网纹麻蜥 <i>Eremias grammica</i>	VU	A3bcd; B1ab(ii, iii)
黄纹石龙子 <i>Plestiodon capito</i> Δ	LC		敏麻蜥 <i>Eremias arguta</i>	LC	
刘氏石龙子 <i>Plestiodon liui</i> Δ	LC		丽斑麻蜥 <i>Eremias argus</i>	LC	
大渡石龙子 <i>Plestiodon tunganus</i> Δ	NT		快步麻蜥 <i>Eremias velox</i>	LC	
越南石龙子 <i>Plestiodon tamdaoensis</i>	VU	B1ab(ii, iii); D2	密点麻蜥 <i>Eremias multiocellata</i>	LC	
侏蜥 <i>Lygosoma bowringii</i>	DD		莎车麻蜥 <i>Eremias yarkandensis</i>	LC	
多线南蜥 <i>Eutropis multifasciata</i>	LC		方额麻蜥 <i>Eremias quadrifrons</i>	DD	
长尾南蜥 <i>Eutropis longicaudata</i>	LC		科克沙尔麻蜥 <i>Eremias kokshaaliensis</i>	DD	
多棱南蜥 <i>Eutropis multicarinata</i>	LC		天山麻蜥 <i>Eremias stummeri</i>	DD	
库氏南蜥 <i>Eutropis cumingi</i>	DD		喀什麻蜥 <i>Eremias buechneri</i>	DD	
阿赖山泛蜥 <i>Ablepharus alaicus</i>	LC		捷蜥蜴 <i>Lacerta agilis</i>	LC	
沙地泛蜥 <i>Ablepharus deserti</i>	DD		胎蜥 <i>Zootoca vivipara</i>	LC	
拉达克滑蜥 <i>Scincella ladacensis</i>	LC		(16) 蛇蜥科 Anguidae		
南滑蜥 <i>Scincella reevesii</i>	LC		脆蛇蜥 <i>Dopasia harti</i>	EN	A1bcd+2bcd+3cd+4d (台湾VU)
康定滑蜥 <i>Scincella potanini</i> Δ	LC		海南脆蛇蜥 <i>Dopasia hainanensis</i> Δ	EN	A2bcd+3cd; B1ab(ii, iii)
秦岭滑蜥 <i>Scincella tsinlingensis</i> Δ	LC		细脆蛇蜥 <i>Dopasia gracilis</i>	EN	A2bcd+3cd; B1ab(ii, iii)

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
(17) 鳄蜥科 Shinisauridae			草原沙蜥 <i>Phrynocephalus frontalis</i> *	LC	
鳄蜥 <i>Shinisaurus crocodilurus</i>	CR	A1c+2acd; B(ii, iii)	奇台沙蜥 <i>Phrynocephalus grungrzimaii</i>	LC	
(18) 巨蜥科 Varanidae			宽鼻沙蜥 <i>Phrynocephalus nasatus</i>	DD	
伊江巨蜥 <i>Varanus irrawadicus</i>	CR	A1bd+2cd+3cd; B(ii, iii)	南疆沙蜥 <i>Phrynocephalus forsythii</i> Δ	LC	
圆鼻巨蜥 <i>Varanus salvator</i>	CR	A1bd+2cd+3cd; B(ii, iii)	乌拉尔沙蜥 <i>Phrynocephalus guttatus</i>	LC	
(19) 鬣蜥科 Agamidae			西藏沙蜥 <i>Phrynocephalus theobaldi</i>	LC	
斑飞蜥 <i>Draco maculatus</i>	LC		叶城沙蜥 <i>Phrynocephalus axillaris</i>	LC	
裸耳飞蜥 <i>Draco blanfordii</i>	LC		贵德沙蜥 <i>Phrynocephalus putjatai</i> Δ	NT	
喉褶蜥 <i>Ptyctolaemus gularis</i>	LC		贵南沙蜥 <i>Phrynocephalus guinanensis</i> Δ	VU	B1b(i, iii)+c(i, ii); D2
蜡皮蜥 <i>Leiolepis reevesii</i>	EN	A2bcd+3cd	黑腹沙蜥 <i>Phrynocephalus melanurus</i>	DD	
异鳞蜥 <i>Oriocalotes paulus</i>	DD		伊犁沙蜥 <i>Phrynocephalus alpherakii</i>	DD	
长鬣蜥 <i>Physignathus cocincinus</i>	EN	A2bcd+3cd+4c; B1ab(ii, iii); C1	丽棘蜥 <i>Acanthosaura lepidogaster</i>	LC	
拉萨岩蜥 <i>Laudakia sacra</i> Δ	NT		长棘蜥 <i>Acanthosaura armata</i>	VU	A2bcd+3cd; D2
南亚岩蜥 <i>Laudakia tuberculata</i>	NT		白唇树蜥 <i>Calotes mystaceus</i>	LC	
吴氏岩蜥 <i>Laudakia wui</i> Δ	NT		变色树蜥 <i>Calotes versicolor</i>	LC	
西藏岩蜥 <i>Laudakia papenfussi</i> Δ	DD		绿背树蜥 <i>Calotes jerdoni</i>	VU	A2bc+3cd; B1ab(ii, iii)
喜山岩蜥 <i>Laudakia himalayana</i>	DD		墨脱树蜥 <i>Calotes medogensis</i> Δ	VU	A2bc+3cd; B1ab(ii, iii); D2
新疆岩蜥 <i>Laudakia stoliczka</i>	LC		棕背树蜥 <i>Calotes emma</i>	LC	
草绿攀蜥 <i>Japalura flaviceps</i> Δ	LC		蚌西拟树蜥 <i>Pseudocalotes kakhienensis</i>	LC	
短肢攀蜥 <i>Japalura brevipes</i> Δ	NT		短肢拟树蜥 <i>Pseudocalotes brevipes</i>	NT	
昆明攀蜥 <i>Japalura varcoae</i> Δ	LC		西藏拟树蜥 <i>Pseudocalotes kingdonwardi</i>	NT	
丽纹攀蜥 <i>Japalura splendida</i> Δ	LC		细鳞拟树蜥 <i>Pseudocalotes microlepis</i>	LC	
裸耳攀蜥 <i>Japalura dymondi</i> Δ	LC		草原蜥 <i>Trapelus sanguinolentus</i>	LC	
米仓山攀蜥 <i>Japalura micangshanensis</i> Δ	LC		(20) 盲蛇科 Typhlopidae		
四川攀蜥 <i>Japalura szechwanensis</i> Δ	NT		白头钩盲蛇 <i>Indotyphlops albiceps</i>	DD	
台湾攀蜥 <i>Japalura swinhonis</i> Δ	LC		钩盲蛇 <i>Indotyphlops braminus</i>	DD	
溪头攀蜥 <i>Japalura makii</i> Δ	VU	A2bcde+3c; B1ab(ii, iii); D2	香港盲蛇 <i>Indotyphlops lazelli</i> Δ	CR	B1ab(iii)
宜宾攀蜥 <i>Japalura grahami</i> Δ	DD		恒春盲蛇 <i>Argyrophis koshunensis</i> Δ	DD	
长肢攀蜥 <i>Japalura andersoniana</i>	LC		大盲蛇 <i>Argyrophis diardii</i>	DD	
喜山攀蜥 <i>Japalura kumaonensis</i>	VU	A2bc+3cd; B1ab(ii, iii); D2	(21) 蜥科 Boidae		
云南攀蜥 <i>Japalura yunnanensis</i> Δ	LC		红沙蜥 <i>Eryx miliaris</i>	VU	A1b+2bcd+3cd
琉球攀蜥 <i>Japalura polygonata</i>	DD		东方沙蜥 <i>Eryx tataricus</i>	VU	A1b+2bcd+3cd
独龙江攀蜥 <i>Japalura bapoensis</i> Δ	NT		(22) 筒蛇科 Cyliodrophiidae		
汶川攀蜥 <i>Japalura zhaoermii</i> Δ	DD		红尾筒蛇 <i>Cylindrophis ruffus</i>	DD	
巴塘攀蜥 <i>Japalura batangensis</i> Δ	DD		(23) 闪鳞蛇科 Xenopeltidae		
宜兰攀蜥 <i>Japalura luei</i> Δ	VU	A2bcde+3c; B1ab(ii, iii); D2	海南闪鳞蛇 <i>Xenopeltis hainanensis</i> Δ	NT	
绿背攀蜥 <i>Japalura sagittifera</i>	DD		闪鳞蛇 <i>Xenopeltis unicolor</i>	VU	A2bcd+3cd
雾林攀蜥 <i>Japalura tricarinata</i>	DD		(24) 蟒科 Pythonidae		
短尾攀蜥 <i>Japalura brevicauda</i> Δ	DD		蟒 <i>Python bivittatus</i>	CR	A1acd+2acd
玉龙攀蜥 <i>Japalura yulongensis</i> Δ	DD		(25) 瘰螈科 Acrochordidae		
变色沙蜥 <i>Phrynocephalus versicolor</i>	LC		瘰螈蛇 <i>Acrochordus granulatus</i>	DD	
大耳沙蜥 <i>Phrynocephalus mystaceus</i>	EN	A2bcd+3cd+4cd; B1ab(ii, iii)+c(iii)	(26) 闪皮蛇科 Xenodermatidae		
旱地沙蜥 <i>Phrynocephalus helioscopus</i>	LC		阿里山脊蛇 <i>Achalinus niger</i> Δ	LC	
红尾沙蜥 <i>Phrynocephalus erythrurus</i> Δ	LC		台湾脊蛇 <i>Achalinus formosanus</i>	LC	
青海沙蜥 <i>Phrynocephalus vlangalii</i> Δ	LC		海南脊蛇 <i>Achalinus hainanus</i> Δ	VU	A2bcd+3c; B1ab(i, ii, iii)
荒漠沙蜥 <i>Phrynocephalus przewalskii</i> Δ	LC		井冈山脊蛇 <i>Achalinus jinggangensis</i> Δ	VU	A2bcd+3c; B1ab(i, ii, iii)

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
黑脊蛇 <i>Achalinus spinalis</i>	LC		雪山蝮 <i>Gloydus monticola</i> Δ	NT	
青脊蛇 <i>Achalinus ater</i>	LC		六盘山蝮 <i>Gloydus liupanensis</i> Δ	NT	
美姑脊蛇 <i>Achalinus meiguensis</i> Δ	LC		秦岭蝮 <i>Gloydus qinlingensis</i> Δ	NT	
棕脊蛇 <i>Achalinus rufescens</i>	LC		蛇岛蝮 <i>Gloydus shedaoensis</i> Δ	EN	A1acde+2e+3e; B1ab (i, ii, iii, iv); D2
(27) 钝头蛇科 Pareatidae			中介蝮 <i>Gloydus intermedius</i>	NT	
平鳞钝头蛇 <i>Pareas boulengeri</i> Δ	LC		庙岛蝮 <i>Gloydus lijianlii</i> Δ	VU	A2acde+3cde; B2ab (i, ii, iii, iv); D2
棱鳞钝头蛇 <i>Pareas carinatus</i>	NT		岩栖蝮 <i>Gloydus saxatilis</i>	NT	
中国钝头蛇 <i>Pareas chinensis</i> Δ	LC		(29) 水蛇科 Homalopsidae		
台湾钝头蛇 <i>Pareas formosensis</i> Δ	NT		中国沼蛇 <i>Myrrophis chinensis</i>	VU	A2bcd+3cd+4d
缅甸钝头蛇 <i>Pareas hamptoni</i>	NT		黑斑沼蛇 <i>Myrrophis bennettii</i>	LC	
横纹钝头蛇 <i>Pareas margaritophorus</i>	NT		铅色蛇 <i>Hypsisopus plumbea</i>	VU	A2bcd+3cd+4d (台湾NT)
喜山钝头蛇 <i>Pareas monticola</i>	NT		腹斑蛇 <i>Subessor bocourti</i>	DD	
福建钝头蛇 <i>Pareas stanleyi</i> Δ	LC		(30) 鳃形蛇科 Lamprophiidae		
黑顶钝头蛇 <i>Pareas nigriceps</i> Δ	DD		紫沙蛇 <i>Psammodynastes pulverulentus</i>	LC	
(28) 蝰科 Viperidae			花条蛇 <i>Psammophis lineolatus</i>	NT	
白头蝰 <i>Azemioips kharini</i>	VU	A2bcd+3c	(31) 眼镜蛇科 Elapidae		
黑头蝰 <i>Azemioips feae</i>	DD		福建华珊瑚蛇 <i>Sinomicrurus kelloggi</i>	LC	
泰国圆斑蝰 <i>Daboia siamensis</i>	EN	A2bcd+3c+4c; B2ab (ii, iii)	棱德氏华珊瑚蛇 <i>Sinomicrurus sauteri</i> Δ	VU	A1bd+2bcd+3bd
东方蝰 <i>Vipera renardi</i>	EN	A2bce+3ce	羽鸟氏华珊瑚蛇 <i>Sinomicrurus hatori</i> Δ	VU	A1bd+2bcd+3bd
极北蝰 <i>Vipera berus</i>	EN	A2bce+3ce	中华珊瑚蛇 <i>Sinomicrurus maclellandi</i>	VU	A1bcd+2bcd+3bd (台湾亚种NT)
菜花原矛头蝮 <i>Protobothrops jerdonii</i>	LC		眼镜王蛇 <i>Ophiophagus hannah</i>	EN	A1bcd+2bcd+3bd (台湾亚种NT)
原矛头蝮 <i>Protobothrops mucrosquamatus</i>	LC	(台湾种群NT)	舟山眼镜蛇 <i>Naja atra</i>	VU	A1bcd+2bcd+3bd (台湾NT)
缅甸原矛头蝮 <i>Protobothrops kaulbacki</i>	DD		孟加拉眼镜蛇 <i>Naja kaouthia</i>	EN	A2bcd+3bd
乡城原矛头蝮 <i>Protobothrops xiangchengensis</i> Δ	LC		环蛇 <i>Bungarus bungaroides</i>	DD	
莽山原矛头蝮 <i>Protobothrops mangshanensis</i> Δ	CR	A1acd+2cd+3cd; B1ab(i, ii, iii, iv); C1	金环蛇 <i>Bungarus fasciatus</i>	EN	A1bcd+2bcd+3bd
大别山原矛头蝮 <i>Protobothrops dabieshanensis</i> Δ	DD		银环蛇 <i>Bungarus multicinctus</i>	EN	A1bcd+2bcd+3bd (台湾NT)
喜山原矛头蝮 <i>Protobothrops himalayanus</i>	DD		蓝灰扁尾海蛇 <i>Laticauda colubrina</i>	LC	
角原矛头蝮 <i>Protobothrops cornutus</i>	CR	A2bcd+3cd; B1ab (i, ii, iii)	扁尾海蛇 <i>Laticauda laticaudata</i>	NT	
茂兰原矛头蝮 <i>Protobothrops maolanensis</i>	DD		半环扁尾海蛇 <i>Laticauda semifasciata</i>	NT	
尖吻蝮 <i>Deinagkistrodon acutus</i>	EN	A2bcd+3cd+4cd (台湾EN A2bcd+3cd +4cd; B1ab(i, ii, iii))	龟头海蛇 <i>Emydocephalus ijimae</i>	LC	
台湾烙铁头蛇 <i>Ovophis makazayazaya</i>	NT	(台湾VU A1bc+ 2bce)	青环海蛇 <i>Hydrophis cyanocinctus</i>	NT	
寮隅烙铁头蛇 <i>Ovophis zayuensis</i>	DD		环纹海蛇 <i>Hydrophis fasciatus</i>	NT	
越南烙铁头蛇 <i>Ovophis tonkinensis</i>	LC		黑头海蛇 <i>Hydrophis melanocephalus</i>	DD	
山烙铁头蛇 <i>Ovophis monticola</i>	NT		淡灰海蛇 <i>Hydrophis ornatus</i>	LC	
墨脱绿蝮 <i>Viridovipera medoensis</i>	DD		棘毗海蛇 <i>Hydrophis peronii</i>	LC	
云南绿蝮 <i>Viridovipera yunnanensis</i> Δ	LC		棘鳞海蛇 <i>Hydrophis stokesii</i>	LC	
福建绿蝮 <i>Viridovipera stejnegeri</i>	LC		青灰海蛇 <i>Hydrophis caerulescens</i>	NT	
冈氏绿蝮 <i>Viridovipera gumprechtii</i>	LC		平颞海蛇 <i>Hydrophis curtus</i>	LC	
四川华蝮 <i>Sinovipera sichuanensis</i> Δ	LC		小头海蛇 <i>Hydrophis gracilis</i>	NT	
西藏喜山蝮 <i>Himalayophis tibetanus</i>	DD		长吻海蛇 <i>Hydrophis platura</i>	LC	
白唇竹叶青蛇 <i>Trimeresurus albolabris</i>	LC		截吻海蛇 <i>Hydrophis jerdonii</i>	DD	
台湾竹叶青蛇 <i>Trimeresurus gracilis</i> Δ	NT		海蝰 <i>Hydrophis viperina</i>	LC	
短尾蝮 <i>Gloydus brevicaudus</i>	NT		(32) 游蛇科 Colubridae		
乌苏里蝮 <i>Gloydus ussuriensis</i>	NT		白眶蛇 <i>Amphismoides ornaticeps</i>	VU	A2bcd+3bcd; B1ab(iii)
高原蝮 <i>Gloydus strauchi</i> Δ	NT		珠光蛇 <i>Blythia reticulata</i>	DD	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
滑鳞蛇 <i>Liopeltis frenatus</i>	DD		乌梢蛇 <i>Ptyas dhumnades</i>	VU	A2bcd+3d+4d
黄腹杆蛇 <i>Rhabdops bicolor</i>	DD		黑网乌梢蛇 <i>Ptyas carinata</i>	EN	A2bcd+3d+4d
云南两头蛇 <i>Calamaria yunnanensis</i> Δ	VU	A2bcd+3bcd; D2	黑线乌梢蛇 <i>Ptyas nigromarginata</i>	VU	A2bcd+3d+4d
钝尾两头蛇 <i>Calamaria septentrionalis</i>	LC		绿蛇 <i>Rhadinophis prasinus</i>	VU	A2bcd+3cd+4cd; B2ab(ii, iii)
尖尾两头蛇 <i>Calamaria pavementata</i>	LC		灰腹绿蛇 <i>Rhadinophis frenatus</i>	LC	
福建颈斑蛇 <i>Plagiopholis styani</i>	LC		尖喙蛇 <i>Rhynchophis boulengeri</i>	VU	A2ad+3d; B1ab(ii, iii)
颈斑蛇 <i>Plagiopholis blakewayi</i>	LC		白环链蛇 <i>Lycodon aulicus</i>	NT	
云南颈斑蛇 <i>Plagiopholis unipostocularis</i> Δ	DD		黑背链蛇 <i>Lycodon ruhstrati</i>	LC	
缅甸颈斑蛇 <i>Plagiopholis nuchalis</i>	VU	A2bcd+3c+4c; B1ab (ii, iii)	福清链蛇 <i>Lycodon futsingensis</i>	NT	
崇安斜鳞蛇 <i>Pseudoxenodon karlschmidti</i>	LC		细白链蛇 <i>Lycodon subcinctus</i>	LC	
大眼斜鳞蛇 <i>Pseudoxenodon macrops</i>	LC		双全链蛇 <i>Lycodon fasciatus</i>	LC	
横纹斜鳞蛇 <i>Pseudoxenodon bambusicola</i>	LC		老挝链蛇 <i>Lycodon laoensis</i>	DD	
纹尾斜鳞蛇 <i>Pseudoxenodon stejnegeri</i>	LC		东川链蛇 <i>Lycodon synaptor</i> Δ	DD	
黑领剑蛇 <i>Sibynophis collaris</i>	LC		横纹链蛇 <i>Lycodon multizonatum</i> Δ	NT	
黑头剑蛇 <i>Sibynophis chinensis</i>	LC		刘氏链蛇 <i>Lycodon liuchengchaoi</i> Δ	LC	
绿瘦蛇 <i>Ahaetulla prasina</i>	LC		贡山链蛇 <i>Lycodon gongshan</i> Δ	NT	
金花蛇 <i>Chrysopelea ornata</i>	VU	A2bcd+3bcd; B1ab (ii, iii)	粉链蛇 <i>Lycodon rosozonatum</i>	EN	A1bcd+2bcd+3bcd+ 4cd; B1b(i, iii, iii)
喜山过树蛇 <i>Dendrelaphis biloreatus</i>	DD		赤链蛇 <i>Lycodon rufozonatum</i>	LC	
过树蛇 <i>Dendrelaphis pictus</i>	LC		黄链蛇 <i>Lycodon flavozonatum</i>	LC	
八莫过树蛇 <i>Dendrelaphis subocularis</i>	DD		南方链蛇 <i>Lycodon meridionale</i>	DD	
香港过树蛇 <i>Dendrelaphis hollinrakei</i> Δ	NT		北链蛇 <i>Lycodon septentrionalis</i>	LC	
广西林蛇 <i>Boiga guangxiensis</i>	VU	A2bcd+3bcd; D2	方花蛇 <i>Archelaphe bella</i>	VU	A2cd+3c; B1ab (ii, iii, iv)
绿林蛇 <i>Boiga cyanea</i>	VU	A2bcd+3bcd; D2	玉斑蛇 <i>Euprepiophis mandarinus</i>	VU	A2bcd+3d+4d
繁花林蛇 <i>Boiga multomaculata</i>	LC		横纹玉斑蛇 <i>Euprepiophis perlacea</i> Δ	EN	A2bcd+3cd+4cd; B2ab(ii, iii)
绞花林蛇 <i>Boiga kraepelini</i>	LC		紫灰蛇 <i>Oreocryptophis porphyraceus</i>	LC	
束纹小头蛇 <i>Oligodon fasciolatus</i>	NT		百花晨蛇 <i>Orthriophis moellendorffi</i>	EN	A1d+2bcd+3bcd+4cd
黑带小头蛇 <i>Oligodon melanozonatus</i>	DD		黑眉晨蛇 <i>Orthriophis taeniurus</i>	EN	A1d+2bcd+3bcd+4cd (台湾NT)
菱斑小头蛇 <i>Oligodon catenatus</i>	NT		南峰晨蛇 <i>Orthriophis hodgsonii</i>	DD	
方斑小头蛇 <i>Oligodon nagao</i> Δ	DD		坎氏晨蛇 <i>Orthriophis cantoris</i>	DD	
龙胜小头蛇 <i>Oligodon lungshenensis</i> Δ	NT		赤峰锦蛇 <i>Elaphe anomala</i> Δ	VU	A1d+2bcd+3bcd+4cd
饰纹小头蛇 <i>Oligodon ornatus</i> Δ	NT		王锦蛇 <i>Elaphe carinata</i>	EN	A1d+2bcd+3bcd+4cd
台湾小头蛇 <i>Oligodon formosanus</i>	NT		团花锦蛇 <i>Elaphe davidi</i>	VU	A1d+2bcd+3bcd+4cd
泰北小头蛇 <i>Oligodon joynsoni</i>	VU	A2cd+3c; B1ab (ii, iii, iv)	棕黑锦蛇 <i>Elaphe schrenckii</i>	VU	A1d+2bcd+3bcd+4cd
喜山小头蛇 <i>Oligodon albocinctus</i>	NT		白条锦蛇 <i>Elaphe dione</i>	LC	
圆斑小头蛇 <i>Oligodon lacroixi</i>	NT		双斑锦蛇 <i>Elaphe bimaculata</i> Δ	LC	
中国小头蛇 <i>Oligodon chinensis</i>	LC		若尔盖锦蛇 <i>Elaphe zoigeensis</i> Δ	LC	
紫棕小头蛇 <i>Oligodon cinereus</i>	LC		红纹滞卵蛇 <i>Oocatochus rufodorsatus</i>	LC	
宁陕线形蛇 <i>Stichophanes ningshaanensis</i> Δ	NT		山坭蛇 <i>Trachischium monticola</i>	VU	A1bc+2bcd+3cd; B1ab(ii, iii)
三索蛇 <i>Coelognathus radiatus</i>	EN	A1d+A2bcd+3bcd+4cd	小头坭蛇 <i>Trachischium tenuiceps</i>	VU	A1bc+2bcd+3cd; B1ab(ii, iii)
纯绿翠青蛇 <i>Cyclophiops doriae</i>	VU	A2bcd+3bcd; B1ab (ii, iii); D2	草腹链蛇 <i>Amphiesma stolatum</i>	LC	
横纹翠青蛇 <i>Cyclophiops multicinctus</i>	NT		丽纹腹链蛇 <i>Hebius optatum</i>	LC	
翠青蛇 <i>Cyclophiops major</i>	LC		锈纹腹链蛇 <i>Hebius craspedogaster</i> Δ	LC	
秘纹蛇 <i>Hemorrhois ravergieri</i>	VU	A2cd; B1ab(ii, iii)	无颞鳞腹链蛇 <i>Hebius atemporale</i>	NT	
黄脊东方蛇 <i>Orientocoluber spinalis</i>	LC		白眉腹链蛇 <i>Hebius boulengeri</i>	LC	
滑鼠蛇 <i>Ptyas mucosa</i>	EN	A1bcd+2bcd+3d+4d	八线腹链蛇 <i>Hebius octolineatum</i> Δ	LC	
灰鼠蛇 <i>Ptyas korros</i>	VU	A2bcd+3d+4d	坡普腹链蛇 <i>Hebius popei</i> Δ	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
棕黑腹链蛇 <i>Hebius sauteri</i>	LC		2 有尾目 Urodela		
腹斑腹链蛇 <i>Hebius modestum</i>	LC		(2) 小鲵科 Hynobiidae		
棕网腹链蛇 <i>Hebius johannis</i> Δ	LC		安吉小鲵 <i>Hynobius amjiensis</i> Δ	CR	Blab(iii, v)+2ab(iii, v)
卡西腹链蛇 <i>Hebius khasiense</i>	DD		中国小鲵 <i>Hynobius chinensis</i> Δ	EN	B1ab(iii)+2ab(iii)
东亚腹链蛇 <i>Hebius vibakari</i>	VU	A1bc; B2ab(i, ii, iii)	挂榜山小鲵 <i>Hynobius guabangshanensis</i> Δ	CR	B1ab(iii, v)+2ab(iii, v)
缅甸腹链蛇 <i>Hebius venningi</i>	VU	A1bc+2bcd+3bc+4bc	东北小鲵 <i>Hynobius leechii</i>	VU	A1ae
台北腹链蛇 <i>Hebius miyajimae</i> Δ	EN	B1ab(iii, v)	猫儿山小鲵 <i>Hynobius maoershanensis</i> Δ	EN	B2ab(iii)
黑带腹链蛇 <i>Hebius bitaeniatum</i>	NT		义乌小鲵 <i>Hynobius yiwuensis</i> Δ	VU	B1ab(i, iii, iv)+2ab(i, iii, iv)
瓦屋山腹链蛇 <i>Hebius metusia</i> Δ	NT		阿里山小鲵 <i>Hynobius arisanensis</i> Δ	EN	B1ab(iii)+2ab(iii)
双带腹链蛇 <i>Hebius parallelum</i>	NT		台湾小鲵 <i>Hynobius formosanus</i> Δ	EN	B1ab(iii)+2ab(iii)
平头腹链蛇 <i>Herpetoreas platyceps</i>	VU	A1b; D2	观雾小鲵 <i>Hynobius fuca</i> Δ	EN	B1ab(iii)+2ab(iii)
颈棱蛇 <i>Macropisthodon rudis</i> Δ	LC		南湖小鲵 <i>Hynobius glacialis</i> Δ	EN	B1ab(iii) +2ab(iii)
台湾颈槽蛇 <i>Rhabdophis swinhonis</i> Δ	NT		楚南小鲵 <i>Hynobius sonani</i> Δ	EN	B1ab(iii)+2ab(iii)
海南颈槽蛇 <i>Rhabdophis adleri</i> Δ	NT		商城肥鲵 <i>Pachyhynobius shangchengensis</i> Δ	VU	B2ab(i, ii, iii, v)
黑纹颈槽蛇 <i>Rhabdophis nigrocinctus</i>	NT		普雄原鲵 <i>Protodynobius puxiongensis</i> Δ	CR	B1ab(iii, v)
红脖颈槽蛇 <i>Rhabdophis subminiatus</i>	LC		极北鲵 <i>Salamandrella keyserlingii</i>	LC	
虎斑颈槽蛇 <i>Rhabdophis tigrinus</i>	LC		黄斑拟小鲵 <i>Pseudohynobius flavomaculatus</i> Δ	VU	B2ab(iii, v)
颈槽蛇 <i>Rhabdophis nuchalis</i>	LC		贵州拟小鲵 <i>Pseudohynobius guizhouensis</i> Δ	DD	
九龙颈槽蛇 <i>Rhabdophis pentasupralabialis</i> Δ	LC		金佛拟小鲵 <i>Pseudohynobius jinpo</i> Δ	CR	B1ab(iii, v)
缅甸颈槽蛇 <i>Rhabdophis leonardi</i>	LC		水城拟小鲵 <i>Pseudohynobius shuichengensis</i> Δ	EN	B1ab(iii, v)
喜山颈槽蛇 <i>Rhabdophis himalayanus</i>	VU	A2ad+3d	宽阔水拟小鲵 <i>Pseudohynobius kuanku-oshuiensis</i> Δ	EN	B1ab(iii, v)
异色蛇 <i>Xenochrophis piscator</i>	LC		辽宁爪鲵 <i>Onychodactylus zhaoermii</i> Δ	CR	B2ab(iii, v)
黄斑异色蛇 <i>Xenochrophis flavipunctatus</i>	LC		吉林爪鲵 <i>Onychodactylus zhangyapingi</i> Δ	VU	B2ab(iii, v)
滇西蛇 <i>Atrretium yunnanensis</i>	LC		巫山巴鲵 <i>Liua shihi</i> Δ	NT	
刘氏后棱蛇 <i>Opisthotropis laui</i>	DD		秦巴巴鲵 <i>Liua tsinpaensis</i> Δ	EN	B1ab(iii, v)+2ab(iii, v)
横纹后棱蛇 <i>Opisthotropis balteata</i>	LC		新疆北鲵 <i>Ranodon sibiricus</i>	CR	A2
莽山后棱蛇 <i>Opisthotropis cheni</i> Δ	NT		弱唇褶山溪鲵 <i>Batrachuperus cochranee</i> Δ	DD	
广西后棱蛇 <i>Opisthotropis guangxiensis</i> Δ	NT		无斑山溪鲵 <i>Batrachuperus karlschmidtii</i> Δ	VU	A2ace
沙坝后棱蛇 <i>Opisthotropis jacobii</i> Δ	NT		龙洞山溪鲵 <i>Batrachuperus londongensis</i> Δ	VU	A2ac
挂墩后棱蛇 <i>Opisthotropis kuatunensis</i> Δ	LC		山溪鲵 <i>Batrachuperus pinchonii</i> Δ	VU	A2ac
侧条后棱蛇 <i>Opisthotropis lateralis</i>	LC		西藏山溪鲵 <i>Batrachuperus tibetanus</i> Δ	VU	A2ac
山溪后棱蛇 <i>Opisthotropis latouchii</i> Δ	LC		盐源山溪鲵 <i>Batrachuperus yenyuanensis</i> Δ	VU	A2ac; D2
香港后棱蛇 <i>Opisthotropis andersonii</i> Δ	NT		(3) 隐鳃鲵科 Cryptobranchidae		
黄斑后棱蛇 <i>Opisthotropis maculosa</i>	NT		大鲵 <i>Andrias davidianus</i> Δ	CR	A2bcd
福建后棱蛇 <i>Opisthotropis maxwellii</i> Δ	NT		(4) 蝾螈科 Salamandridae		
老挝后棱蛇 <i>Opisthotropis praemaxillaris</i>	NT		贵州疣螈 <i>Tylototriton (Qiantriton) kweichowensis</i> Δ	VU	B2ab(iii, v)
赤链华游蛇 <i>Sinonatrix annularis</i> Δ	VU	A1d+2bcd+3bcd+4cd	川南疣螈 <i>Tylototriton (Tylototriton) pseudoverrucosus</i> Δ	NT	
环纹华游蛇 <i>Sinonatrix aequifasciata</i>	VU	A1d+2bcd+3bcd+4cd	丽色疣螈 <i>Tylototriton (Tylototriton) pulcherrima</i>	NT	
乌华游蛇 <i>Sinonatrix percarinata</i>	VU	A1d+2bcd+3bcd+4cd	棕黑疣螈 <i>Tylototriton (Tylototriton) verrucosus</i>	NT	
云南华游蛇 <i>Sinonatrix yunnanensis</i>	VU	A1d+2bcd+3bcd+4cd	滇南疣螈 <i>Tylototriton (Tylototriton) yangi</i> Δ	NT	
水游蛇 <i>Natrix natrix</i>	VU	A2cd; B1ab(ii, iii)	红瘰疣螈 <i>Tylototriton (Tylototriton) shanjing</i>	NT	
棋斑水游蛇 <i>Natrix tessellata</i>	LC		宽脊瑶螈 <i>Yaotriton broadoridgus</i> Δ	NT	
四川温泉蛇 <i>Thermophis zhaoermii</i> Δ	CR	A2acde+3cd+4cd	细痣瑶螈 <i>Yaotriton asperrimus</i>	NT	
温泉蛇 <i>Thermophis baileyi</i> Δ	CR	A2acde+3cd+4cd	大别瑶螈 <i>Yaotriton dabienicus</i> Δ	EN	B1ab(iii, v)+2ab(iii, v)
两栖类 Amphibians			海南瑶螈 <i>Yaotriton hainanensis</i> Δ	EN	B1ab(iii, v)+2ab(iii, v)
1 蚓螈目 Gymnophiona			莽山瑶螈 <i>Yaotriton lizhenchangii</i> Δ	VU	B1ab(iii, v)
(1) 鱼螈科 Ichthyophiidae			浏阳瑶螈 <i>Yaotriton liuyangensis</i> Δ	DD	
版纳鱼螈 <i>Ichthyophis bannanicus</i>	NT		文县瑶螈 <i>Yaotriton wenxianensis</i> Δ	VU	A2ac

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
大凉螈 <i>Liangshantriton taliangensis</i> Δ	VU	B1ab(v)	无蹼齿蟾 <i>Oreolalax schmidtii</i> Δ	NT	
琉球棘螈 <i>Echinotriton andersoni</i>	RE		魏氏齿蟾 <i>Oreolalax weigoldi</i> Δ	DD	
镇海棘螈 <i>Echinotriton chinhaiensis</i> Δ	CR	B1ab(i, ii, iii, iv)+2ab(i, ii, iii, iv)	乡城齿蟾 <i>Oreolalax xiangchengensis</i> Δ	LC	
弓斑肥螈 <i>Pachytriton archospotus</i> Δ	LC		胸腺猫眼蟾 <i>Scutiger glandulatus</i> Δ	LC	
黑斑肥螈 <i>Pachytriton brevipes</i> Δ	LC		贡山猫眼蟾 <i>Scutiger gongshanensis</i> Δ	VU	B1ab(iii)
费氏肥螈 <i>Pachytriton feii</i> Δ	NT		九龙猫眼蟾 <i>Scutiger jiulongensis</i> Δ	VU	D2
张氏肥螈 <i>Pachytriton changi</i> Δ	DD		刺胸猫眼蟾 <i>Scutiger mammatus</i> Δ	LC	
秉志肥螈 <i>Pachytriton granulatus</i> Δ	DD		圆疣猫眼蟾 <i>Scutiger tuberculatus</i> Δ	VU	B1ab(iii)
瑶山肥螈 <i>Pachytriton inexpectatus</i> Δ	VU	A2bcd	木里猫眼蟾 <i>Scutiger muliensis</i> Δ	EN	B1ab(ii, iii)+2ab(ii, iii)
莫氏肥螈 <i>Pachytriton moi</i> Δ	DD		墨脱猫眼蟾 <i>Scutiger wuguanfui</i> Δ	DD	
尾斑瘰螈 <i>Paramesotriton caudopunctatus</i> Δ	VU	B1ab(iii)	西藏齿突蟾 <i>Scutiger boulengeri</i>	LC	
广西瘰螈 <i>Paramesotriton guangxiensis</i>	EN	A2bcd+1ab(iii)+2ab(iii)	金顶齿突蟾 <i>Scutiger chintingensis</i> Δ	EN	A2ac+3c; B2ab(iii, v)
富钟瘰螈 <i>Paramesotriton fuzhongensis</i> Δ	VU	B1ab(iii, v)	六盘齿突蟾 <i>Scutiger liupanensis</i> Δ	VU	B2ab(iii); D2
中国瘰螈 <i>Paramesotriton chinensis</i> Δ	NT		花齿突蟾 <i>Scutiger maculatus</i> Δ	CR	B2ab(v)
无斑瘰螈 <i>Paramesotriton labiatus</i> Δ	VU	B1ab(iii, v)	宁陕齿突蟾 <i>Scutiger ningshanensis</i> Δ	EN	B1ab(ii, iii)+2ab(ii, iii)
香港瘰螈 <i>Paramesotriton hongkongensis</i> Δ	NT		林芝齿突蟾 <i>Scutiger nyingchiensis</i>	NT	
龙里瘰螈 <i>Paramesotriton longliensis</i> Δ	EN	B1ab(iii)	锡金齿突蟾 <i>Scutiger sikimensis</i>	NT	
茂兰瘰螈 <i>Paramesotriton maolanensis</i> Δ	DD		平武齿突蟾 <i>Scutiger pingwuensis</i> Δ	EN	B1ab(ii, iii, v)+2ab(ii, iii, v)
织金瘰螈 <i>Paramesotriton zhijinensis</i> Δ	EN	B1ab(iii)	王朗齿突蟾 <i>Scutiger wanglangensis</i> Δ	VU	B2ab(iii)
云雾瘰螈 <i>Paramesotriton yunwuensis</i> Δ	EN	B1ab(iii, v); C1	沙巴拟髭蟾 <i>Leptobranchium chapaense</i>	NT	
呈贡蝾螈 <i>Cynops chenggongensis</i> Δ	CR	B1ab(iii, v)+2ab(iii, v)	海南拟髭蟾 <i>Leptobranchium hainanense</i> Δ	VU	B2ab(iii, v)
蓝尾蝾螈 <i>Cynops cyanurus</i> Δ	NT		广西拟髭蟾 <i>Leptobranchium guangxiense</i> Δ	EN	A2bcd; B1ab(iii)+2ab(iii)
福鼎蝾螈 <i>Cynops fudingensis</i> Δ	VU	B1ab(iii, v); D2	华深拟髭蟾 <i>Leptobranchium huashen</i> Δ	NT	
灰蓝蝾螈 <i>Cynops glaucus</i> Δ	DD		哀牢髭蟾 <i>Vibrissaphora ailaonica</i>	NT	
东方蝾螈 <i>Cynops orientalis</i> Δ	NT		峨眉髭蟾 <i>Vibrissaphora boringii</i> Δ	EN	A1a
潮汕蝾螈 <i>Cynops orphicus</i> Δ	VU	B1ab(iii, v)+2ab(iii, v)	雷山髭蟾 <i>Vibrissaphora leishanensis</i> Δ	VU	D2
滇螈 <i>Hypselotriton wolterstorffi</i> Δ	EX		崇安髭蟾 <i>Vibrissaphora liui</i> Δ	NT	
3 无尾目 Anura			原髭蟾 <i>Vibrissaphora promustache</i> Δ	EN	B1ab(iii, v)
(5) 铃蟾科 Bombinatoridae			高山掌突蟾 <i>Paramegophrys alpinus</i> Δ	EN	B2ab(iii)
东方铃蟾 <i>Bombina orientalis</i>	LC		福建掌突蟾 <i>Paramegophrys liui</i> Δ	LC	
强婚刺铃蟾 <i>Bombina fortinuptialis</i> Δ	VU	B2ab(iii)	峨山掌突蟾 <i>Paramegophrys oshanensis</i> Δ	LC	
利川铃蟾 <i>Bombina lichuanensis</i> Δ	VU	D2	鳖掌突蟾 <i>Paramegophrys pelodytoides</i>	VU	D2
大蹼铃蟾 <i>Bombina maxima</i> Δ	LC		三岛掌突蟾 <i>Paramegophrys sungi</i>	EN	B1ab(iii)+2ab(iii)
微蹼铃蟾 <i>Bombina microdeladigitata</i>	VU	B2ab(iii)	腹斑掌突蟾 <i>Paramegophrys ventripunctatus</i>	CR	B2ab(iii)
(6) 角蟾科 Megophryidae			宽头短腿蟾 <i>Brachytarsophrys carinensis</i>	NT	
川北齿蟾 <i>Oreolalax chuanbeiensis</i> Δ	EN	B1ab(iii); D2	川南短腿蟾 <i>Brachytarsophrys chuannanensis</i> Δ	NT	
棘疣齿蟾 <i>Oreolalax granulatus</i> Δ	VU	D2	费氏短腿蟾 <i>Brachytarsophrys feae</i>	NT	
凉北齿蟾 <i>Oreolalax liangbeiensis</i> Δ	CR	B1ab(i, ii, iii, v)+2ab(i, ii, iii, v); C2a(ii)	封开角蟾 <i>Megophrys acuta</i> Δ	DD	
景东齿蟾 <i>Oreolalax jingdongensis</i> Δ	VU	B1ab(iii)+2ab(iii)	抱龙角蟾 <i>Megophrys baolongensis</i> Δ	EN	B1ab(iii, v)
利川齿蟾 <i>Oreolalax lichuanensis</i> Δ	NT		宾川角蟾 <i>Megophrys binchuanensis</i> Δ	VU	B2ab(iii)
大齿蟾 <i>Oreolalax major</i> Δ	VU	B2ab(iii, v)	炳灵角蟾 <i>Megophrys binlingensis</i> Δ	DD	
点斑齿蟾 <i>Oreolalax multipunctatus</i> Δ	VU	B1ab(ii, iii)+2ab(ii, iii)	淡肩角蟾 <i>Megophrys boettgeri</i> Δ	LC	
南江齿蟾 <i>Oreolalax nanjiangensis</i> Δ	NT		短肢角蟾 <i>Megophrys brachykolos</i>	VU	B2ab(iii)
峨眉齿蟾 <i>Oreolalax omeimontis</i> Δ	VU	B1ab(ii, iii)+2ab(ii, iii)	尾突角蟾 <i>Megophrys caudoprocta</i> Δ	EN	B2ab(iii)
秉志齿蟾 <i>Oreolalax pingii</i> Δ	VU	B1ab(ii, iii)+2ab(ii, iii)	陈氏角蟾 <i>Megophrys cheni</i> Δ	DD	
宝兴齿蟾 <i>Oreolalax popei</i> Δ	VU	B1ab(iii)	大围角蟾 <i>Megophrys daweimontis</i> Δ	VU	B2ab(iii); D2
普雄齿蟾 <i>Oreolalax puxiongensis</i> Δ	EN	A1a+1ab(iii, v)	大花角蟾 <i>Megophrys gigantica</i> Δ	VU	B2ab(iii)
红点齿蟾 <i>Oreolalax rhodostigmatus</i> Δ	VU	B1b(iii, v)+2b(iii, v)	黄山角蟾 <i>Megophrys huangshanensis</i> Δ	VU	B2ab(iii, v)
疣刺齿蟾 <i>Oreolalax rugosus</i> Δ	NT		景东角蟾 <i>Megophrys jingdongensis</i> Δ	NT	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
井冈山角蟾 <i>Megophrys jinggangensis</i> Δ	DD		三港雨蛙 <i>Hyla sanchiangensis</i> Δ	LC	
腺角蟾 <i>Megophrys glandulosa</i>	LC		华南雨蛙 <i>Hyla simplex simplex</i>	LC	
大角蟾 <i>Megophrys major</i>	NT		秦岭雨蛙 <i>Hyla tsinlingensis</i> Δ	LC	
挂墩角蟾 <i>Megophrys kuatunensis</i>	LC		昭平雨蛙 <i>Hyla zhaopingensis</i> Δ	VU	B1ab(iii); D2
林氏角蟾 <i>Megophrys lini</i> Δ	DD		东北雨蛙 <i>Hyla ussuriensis</i>	LC	
莽山角蟾 <i>Megophrys mangshanensis</i> Δ	NT		(9) 蛙科 Ranidae		
墨脱角蟾 <i>Megophrys medogensis</i> Δ	EN	B1ab(iii)	阿尔泰林蛙 <i>Rana altaica</i>	LC	
小角蟾 <i>Megophrys minor</i>	LC		黑龙江林蛙 <i>Rana amurensis</i>	NT	
南江角蟾 <i>Megophrys nankiangensis</i> Δ	VU	B1ab(iii, v)	中亚林蛙 <i>Rana asiatica</i>	NT	
凸肛角蟾 <i>Megophrys pachyproctus</i>	DD		峰斑林蛙 <i>Rana chevronta</i> Δ	EN	B1ab(ii, iii)+2ab(ii, iii)
黑石顶角蟾 <i>Megophrys obesa</i> Δ	DD		昭觉林蛙 <i>Rana chaochiaoensis</i> Δ	LC	
峨眉角蟾 <i>Megophrys omeimontis</i> Δ	VU	B2ab(iii, v)	中国林蛙 <i>Rana chensinensis</i> Δ	LC	
粗皮角蟾 <i>Megophrys palpebralespinosa</i>	VU	B1ab(iii)	东北林蛙 <i>Rana dybowskii</i>	NT	
凹顶角蟾 <i>Megophrys parva</i>	VU	B1ab(iii)	桓仁林蛙 <i>Rana huanrenensis</i>	LC	
沙坪角蟾 <i>Megophrys shapingensis</i> Δ	LC		徂徕林蛙 <i>Rana culaiensis</i> Δ	DD	
水城角蟾 <i>Megophrys shuichengensis</i> Δ	VU	B1ab(iii, v); D2	寒露林蛙 <i>Rana hanluica</i> Δ	DD	
棘指角蟾 <i>Megophrys spinata</i> Δ	LC		借母溪林蛙 <i>Rana jiemuxiensis</i> Δ	NT	
桑植角蟾 <i>Megophrys sangzhiensis</i> Δ	EN	B1ab(iii)	长肢林蛙 <i>Rana longicrus</i> Δ	LC	
疣粒角蟾 <i>Megophrys tuberogranulatus</i> Δ	VU	B1ab(iii)	高原林蛙 <i>Rana kukunoris</i> Δ	LC	
瓦屋角蟾 <i>Megophrys wawuensis</i> Δ	DD		昆嵛林蛙 <i>Rana kunyuensis</i> Δ	VU	B1ab(iii, v)
无量山角蟾 <i>Megophrys wuliangshanensis</i>	VU	B1ab(iii)+2ab(iii)	峨眉林蛙 <i>Rana omeimontis</i> Δ	LC	
巫山角蟾 <i>Megophrys wushanensis</i> Δ	VU	B2ab(iii)	黔江林蛙 <i>Rana qianjiang</i> Δ	DD	
张氏角蟾 <i>Megophrys zhangii</i> Δ	VU	D2	镇海林蛙 <i>Rana zhenhaiensis</i> Δ	LC	
突肛拟角蟾 <i>Ophryopyrne pachyproctus</i>	VU	B2ab(iii)	猫儿山林蛙 <i>Rana maoershanensis</i> Δ	DD	
小口拟角蟾 <i>Ophryopyrne microstoma</i>	VU	B2ab(iii)	福建侧褶蛙 <i>Pelophylax fukienensis</i> Δ	NT	
(7) 蟾蜍科 Bufonidae			湖北侧褶蛙 <i>Pelophylax hubeiensis</i> Δ	LC	
中华蟾蜍 <i>Bufo gargarizans</i>	LC		金线侧褶蛙 <i>Pelophylax plancyi</i> Δ	LC	
盘谷蟾蜍 <i>Bufo bankorensis</i> Δ	LC		中亚侧褶蛙 <i>Pelophylax terentievi</i>	NT	
西藏蟾蜍 <i>Bufo tibetanus</i> Δ	LC		黑斑侧褶蛙 <i>Pelophylax nigromaculatus</i>	NT	
圆疣蟾蜍 <i>Bufo tuberculatus</i> Δ	NT		黑斜线侧褶蛙 <i>Pelophylax nigrolineatus</i> Δ	LC	
史氏蟾蜍 <i>Bufo stejnegeri</i>	VU	A2ace	胫腺蛙 <i>Liuhurana shuchinae</i> Δ	NT	
隆枕蟾蜍 <i>Duttaphrynus cyphosus</i> Δ	LC		滇蛙 <i>Dianrana pleuraden</i> Δ	LC	
黑眶蟾蜍 <i>Duttaphrynus melanostictus</i>	LC		东北粗皮蛙 <i>Rugosa emeljanovi</i>	VU	A2ac
喜山蟾蜍 <i>Duttaphrynus himalayanus</i>	LC		天台粗皮蛙 <i>Rugosa tientaiensis</i> Δ	NT	
乐东蟾蜍 <i>Qiongbufo ledongensis</i> Δ	EN	B2ab(iii, v)	小腺蛙 <i>Glandirana minima</i> Δ	CR	B2ab(i, ii, iii, iv, v)
花背蟾蜍 <i>Strauchbufo raddei</i>	LC		越南趾沟蛙 <i>Pseudorana johnsi</i>	LC	
塔里木蟾蜍 <i>Pseudepidalea pewzowi</i>	LC		威宁趾沟蛙 <i>Pseudorana weiningensis</i> Δ	NT	
帕米尔蟾蜍 <i>Pseudepidalea taxkorensis</i> Δ	DD		桑植趾沟蛙 <i>Pseudorana sangzhiensis</i> Δ	LC	
札达蟾蜍 <i>Pseudepidalea zamsiensis</i> Δ	DD		长趾纤蛙 <i>Hylarana macrodactyla</i>	NT	
鳞皮小蟾 <i>Parapelophryne scalpta</i> Δ	VU	B1ab(iii, v)+2ab(iii, v)	台北纤蛙 <i>Hylarana taipehensis</i>	NT	
哀牢溪蟾 <i>Torrentophryne ailaoanus</i> Δ	LC		弹琴蛙 <i>Nidirana adenopleura</i>	LC	
无棘溪蟾 <i>Torrentophryne aspinia</i> Δ	VU	D2	仙琴蛙 <i>Nidirana daunchina</i> Δ	LC	
缅甸溪蟾 <i>Torrentophryne burmanus</i>	DD		海南琴蛙 <i>Nidirana hainanensis</i> Δ	VU	D2
隐耳溪蟾 <i>Torrentophryne cryptotympanicus</i>	NT		林琴蛙 <i>Nidirana lini</i>	LC	
绿春溪蟾 <i>Torrentophryne luchunnicus</i> Δ	LC		竖琴蛙 <i>Nidirana psaltes</i>	VU	B1ab(iii, iv)
孟连溪蟾 <i>Torrentophryne mengliana</i> Δ	DD		沼蛙 <i>Boulengerana guentheri</i>	LC	
(8) 雨蛙科 Hylidae			版纳水蛙 <i>Sylvirana bannanica</i>	VU	B1ab(iii)
中国雨蛙 <i>Hyla chinensis</i>	LC		河口水蛙 <i>Sylvirana hekouensis</i>	VU	B1ab(iii)
华西雨蛙 <i>Hyla gongshanensis</i> Δ	LC		肘腺水蛙 <i>Sylvirana cubitalis</i>	NT	
无斑雨蛙 <i>Hyla immaculata</i> Δ	LC		阔褶水蛙 <i>Sylvirana latouchii</i> Δ	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
茅索水蛙 <i>Sylvirana maosonensis</i>	NT		绿点湍蛙 <i>Amolops viridimaculatus</i>	NT	
勐腊水蛙 <i>Sylvirana menglaensis</i> Δ	LC		山湍蛙 <i>Amolops monticola</i>	NT	
黑耳水蛙 <i>Sylvirana nigrotympanica</i> Δ	DD		星空湍蛙 <i>Amolops splendissimus</i>	DD	
细刺水蛙 <i>Sylvirana spinulosa</i> Δ	NT		小湍蛙 <i>Amolops torrentis</i> Δ	LC	
小竹叶蛙 <i>Bamburana exiliversabilis</i> Δ	NT		华南湍蛙 <i>Amolops ricketti</i>	LC	
竹叶蛙 <i>Bamburana versabilis</i> Δ	NT		武夷湍蛙 <i>Amolops wuyiensis</i> Δ	LC	
鸭嘴竹叶蛙 <i>Bamburana nasuta</i> Δ	VU	B1ab(iii)	(10) 叉舌蛙科 Dicroglossidae		
云南臭蛙 <i>Odorrana andersonii</i>	VU	A2cd	泽陆蛙 <i>Fejervarya multistriata</i>	LC	
安龙臭蛙 <i>Odorrana anlungensis</i> Δ	VU	D2	海陆蛙 <i>Fejervarya cancrivora</i>	EN	B2ab(iii, v)
沧源臭蛙 <i>Odorrana cangyuanensis</i> Δ	DD		虎纹蛙 <i>Hoplobatrachus chinensis</i>	EN	A2acd
无指盘臭蛙 <i>Odorrana grahami</i>	NT		版纳大头蛙 <i>Limnonectes bannaensis</i>	VU	A2ac
大绿臭蛙 <i>Odorrana graminea</i>	LC		脆皮大头蛙 <i>Limnonectes fragilis</i> Δ	EN	A2acd
海南臭蛙 <i>Odorrana hainanensis</i> Δ	VU	B1ab(iii)	福建大头蛙 <i>Limnonectes fujianensis</i> Δ	NT	
合江臭蛙 <i>Odorrana hejiangensis</i> Δ	VU	D2	布氏棘蛙 <i>Gynandropaa bourreti</i>	VU	A1+2ab(iii)
景东臭蛙 <i>Odorrana jingdongensis</i> Δ	VU	A2acd	无声囊棘蛙 <i>Gynandropaa liui</i> Δ	VU	B1ab(iii, v)
黄岗臭蛙 <i>Odorrana huanggangensis</i> Δ	LC		四川棘蛙 <i>Gynandropaa sichuanensis</i> Δ	VU	A2ac
筠连臭蛙 <i>Odorrana junlianensis</i> Δ	NT		双团棘胸蛙 <i>Gynandropaa yunnanensis</i>	EN	A2acd
光雾臭蛙 <i>Odorrana kuangwuensis</i> Δ	VU	D2	察隅棘蛙 <i>Maculopaa chayensis</i> Δ	VU	B1ab(iii)
龙胜臭蛙 <i>Odorrana lungshengensis</i> Δ	NT		错那棘蛙 <i>Maculopaa conaensis</i> Δ	VU	D2
大耳臭蛙 <i>Odorrana macrotympana</i> Δ	DD		花棘蛙 <i>Maculopaa maculosa</i> Δ	EN	B2ab(v)
绿臭蛙 <i>Odorrana margaretae</i>	LC		墨脱棘蛙 <i>Maculopaa medogensis</i> Δ	VU	D2
南江臭蛙 <i>Odorrana nanjiangensis</i> Δ	NT		布兰福棘蛙 <i>Paa blanfordii</i>	VU	D2
圆斑臭蛙 <i>Odorrana rotodora</i>	NT		波留宁棘蛙 <i>Paa polunini</i>	VU	D2
花臭蛙 <i>Odorrana schmackeri</i>	LC		棘臂蛙 <i>Paa liebighii</i>	VU	D2
天目臭蛙 <i>Odorrana tianmuis</i> Δ	LC		棘腹蛙 <i>Quasipaa boulengeri</i>	VU	A2acd
棕背臭蛙 <i>Odorrana swinhoana</i> Δ	LC		小棘蛙 <i>Quasipaa exilispinosa</i> Δ	VU	A2acd
台岛臭蛙 <i>Odorrana taiwaniana</i> Δ	LC		九龙棘蛙 <i>Quasipaa jiulongensis</i> Δ	VU	B2ab(v)
滇南臭蛙 <i>Odorrana tiannanensis</i> Δ	VU	B2ab(iii, v)	合江棘蛙 <i>Quasipaa robertingeri</i> Δ	VU	A2ad
凹耳臭蛙 <i>Odorrana tormota</i> Δ	VU	D2	棘侧蛙 <i>Quasipaa shini</i> Δ	VU	A2abcd
务川臭蛙 <i>Odorrana wuchuanensis</i> Δ	VU	B1ab(ii, iii)+2ab(ii, iii)	棘胸蛙 <i>Quasipaa spinosa</i>	VU	A2abcd
宜章臭蛙 <i>Odorrana yizhangensis</i> Δ	VU	D2	多疣棘蛙 <i>Quasipaa verrucospinosa</i>	VU	B1ab(iii, v)
墨脱臭蛙 <i>Odorrana zhaoi</i> Δ	DD		棘肛蛙 <i>Unculana unculanus</i> Δ	EN	A2ad
台湾拟湍蛙 <i>Pseudoamolops sauteri</i> Δ	VU	B1ab(iii)	叶氏肛刺蛙 <i>Yerana yei</i> Δ	VU	A2ad
多齿拟湍蛙 <i>Pseudoamolops multidenticulatus</i> Δ	LC		隆肛蛙 <i>Feirana quadranus</i> Δ	NT	
阿尼桥湍蛙 <i>Amolops aniqiaoensis</i> Δ	LC		太行隆肛蛙 <i>Feirana taihangnica</i> Δ	VU	A2acd
片马湍蛙 <i>Amolops bellulus</i> Δ	VU	D2	康县隆肛蛙 <i>Feirana kangxianensis</i> Δ	VU	D2
小耳湍蛙 <i>Amolops gerbillus</i>	VU	D2	高山倭蛙 <i>Nanorana parkeri</i>	LC	
沙巴湍蛙 <i>Amolops chapaensis</i>	VU	D2	倭蛙 <i>Nanorana pleskei</i> Δ	LC	
察隅湍蛙 <i>Amolops chayensis</i> Δ	DD		腹斑倭蛙 <i>Nanorana ventripunctata</i> Δ	LC	
崇安湍蛙 <i>Amolops chunganensis</i>	LC		(11) 浮蛙科 Occidozygidae		
戴云湍蛙 <i>Amolops daiyunensis</i> Δ	VU	B1ab(iii, v)	西藏舌突蛙 <i>Liurana xizangensis</i> Δ	DD	
越北湍蛙 <i>Amolops geminata</i>	DD		高山舌突蛙 <i>Liurana alpina</i> Δ	DD	
棘皮湍蛙 <i>Amolops granulosus</i> Δ	NT		网纹舌突蛙 <i>Liurana reticulata</i> Δ	DD	
海南湍蛙 <i>Amolops hainanensis</i> Δ	EN	A2ad	墨脱舌突蛙 <i>Liurana medogensis</i> Δ	DD	
香港湍蛙 <i>Amolops hongkongensis</i> Δ	EN	B1ab(iii)	刘氏泰诺蛙 <i>Taylorana liui</i> Δ	VU	B2ab(iii)
理县湍蛙 <i>Amolops lifanensis</i> Δ	LC		尖舌浮蛙 <i>Occidozyga lima</i>	VU	A2acd
棕点湍蛙 <i>Amolops loloensis</i> Δ	VU	A2ac	北蟾舌蛙 <i>Phrynoglossus borealis</i>	VU	D2
四川湍蛙 <i>Amolops mantzorum</i>	LC		圆蟾舌蛙 <i>Phrynoglossus martensii</i>	NT	
墨脱湍蛙 <i>Amolops medogensis</i> Δ	LC		(12) 树蛙科 Rhacophoridae		
西域湍蛙 <i>Amolops marmoratus</i>	DD		日本溪树蛙 <i>Buergeria japonica</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
海南溪树蛙 <i>Buergeria oxycephala</i>	NT		黑点树蛙 <i>Rhacophorus nigropunctatus</i> Δ	NT	
壮溪树蛙 <i>Buergeria robusta</i> Δ	LC		峨眉树蛙 <i>Rhacophorus omeimontis</i>	LC	
面天水树蛙 <i>Aquixalus idiootocus</i> Δ	LC		红蹼树蛙 <i>Rhacophorus rhodopus</i> Δ	LC	
吻水树蛙 <i>Aquixalus naso</i> Δ	DD		圆疣树蛙 <i>Rhacophorus tuberculatus</i>	DD	
锯腿水树蛙 <i>Aquixalus odontotarsus</i>	LC		疣足树蛙 <i>Rhacophorus verrucopus</i> Δ	DD	
白斑水树蛙 <i>Aquixalus albopunctatus</i>	EN	C1	台北树蛙 <i>Rhacophorus taipeianus</i> Δ	NT	
粗皮水树蛙 <i>Aquixalus asper</i>	DD		利川树蛙 <i>Rhacophorus wui</i> Δ	NT	
背崩水树蛙 <i>Aquixalus baibungensis</i> Δ	DD		瑶山树蛙 <i>Rhacophorus yaoshanensis</i> Δ	EN	C1
抚华费树蛙 <i>Feihyla fuhua</i>	NT		鹦哥岭树蛙 <i>Rhacophorus yinggelingensis</i> Δ	LC	
黑眼睑纤树蛙 <i>Gracixalus gracilipes</i>	NT		(13) 姬蛙科 Microhylidae		
金秀纤树蛙 <i>Gracixalus jinxiuensis</i>	VU	B1ab(iii, v)+2ab(iii, v)	云南小狭口蛙 <i>Calluella yunnanensis</i>	LC	
墨脱纤树蛙 <i>Gracixalus medogensis</i> Δ	DD		粗皮姬蛙 <i>Microhyla butleri</i>	LC	
弄岗纤树蛙 <i>Gracixalus nonggangensis</i> Δ	DD		大姬蛙 <i>Microhyla fowleri</i>	NT	
海南刘树蛙 <i>Liuixalus hainanus</i> Δ	DD		小弧斑姬蛙 <i>Microhyla heymonsi</i>	LC	
眼斑刘树蛙 <i>Liuixalus ocellatus</i>	NT		合征姬蛙 <i>Microhyla mixtura</i> Δ	LC	
肯氏刘树蛙 <i>Liuixalus kempii</i> Δ	DD		饰纹姬蛙 <i>Microhyla fissipes</i>	LC	
陇川刘树蛙 <i>Liuixalus longchuanensis</i>	NT		花姬蛙 <i>Microhyla pulchra</i>	LC	
勐腊刘树蛙 <i>Liuixalus menglaensis</i>	VU	D2	德力小姬蛙 <i>Micryletta inornata</i>	VU	D2
疣刘树蛙 <i>Liuixalus tuberculatus</i>	DD		史氏小姬蛙 <i>Micryletta steinegeri</i> Δ	LC	
罗默刘树蛙 <i>Liuixalus romeri</i> Δ	VU	B1ab(i, ii, iii, iv)+2ab(i, ii, iii, iv)	花狭口蛙 <i>Kaloula pulchra</i>	LC	
背条跳树蛙 <i>Chirixalus doriae</i>	LC		北方狭口蛙 <i>Kaloula borealis</i>	LC	
侧条跳树蛙 <i>Chirixalus vittatus</i>	LC		弄岗小狭口蛙 <i>Kaloula nonggangensis</i> Δ	DD	
琉球原指树蛙 <i>Kurixalus eiffingeri</i>	LC		四川狭口蛙 <i>Kaloula rugifera</i> Δ	LC	
横纹树蛙 <i>Huangixalus translineatus</i> Δ	VU	D2	多疣狭口蛙 <i>Kaloula verrucosa</i> Δ	LC	
红吸盘棱皮树蛙 <i>Theloderma rhododiscus</i>	VU	B2ab(iii); D2	花细狭口蛙 <i>Kalophrynus interlineatus</i>	NT	
棘棱皮树蛙 <i>Theloderma moloch</i> Δ	DD		孟连细狭口蛙 <i>Kalophrynus menglienicus</i>	NT	
广西棱皮树蛙 <i>Theloderma kwangsiensis</i> Δ	DD		内陆鱼类 Continental Fishes		
布氏泛树蛙 <i>Polypedates braueri</i>	LC		1 鲶形目 Myliobatiformes		
凹顶泛树蛙 <i>Polypedates impresus</i> Δ	DD		(1) 鲶科 Dasyatidae		
斑腿泛树蛙 <i>Polypedates megacephalus</i>	LC		赤鲶 <i>Dasyatis akajei</i>	NT	
无声囊泛树蛙 <i>Polypedates mutus</i>	LC		老挝鲶 <i>Dasyatis laosensis</i>	NT	
诸罗树蛙 <i>Rhacophorus arvalis</i> Δ	VU	A2d	2 七鳃鳗目 Petromyzontiformes		
橙腹树蛙 <i>Rhacophorus aurantiventris</i> Δ	VU	B1ab(iii)	(2) 七鳃鳗科 Petromyzontidae		
双斑树蛙 <i>Rhacophorus bipunctatus</i>	LC		北极七鳃鳗 <i>Lethenteron camschaaticum</i>	LC	
经甫树蛙 <i>Rhacophorus chenfui</i> Δ	LC		东北七鳃鳗 <i>Lethenteron morii</i> Δ	VU	A2abcd
大树蛙 <i>Rhacophorus dennysi</i> Δ	LC		雷氏七鳃鳗 <i>Lethenteron reissneri</i>	VU	A2abc
宝兴树蛙 <i>Rhacophorus dugritei</i>	VU	D2	3 鲟形目 Acipenseriformes		
绿背树蛙 <i>Rhacophorus dorsovireidis</i>	NT		(3) 鲟科 Acipenseridae		
棕褶树蛙 <i>Rhacophorus feae</i>	VU	C1	达氏鲟 <i>Acipenser dabryanus</i> Δ	CR	A2bcd; B2ab(i, ii, iii, iv, v)
贡山树蛙 <i>Rhacophorus gongshanensis</i>	NT		小体鲟 <i>Acipenser ruthenus</i>	CR	A2cde
巫溪树蛙 <i>Rhacophorus hongchibaensis</i>	EN	B1ab(iii)	施氏鲟 <i>Acipenser schrenckii</i>	CR	A2bcde
洪佛树蛙 <i>Rhacophorus hungfuensis</i> Δ	EN	D2	中华鲟 <i>Acipenser sinensis</i>	CR	A2bcd; B2ab(i, ii, iii, iv, v)
黑蹼树蛙 <i>Rhacophorus kio</i>	VU	B1ab(iii)	西伯利亚鲟 <i>Acipenser baerii</i>	EN	A2bcde
老山树蛙 <i>Rhacophorus laoshan</i> Δ	EN	D2	鳊 <i>Huso dauricus</i>	CR	A2bcde
白线树蛙 <i>Rhacophorus leucofasciatus</i> Δ	VU	B1ab(iii)	(4) 白鲟科 Polyodontidae		
白颌大树蛙 <i>Rhacophorus maximus</i>	NT		白鲟 <i>Psephurus gladius</i> Δ	CR	A2cd; D
侏树蛙 <i>Rhacophorus minimus</i> Δ	NT		4 鳗鲡目 Anguilliformes		
台湾树蛙 <i>Rhacophorus moltrechti</i>	LC		(5) 鳗鲡科 Anguillidae		
翡翠树蛙 <i>Rhacophorus prasinatus</i> Δ	NT		日本鳗鲡 <i>Anguilla japonica</i>	EN	A2bcd

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
花鳗鲡 <i>Anguilla marmorata</i>	EN	A2bcd	蒙古鳢 <i>Hemiculter varpachovskii</i>	DD	
双色鳗鲡 <i>Anguilla bicolor</i>	NT		南方拟鳢 <i>Pseudohemiculter dispar</i>	LC	
云纹鳗鲡 <i>Anguilla nebulosa</i>	NT		海南拟鳢 <i>Pseudohemiculter hainanensis</i>	LC	
5 鲱形目 Clupeiformes			贵州拟鳢 <i>Pseudohemiculter kweichowensis</i> Δ	DD	
(6) 鲱科 Clupeidae			翘嘴鲌 <i>Culter alburnus</i>	LC	
鲌鱼 <i>Macrura reevesi</i>	CR	A2bcd	拟尖头鲌 <i>Culter oxycephaloides</i> Δ	LC	
(7) 鲢科 Engraulidae			海南鲌 <i>Culter recurviceps</i> Δ	LC	
凤鲚 <i>Coilia mystus</i>	LC		高体近红鲌 <i>Ancherythroculter kurematsui</i> Δ	LC	
七丝鲚 <i>Coilia grayii</i>	LC		黑尾近红鲌 <i>Ancherythroculter nigrocauda</i> Δ	LC	
刀鲚 <i>Coilia nasus</i>	LC		林氏近红鲌 <i>Ancherythroculter lini</i> Δ	NT	
6 鲤形目 Cypriniformes			汪氏近红鲌 <i>Ancherythroculter wangi</i> Δ	NT	
(8) 鲤科 Cyprinidae			团头鲂 <i>Megalobrama amblycephala</i> Δ	LC	
大鳞白鱼 <i>Anabarilius macrolepis</i> Δ	EX		长体鲂 <i>Megalobrama elongata</i> Δ	DD	
星云白鱼 <i>Anabarilius andersoni</i> Δ	CR	A2bce; B1ab(iii, v)	鲂 <i>Megalobrama skolkovii</i>	LC	
杞麓白鱼 <i>Anabarilius qilunensis</i> Δ	CR	A2bce; B1ab(i, ii, iii, v)+2ab(i, ii, iii, v)	三角鲂 <i>Megalobrama terminalis</i>	LC	
邛海白鱼 <i>Anabarilius qionghaiensis</i> Δ	CR	A2bce; B1ab(iii, v)	厚颌鲂 <i>Megalobrama pellegrini</i> Δ	VU	A2bce
山白鱼 <i>Anabarilius transmontanus</i> Δ	CR	A2bce	青梢红鲂 <i>Chanodichthys dabryi</i>	LC	
阳宗白鱼 <i>Anabarilius yangzonensis</i> Δ	CR	A2bce; B1ab(iii, v)	红鳍鲂 <i>Chanodichthys erythropterus</i>	LC	
银白鱼 <i>Anabarilius alburnops</i> Δ	EN	A2bce; B1ab(iii, v)+2ab(iii, v)	蒙古红鲂 <i>Chanodichthys mongolicus</i>	LC	
西昌白鱼 <i>Anabarilius liui</i> Δ	EN	A2bce	尖头鲂 <i>Chanodichthys oxycephalus</i>	LC	
多鳞白鱼 <i>Anabarilius polylepis</i> Δ	EN	A2bce; B1ab(ii, iii, v)+2ab(ii, iii, v)	扁体原鲂 <i>Cultrichthys compressocarpus</i>	DD	
短臀白鱼 <i>Anabarilius brevianalis</i> Δ	VU	A2cde	海南似鲃 <i>Toxabramis houdemeri</i>	LC	
鯮浪白鱼 <i>Anabarilius grahami</i> Δ	VU	A1cde	似鲃 <i>Toxabramis swinhonis</i> Δ	LC	
嵩明白鱼 <i>Anabarilius songmingensis</i> Δ	NT		小似鲃 <i>Toxabramis hoffmanni</i> Δ	DD	
寻甸白鱼 <i>Anabarilius xundianensis</i> Δ	NT		似鲃 <i>Pseudobrama simoni</i> Δ	LC	
多衣河白鱼 <i>Anabarilius duoyiheensis</i> Δ	DD		云南鲃 <i>Xenocypris yunnanensis</i> Δ	CR	A2bce
路南金线白鱼 <i>Anabarilius goldenlineus</i> Δ	DD		湖北鲃 <i>Xenocypris hupeinensis</i> Δ	DD	
长尾白鱼 <i>Anabarilius longicaudatus</i> Δ	DD		方氏鲃 <i>Xenocypris fangi</i> Δ	VU	A2cd
斑白鱼 <i>Anabarilius maculatus</i> Δ	DD		黄尾鲃 <i>Xenocypris davidi</i> Δ	LC	
少耙白鱼 <i>Anabarilius paucirastellus</i> Δ	DD		大鳞鲃 <i>Xenocypris macrolepis</i>	LC	
大鳍鱼 <i>Macrochirichthys macrochirus</i>	NT		细鳞斜颌鲃 <i>Xenocypris microlepis</i>	LC	
罗碧鱼 <i>Paralaubuca barroni</i>	LC		梭似鲃 <i>Xenocyprionides carinatus</i> Δ	VU	A2bc
大眼华鲃 <i>Sinibrama macrops</i> Δ	LC		小似鲃 <i>Xenocyprionides parvulus</i> Δ	VU	A2bc
伍氏华鲃 <i>Sinibrama wui</i> Δ	LC		多鳍圆吻鲃 <i>Distoechodon multispinnis</i> Δ	LC	
长臀华鲃 <i>Sinibrama longianalis</i> Δ	DD		圆吻鲃 <i>Distoechodon tumirostris</i> Δ	LC	
海南华鲃 <i>Sinibrama melrosei</i>	DD		大眼圆吻鲃 <i>Distoechodon macrophthalmus</i> Δ	VU	A2bce; B1ab(i, ii, iii, v)+2ab(i, ii, iii, v)
须鲃 <i>Pogobrama barbatula</i> Δ	EN	A2ce; B1ab(iii)	扁身圆吻鲃 <i>Distoechodon compressus</i> Δ	NT	
鲃 <i>Parabramis pekinensis</i>	LC		常氏吻孔鲃 <i>Poropuntius chonglingchungi</i> Δ	CR	A2bce; B2ab(ii, iii)
寡鳞鲃 <i>Pseudolaubuca engraulis</i> Δ	LC		颌突吻孔鲃 <i>Poropuntius cogginii</i> Δ	CR	A2bce
鲃 <i>Pseudolaubuca sinensis</i>	LC		油吻孔鲃 <i>Poropuntius exiguus</i> Δ	CR	A2bce
锯齿海南鲃 <i>Hainania serrata</i> Δ	EN	A2cde	大鳞吻孔鲃 <i>Poropuntius ikedai</i> Δ	EN	A2bce
四川半鲃 <i>Hemiculterella sauvagei</i> Δ	LC		抚仙吻孔鲃 <i>Poropuntius fuxianhuensis</i> Δ	VU	A2bce
伍氏半鲃 <i>Hemiculterella wui</i> Δ	LC		后鳍吻孔鲃 <i>Poropuntius opisthopterus</i> Δ	VU	A2bce
大鳞半鲃 <i>Hemiculterella macrolepis</i>	DD		云南吻孔鲃 <i>Poropuntius huangchuchieni</i> Δ	NT	
贝氏鲃 <i>Hemiculter bleekeri</i>	LC		棱吻孔鲃 <i>Poropuntius carinatus</i>	LC	
鲃 <i>Hemiculter leucisculus</i>	LC		太平吻孔鲃 <i>Poropuntius margarianus</i>	LC	
兴凯鲃 <i>Hemiculter lucidus</i>	LC		河口吻孔鲃 <i>Poropuntius krempfi</i>	DD	
张氏鲃 <i>Hemiculter tchangii</i> Δ	LC		鲃形吻孔鲃 <i>Poropuntius rhomboides</i>	DD	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
滇池金线鲃 <i>Sinocyclocheilus grahami</i> Δ	CR	A2bcde; B1ab(i, iii, v) +2ab(i, iii, v)	巨须金线鲃 <i>Sinocyclocheilus hugeibarbus</i> Δ	DD	
阳宗金线鲃 <i>Sinocyclocheilus yangzongensis</i> Δ	CR	A2bcde	靖西金线鲃 <i>Sinocyclocheilus jinxiensis</i> Δ	DD	
无眼金线鲃 <i>Sinocyclocheilus anophthalmus</i> Δ	EN	A2cd	荔波金线鲃 <i>Sinocyclocheilus liboensis</i> Δ	DD	
透明金线鲃 <i>Sinocyclocheilus hyalinus</i> Δ	EN	A2cd	长鳍金线鲃 <i>Sinocyclocheilus longifinus</i> Δ	DD	
侧条金线鲃 <i>Sinocyclocheilus lateristriatus</i> Δ	EN	A2cd	罗平金线鲃 <i>Sinocyclocheilus luopingensis</i> Δ	DD	
抚仙金线鲃 <i>Sinocyclocheilus tingi</i> Δ	EN	A2bcde; B1ab(iii, v) +2ab(iii, v)	麻花金线鲃 <i>Sinocyclocheilus maculatus</i> Δ	DD	
鸭嘴金线鲃 <i>Sinocyclocheilus anatrostris</i> Δ	VU	D2	丘北金线鲃 <i>Sinocyclocheilus qiubeiensis</i> Δ	DD	
角金线鲃 <i>Sinocyclocheilus angularis</i> Δ	VU	D2	曲靖金线鲃 <i>Sinocyclocheilus qujingensis</i> Δ	DD	
鹰喙角金线鲃 <i>Sinocyclocheilus aquihornes</i> Δ	VU	D2	粗壮金线鲃 <i>Sinocyclocheilus robustus</i> Δ	DD	
双角金线鲃 <i>Sinocyclocheilus bicornutus</i> Δ	VU	D2	乌蒙山金线鲃 <i>Sinocyclocheilus wumengshanensis</i> Δ	DD	
宽角金线鲃 <i>Sinocyclocheilus broadihornes</i> Δ	VU	D2	伍氏金线鲃 <i>Sinocyclocheilus wui</i> Δ	DD	
驼背金线鲃 <i>Sinocyclocheilus cyphotergous</i> Δ	VU	D2	易门金线鲃 <i>Sinocyclocheilus yimenensis</i> Δ	DD	
叉背金线鲃 <i>Sinocyclocheilus furcodorsalis</i> Δ	VU	D2	安水金线鲃 <i>Sinocyclocheilus anshuiensis</i> Δ	DD	
凌云金线鲃 <i>Sinocyclocheilus lingyunensis</i> Δ	VU	D2	西畴金线鲃 <i>Sinocyclocheilus xichouensis</i> Δ	DD	
紫色金线鲃 <i>Sinocyclocheilus purpureus</i> Δ	VU	A2bc	逻楼金线鲃 <i>Sinocyclocheilus luolouensis</i> Δ	DD	
犀角金线鲃 <i>Sinocyclocheilus rhinoceros</i> Δ	VU	D2	多鳞倒刺鲃 <i>Spinibarbus polylepis</i> Δ	DD	
田林金线鲃 <i>Sinocyclocheilus tianlinensis</i> Δ	VU	D2	倒刺鲃 <i>Spinibarbus denticulatus</i>	LC	
瓦状金线鲃 <i>Sinocyclocheilus tileihornes</i> Δ	VU	D2	光倒刺鲃 <i>Spinibarbus hollandi</i>	LC	
驯乐金线鲃 <i>Sinocyclocheilus xunlensis</i> Δ	VU	D2	云南倒刺鲃 <i>Spinibarbus yunnanensis</i> Δ	EN	A2bcde; B1ab(ii, iii, v)
东兰金线鲃 <i>Sinocyclocheilus donglanensis</i> Δ	NT		中华倒刺鲃 <i>Spinibarbus sinensis</i> Δ	LC	
九圩金线鲃 <i>Sinocyclocheilus jiuxuensis</i> Δ	NT		异倒刺鲃 <i>Paraspinibarbus alloiopterus</i>	VU	A2bcd
麦田河金线鲃 <i>Sinocyclocheilus maitianheensis</i> Δ	NT		异斑小鲃 <i>Pethia ticto</i>	LC	
多斑金线鲃 <i>Sinocyclocheilus multipunctatus</i> Δ	NT		条纹小鲃 <i>Puntius semifasciolatus</i>	LC	
高肩金线鲃 <i>Sinocyclocheilus altishoulderus</i> Δ	LC		斑尾小鲃 <i>Puntius sophore</i>	LC	
狭孔金线鲃 <i>Sinocyclocheilus angustiporus</i>	LC		类小鲃 <i>Puntius orphoides</i>	DD	
桂林金线鲃 <i>Sinocyclocheilus guilinensis</i> Δ	LC		疏斑小鲃 <i>Puntius paucimaculatus</i> Δ	LC	
季氏金线鲃 <i>Sinocyclocheilus jii</i> Δ	LC		裸腹盲鲃 <i>Typhlobarbus nudiventris</i> Δ	CR	A2bc; B1ab(i, ii, iii, v) +2ab(i, ii, iii, v)
长须金线鲃 <i>Sinocyclocheilus longibarbus</i> Δ	LC		红鳍方口鲃 <i>Cosmochilus cardinalis</i> Δ	EN	A2bcde
大头金线鲃 <i>Sinocyclocheilus macrocephalus</i> Δ	LC		南腊方口鲃 <i>Cosmochilus nanlaensis</i> Δ	DD	
大鳞金线鲃 <i>Sinocyclocheilus macrolepis</i> Δ	LC		宽头林氏鲃 <i>Linichthys laticeps</i> Δ	VU	A2bc
大眼金线鲃 <i>Sinocyclocheilus macrophthalmus</i> Δ	LC		细尾长臀鲃 <i>Mystacoleucus lepturus</i>	NT	
陆良金线鲃 <i>Sinocyclocheilus macrosalus</i> Δ	LC		长臀鲃 <i>Mystacoleucus marginatus</i>	LC	
软鳍金线鲃 <i>Sinocyclocheilus malacopterus</i> Δ	LC		爪哇无名鲃 <i>Barbonymus gonionotus</i>	LC	
马山金线鲃 <i>Sinocyclocheilus mashanensis</i> Δ	LC		小盘齿鲃 <i>Discherodontus parvus</i>	LC	
小眼金线鲃 <i>Sinocyclocheilus microphthalmus</i> Δ	LC		大鳞裂峡鲃 <i>Hampala macrolepidota</i>	LC	
尖头金线鲃 <i>Sinocyclocheilus oxycephalus</i> Δ	LC		四川白甲鱼 <i>Onychostoma angustistomata</i> Δ	EN	A2bcde; B2ab(i, ii, iii)
尧兰金线鲃 <i>Sinocyclocheilus yaolanensis</i> Δ	LC		短身白甲鱼 <i>Onychostoma brevis</i> Δ	EN	B2ab(i, ii, iii)
宜山金线鲃 <i>Sinocyclocheilus yishanensis</i> Δ	LC		大渡白甲鱼 <i>Onychostoma daduense</i> Δ	EN	B2ab(i, ii, iii)
阿庐金线鲃 <i>Sinocyclocheilus aluensis</i> Δ	DD		小口白甲鱼 <i>Onychostoma lini</i> Δ	VU	A2bcd
短身金线鲃 <i>Sinocyclocheilus brevis</i> Δ	DD		多鳞白甲鱼 <i>Onychostoma macrolepis</i> Δ	VU	A2bcd
短须金线鲃 <i>Sinocyclocheilus brevibarbus</i> Δ	DD		稀有白甲鱼 <i>Onychostoma rarum</i> Δ	VU	A2bcd; B2ab(i, ii, iii, iv, v)
洞塘金线鲃 <i>Sinocyclocheilus dongtangensis</i> Δ	DD		高体白甲鱼 <i>Onychostoma alticorpus</i> Δ	NT	
曲背金线鲃 <i>Sinocyclocheilus flexuosdorsalis</i> Δ	DD		台湾白甲鱼 <i>Onychostoma barbatulum</i> Δ	NT	
圭山金线鲃 <i>Sinocyclocheilus guishanensis</i> Δ	DD		粗须白甲鱼 <i>Onychostoma barbatum</i> Δ	NT	
官渡金县鲃 <i>Sinocyclocheilus guanduensis</i> Δ	DD		盖氏白甲鱼 <i>Onychostoma gerlachi</i>	NT	
黄田金线鲃 <i>Sinocyclocheilus huangtianensis</i> Δ	DD		方氏白甲鱼 <i>Onychostoma fangi</i>	LC	
华宁金线鲃 <i>Sinocyclocheilus huaningensis</i> Δ	DD		细体白甲鱼 <i>Onychostoma fusiforme</i>	LC	
环江金线鲃 <i>Sinocyclocheilus huanjiangensis</i> Δ	DD		白甲鱼 <i>Onychostoma simum</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
细身白甲鱼 <i>Onychostoma elongatum</i>	DD		海南瓣结鱼 <i>Folifer hainanensis</i> Δ	EN	A2cde
细尾白甲鱼 <i>Onychostoma lepturum</i>	DD		云南瓣结鱼 <i>Folifer yunnanensis</i> Δ	EN	A2cde; B1a(iii, v)+ 2ab (iii, v)
闽南白甲鱼 <i>Onychostoma minnanensis</i> Δ	DD		瓣结鱼 <i>Folifer brevifilis</i>	LC	
卵形白甲鱼 <i>Onychostoma ovale</i>	DD		叶结鱼 <i>Parator zonatus</i>	VU	A2bcd; B2ab(i, ii, iii, iv, v)
多带白甲鱼 <i>Onychostoma virgulatum</i> Δ	DD		桂孟加拉鲮 <i>Bangana decora</i> Δ	CR	A2bcde
虹彩光唇鱼 <i>Acrossocheilus iridescent</i>	VU	A2bcd	盆唇孟加拉鲮 <i>Bangana discognathoides</i> Δ	CR	A2bcde
长鳍光唇鱼 <i>Acrossocheilus longipinnis</i> Δ	VU	A2bcd	朱氏孟加拉鲮 <i>Bangana zhui</i> Δ	CR	A2bcde
多耙光唇鱼 <i>Acrossocheilus clivsius</i>	NT		洞庭孟加拉鲮 <i>Bangana tungting</i> Δ	EN	A2bcde; B2ab(i, ii, iii, iv, v)
软鳍光唇鱼 <i>Acrossocheilus malacopterus</i> Δ	NT		伍氏孟加拉鲮 <i>Bangana wui</i> Δ	EN	A2bcde
河口光唇鱼 <i>Acrossocheilus xamensis</i>	NT		河口孟加拉鲮 <i>Bangana tonkinensis</i>	VU	A2cde
北江光唇鱼 <i>Acrossocheilus beijiangensis</i> Δ	LC		戴氏孟加拉鲮 <i>Bangana devdevi</i>	LC	
光唇鱼 <i>Acrossocheilus fasciatus</i> Δ	LC		墨脱孟加拉鲮 <i>Bangana dero</i>	LC	
半刺光唇鱼 <i>Acrossocheilus hemispinus</i> Δ	LC		云南孟加拉鲮 <i>Bangana yunnanensis</i> Δ	LC	
吉首光唇鱼 <i>Acrossocheilus jishouensis</i> Δ	LC		短吻孟加拉鲮 <i>Bangana brevirostris</i> Δ	DD	
克氏光唇鱼 <i>Acrossocheilus kreyenbergii</i> Δ	LC		滇孟加拉鲮 <i>Bangana lemasoni</i>	DD	
宽口光唇鱼 <i>Acrossocheilus monticola</i> Δ	LC		脂孟加拉鲮 <i>Bangana lippus</i>	DD	
台湾光唇鱼 <i>Acrossocheilus paradoxus</i> Δ	LC		华孟加拉鲮 <i>Bangana rendahli</i> Δ	DD	
侧条光唇鱼 <i>Acrossocheilus parallens</i> Δ	LC		黄颊孟加拉鲮 <i>Bangana xanthogenys</i>	DD	
带刺光唇鱼 <i>Acrossocheilus spinifer</i> Δ	LC		唇鲮 <i>Semilabeo notabilis</i>	EN	A2bcd; B2(i, ii, iii, iv, v)
温州光唇鱼 <i>Acrossocheilus wenchowensis</i> Δ	LC		暗色唇鲮 <i>Semilabeo obscurus</i>	VU	A3cde
武夷光唇鱼 <i>Acrossocheilus wuyiensis</i> Δ	LC		呼氏华鲮 <i>Sinilabeo hummeli</i> Δ	EN	A2bcd
云南光唇鱼 <i>Acrossocheilus yunnanensis</i> Δ	LC		异华鲮 <i>Parasinilabeo assimilis</i> Δ	VU	A2ce; B2ab(i, ii, iii, iv, v)
软鳍新光唇鱼 <i>Neolissochilus benasi</i>	VU	A2cd	侧带黔鲮 <i>Qianlabeo striatus</i> Δ	NT	
墨脱新光唇鱼 <i>Neolissochilus hexagonolepis</i>	NT		长须异华鲮 <i>Parasinilabeo longibarbus</i> Δ	DD	
保山新光唇鱼 <i>Neolissochilus baoshanensis</i> Δ	LC		长体异华鲮 <i>Parasinilabeo longicarpus</i> Δ	DD	
异口新光唇鱼 <i>Neolissochilus heterostomus</i> Δ	LC		长鳍异华鲮 <i>Parasinilabeo longiventralis</i> Δ	DD	
花鲈鲤 <i>Percocypris regani</i> Δ	VU	A2bcde	大鳍长臀鲮 <i>Longanulus macrochirous</i> Δ	LC	
后背鲈鲤 <i>Percocypris retordorslis</i> Δ	VU	A2bcd	小眼异华鲮 <i>Parasinilabeo maculatus</i> Δ	DD	
鲈鲤 <i>Percocypris pingi</i> Δ	EN	A2cd	黑斑异华鲮 <i>Parasinilabeo microps</i> Δ	DD	
张氏鲈鲤 <i>Percocypris tchangi</i>	DD		皮氏野鲮 <i>Labeo pierrei</i>	NT	
单纹拟鲮 <i>Luciocyprinus langsoni</i>	EN	A2cde	长须直口鲮 <i>Rectoris longibarbus</i> Δ	DD	
细纹拟鲮 <i>Luciocyprinus striolatus</i>	EN	A2cde	长溪直口鲮 <i>Rectoris longifinus</i> Δ	DD	
少鳞舟齿鱼 <i>Scaphiodonichthys acanthopterus</i>	LC		变形直口鲮 <i>Rectoris mutabilis</i>	LC	
长鳍舟齿鱼 <i>Scaphiodonichthys macracanthus</i>	DD		直口鲮 <i>Rectoris posehensis</i> Δ	DD	
黄尾短吻鱼 <i>Sikukia flavicaudata</i>	DD		多鳞盘口鲮 <i>Discocheilus multilepis</i> Δ	DD	
短吻鱼 <i>Sikukia gudgeri</i>	DD		伍氏盘口鲮 <i>Discocheilus wui</i> Δ	DD	
长须短吻鱼 <i>Sikukia longibarbata</i> Δ	DD		五洛河盘口鲮 <i>Discocheilus wuluheensis</i> Δ	DD	
短须圆唇鱼 <i>Cyclocheilichthys repasson</i>	LC		板么红水鱼 <i>Hongshuia banmo</i> Δ	DD	
圆唇鱼 <i>Cyclocheilichthys sinensis</i>	DD		小口红水鱼 <i>Hongshuia microstomatus</i> Δ	DD	
巴门扁唇鱼 <i>Cophecheilus bamen</i> Δ	DD		保利红水鱼 <i>Hongshuia paoli</i> Δ	DD	
半刺结鱼 <i>Tor hemispinus</i> Δ	CR	B1ab(i, ii, iii, v)	澜沧湄公鱼 <i>Mekongina lancangensis</i> Δ	DD	
盈江结鱼 <i>Tor yingjiangensis</i> Δ	LC		长须盘鲃 <i>Discogobio longibarbus</i> Δ	EN	A2ce; B2ab(ii, v)
大鳞结鱼 <i>Tor douronensis</i>	DD		长鳃盘鲃 <i>Discogobio macrophysallidos</i> Δ	NT	
侧带结鱼 <i>Tor laterivittatus</i>	DD		多鳞盘鲃 <i>Discogobio polylepis</i> Δ	NT	
多鳞结鱼 <i>Tor polylepis</i> Δ	DD		四须盘鲃 <i>Discogobio tetrabarbus</i> Δ	LC	
桥街结鱼 <i>Tor qiaojiensis</i>	DD		云南盘鲃 <i>Discogobio yunnanensis</i> Δ	LC	
中国结鱼 <i>Tor sinensis</i>	DD		前胸盘鲃 <i>Discogobio antethoracalis</i> Δ	DD	
野结鱼 <i>Tor tambra</i>	DD		双珠盘鲃 <i>Discogobio bismargaritus</i> Δ	DD	
似野结鱼 <i>Tor tambroides</i>	DD		短鳃盘鲃 <i>Discogobio brachyphysallidos</i> Δ	DD	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
长体盘鮃 <i>Discogobio elongatus</i> Δ	DD		舌唇鱼 <i>Lobocheilus melanotaenia</i>	LC	
宽头盘鮃 <i>Discogobio laticeps</i> Δ	DD		纹唇鱼 <i>Osteochilus salsburyi</i>	LC	
多线盘鮃 <i>Discogobio multilineatus</i> Δ	DD		大鳞黑线鲷 <i>Atrilinea macrolepis</i> Δ	CR	B1ab(iii)
后腹盘鮃 <i>Discogobio poneventralis</i> Δ	DD		黑线鲷 <i>Atrilinea roulei</i> Δ	VU	A2bc; B1ab(i, ii, iii)
近臀盘鮃 <i>Discogobio propeanalis</i> Δ	DD		大眼黑线鲷 <i>Atrilinea macrops</i> Δ	DD	
原鲮 <i>Protolabeo protolabeo</i> Δ	DD		鳞胸裂腹鱼 <i>Schizothorax lepidothorax</i> Δ	CR	A2bce
鲮 <i>Cirrhinus molitorella</i>	LC		长须裂腹鱼 <i>Schizothorax longibarbus</i> Δ	CR	A2bcd
长背鲮 <i>Labiobarbus lineatus</i>	DD		大理裂腹鱼 <i>Schizothorax taliensis</i> Δ	CR	A2bce; B1ab(i, ii, iii)
卷口鱼 <i>Ptychidio jordani</i> Δ	CR	A2cde	银色裂腹鱼 <i>Schizothorax argentatus</i>	EN	A2bcde
长须卷口鱼 <i>Ptychidio longibarbus</i> Δ	CR	A2bcd	塔里木河裂腹鱼 <i>Schizothorax biddulphi</i> Δ	EN	A2bcde
大眼卷口鱼 <i>Ptychidio macrops</i> Δ	LC		细鳞裂腹鱼 <i>Schizothorax chongi</i> Δ	EN	A2bcd
华缨鱼 <i>Sinocrossocheilus guizhouensis</i> Δ	CR	A2ce	重口裂腹鱼 <i>Schizothorax davidi</i> Δ	EN	A2bcd
宽唇华缨鱼 <i>Sinocrossocheilus labiatus</i> Δ	VU	A2bc	扁嘴裂腹鱼 <i>Schizothorax esocinus</i>	EN	A2bcd
大眼华缨鱼 <i>Sinocrossocheilus megalophthalmus</i> Δ	DD		宽口裂腹鱼 <i>Schizothorax eurystomus</i>	EN	A2bcd
宜良墨头鱼 <i>Garra yiliangensis</i> Δ	EN	A2bce	昆明裂腹鱼 <i>Schizothorax grahami</i> Δ	EN	A2cde
双角墨头鱼 <i>Garra bispinosa</i> Δ	NT		灰裂腹鱼 <i>Schizothorax griseus</i> Δ	EN	A2cde
沟额墨头鱼 <i>Garra gravelyi</i>	NT		澜沧裂腹鱼 <i>Schizothorax lantsangensis</i> Δ	EN	A2cd
斑尾墨头鱼 <i>Garra fasciacauda</i>	LC		小口裂腹鱼 <i>Schizothorax microstomus</i> Δ	EN	A2bcde; B2ab(i, ii, iii)
柬埔寨墨头鱼 <i>Garra cambodgiensis</i>	LC		宁蒗裂腹鱼 <i>Schizothorax ninglangensis</i> Δ	EN	A2bcde; B2ab(i, ii, iii)
西藏墨头鱼 <i>Garra kempfi</i>	LC		厚唇裂腹鱼 <i>Schizothorax labrosus</i> Δ	EN	A2bcde; B2ab(i, ii, iii)
小垫墨头鱼 <i>Garra micropulvinus</i> Δ	LC		小裂腹鱼 <i>Schizothorax parvus</i> Δ	EN	A2bce; B1ab(i, ii, iii)
奇额墨头鱼 <i>Garra mirofrontis</i> Δ	LC		云南裂腹鱼 <i>Schizothorax yunnanensis</i> Δ	EN	A2bcde
长须墨头鱼 <i>Garra nasuta</i>	LC		长丝裂腹鱼 <i>Schizothorax dolichonema</i> Δ	VU	A2bcd
东方墨头鱼 <i>Garra orientalis</i>	LC		细身裂腹鱼 <i>Schizothorax elongatus</i> Δ	VU	A2bcd
桥街墨头鱼 <i>Garra qiaojiensis</i> Δ	LC		四川裂腹鱼 <i>Schizothorax kozlovi</i> Δ	VU	A2cde
腾冲墨头鱼 <i>Garra tengchongensis</i> Δ	LC		巨须裂腹鱼 <i>Schizothorax macropogon</i> Δ	VU	A2cd
裂唇墨头鱼 <i>Garra findolabium</i> Δ	DD		软刺裂腹鱼 <i>Schizothorax malacanthus</i> Δ	VU	A2cd
海南墨头鱼 <i>Garra hainanensis</i> Δ	DD		怒江裂腹鱼 <i>Schizothorax nukiangensis</i> Δ	VU	A2cd
缺须墨头鱼 <i>Garra imberba</i>	DD		少鳞裂腹鱼 <i>Schizothorax oligolepis</i> Δ	VU	A2cd
怒江墨头鱼 <i>Garra nujiangensis</i> Δ	DD		齐口裂腹鱼 <i>Schizothorax prenanti</i> Δ	VU	A2bcde
萨尔温墨头鱼 <i>Garra salweenica</i>	DD		伊犁裂腹鱼 <i>Schizothorax pseudoaksaiensis</i>	VU	A2ce
圆鼻墨头鱼 <i>Garra rotundinasus</i> Δ	DD		中华裂腹鱼 <i>Schizothorax sinensis</i> Δ	VU	A2bcde
那坡中国墨头鱼 <i>Sinigarra napoense</i> Δ	DD		拉萨裂腹鱼 <i>Schizothorax waltoni</i> Δ	VU	A2bcde
柳城拟缨鱼 <i>Pseudocrossocheilus liuchengensis</i> Δ	DD		弓唇裂腹鱼 <i>Schizothorax curvilabiatus</i> Δ	LC	
长鳞拟缨鱼 <i>Pseudocrossocheilus longibullus</i> Δ	DD		独龙裂腹鱼 <i>Schizothorax dulongensis</i> Δ	LC	
瘤唇拟缨鱼 <i>Pseudocrossocheilus papillolabrus</i> Δ	DD		光唇裂腹鱼 <i>Schizothorax lissolabiatus</i> Δ	LC	
三齿拟缨鱼 <i>Pseudocrossocheilus tridentis</i> Δ	DD		南方裂腹鱼 <i>Schizothorax meridionalis</i> Δ	LC	
巴马拟缨鱼 <i>Pseudocrossocheilus bamaensis</i> Δ	LC		吸口裂腹鱼 <i>Schizothorax myzostomus</i> Δ	LC	
黑带华缨鱼 <i>Pseudocrossocheilus nigrovittatus</i> Δ	LC		异齿裂腹鱼 <i>Schizothorax oconnori</i> Δ	LC	
多耙缨鱼 <i>Crossocheilus burmanicus</i>	LC		短须裂腹鱼 <i>Schizothorax wangchiachii</i> Δ	LC	
彩花缨鱼 <i>Crossocheilus latius</i>	LC		北盘裂腹鱼 <i>Schizothorax beipanensis</i> Δ	DD	
网纹缨鱼 <i>Crossocheilus reticulatus</i>	LC		隐鳞裂腹鱼 <i>Schizothorax cryptolepis</i> Δ	DD	
泉水鱼 <i>Pseudogyrinocheilus prochilus</i> Δ	LC		贡山裂腹鱼 <i>Schizothorax gongshanensis</i> Δ	DD	
长沟泉水鱼 <i>Pseudogyrinocheilus longisulcus</i> Δ	DD		异唇裂腹鱼 <i>Schizothorax heterochilus</i> Δ	DD	
纹尾盆唇鱼 <i>Placocheilus caudofasciatus</i>	LC		异鰾裂腹鱼 <i>Schizothorax heterophysallidos</i> Δ	DD	
缺须盆唇鱼 <i>Placocheilus cryptonemus</i> Δ	LC		完唇裂腹鱼 <i>Schizothorax integrilabiatus</i> Δ	DD	
独龙江盆唇鱼 <i>Placocheilus dulongensis</i> Δ	DD		全唇裂腹鱼 <i>Schizothorax labiatus</i>	DD	
角鱼 <i>Akrokoliplax bicornis</i>	VU	A3cd	墨脱裂腹鱼 <i>Schizothorax molesworthi</i>	DD	
单吻鱼 <i>Henicorhynchus lineatus</i>	LC		裸腹裂腹鱼 <i>Schizothorax nudiventris</i> Δ	DD	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
横口裂腹鱼 <i>Schizothorax plagiosomus</i>	DD		斑尾低线鳊 <i>Barilius caudicellatus</i>	DD	
白体裂腹鱼 <i>Schizothorax leukus</i> Δ	DD		泰国低线鳊 <i>Barilius koratensis</i>	DD	
奇异裂腹鱼 <i>Schizothorax heteri</i> Δ	DD		丽色低线鳊 <i>Barilius pulchellus</i>	DD	
嘉陵裸裂尻鱼 <i>Schizopygopsis kialingensis</i> Δ	VU	A2cd	滇西低线鳊 <i>Barilius barila</i>	LC	
软刺裸裂尻鱼 <i>Schizopygopsis malacanthus</i> Δ	VU	A2bcd	小鲃 <i>Danio apopyris</i>	DD	
黄河裸裂尻鱼 <i>Schizopygopsis pylzovi</i> Δ	VU	A2bcde	金线鲃 <i>Devario chrysotaeniatus</i>	DD	
大渡裸裂尻鱼 <i>Schizopygopsis chengi</i> Δ	EN	A2bcd	红鲃 <i>Devario kakhienensis</i>	DD	
温泉裸裂尻鱼 <i>Schizopygopsis thermalis</i> Δ	NT		掸邦鲃 <i>Danio shanensis</i>	DD	
前腹裸裂尻鱼 <i>Schizopygopsis anteroventris</i> Δ	DD		珍珠鲃 <i>Danio albolineatus</i>	LC	
柴达木裸裂尻鱼 <i>Schizopygopsis kessleri</i> Δ	DD		波条鲃 <i>Devario aequipinnatus</i> Δ	NT	
高原裸裂尻鱼 <i>Schizopygopsis stoliczkai</i>	DD		缺须鲃 <i>Devario apogon</i> Δ	NT	
拉萨裸裂尻鱼 <i>Schizopygopsis younghusbandi</i> Δ	DD		半线鲃 <i>Devario interruptus</i> Δ	LC	
中甸叶须鱼 <i>Ptychobarbus chungtienensis</i> Δ	EN	A2bce; B1ab(i, ii, iii)	条纹裸鲃 <i>Gymnodanio strigatus</i> Δ	DD	
双须叶须鱼 <i>Ptychobarbus dipogon</i> Δ	EN	A2cd	高屏马口鱼 <i>Opsariichthys kaopingensis</i> Δ	NT	
裸腹叶须鱼 <i>Ptychobarbus kaznakovi</i> Δ	VU	A2cde	马口鱼 <i>Opsariichthys bidens</i>	LC	
锥吻叶须鱼 <i>Ptychobarbus conirostris</i>	DD		长鳍马口鱼 <i>Opsariichthys evolans</i> Δ	LC	
软刺裸鲤 <i>Gymnocypris dobula</i> Δ	VU	D2	粗首马口鱼 <i>Opsariichthys pachycephalus</i> Δ	DD	
花斑裸鲤 <i>Gymnocypris eckloni</i> Δ	VU	A2bcd	黑背波鱼 <i>Rasbora atridorsalis</i>	LC	
青海湖裸鲤 <i>Gymnocypris przewalskii</i> Δ	VU	A2cd	黄尾波鱼 <i>Rasbora dusionensis</i>	LC	
高原裸鲤 <i>Gymnocypris waddellii</i> Δ	VU	A2cd	南方波鱼 <i>Rasbora steineri</i> Δ	LC	
松潘裸鲤 <i>Gymnocypris potanini</i> Δ	EN	A2cd	北方波鱼 <i>Rasbora septentrionalis</i>	DD	
纳木错裸鲤 <i>Gymnocypris namensis</i> Δ	NT		小眼小波鱼 <i>Microrasbora microphthalmia</i> Δ	DD	
兰格湖裸鲤 <i>Gymnocypris chui</i> Δ	DD		瑶山鲤 <i>Yaoshanicus arcus</i> Δ	DD	
硬刺裸鲤 <i>Gymnocypris firmispinatus</i> Δ	DD		异鲴 <i>Cabdio morar</i>	LC	
尖裸鲤 <i>Oxygymnocypris stewartii</i>	EN	A2bcd	黄河雅罗鱼 <i>Leuciscus chuanchicus</i> Δ	CR	A2bcde
新疆裸重唇鱼 <i>Gymnoditychus dybowskii</i>	VU	A2cde	新疆雅罗鱼 <i>Leuciscus merzbacheri</i> Δ	VU	A2bcd; B1ab(i, ii, iii, v)
全裸裸重唇鱼 <i>Gymnoditychus integrigymnatus</i> Δ	VU	A2bce; B2ab(i, ii, iii)	贝加尔雅罗鱼 <i>Leuciscus baicalensis</i>	LC	
厚唇裸重唇鱼 <i>Gymnoditychus pachycheilus</i> Δ	VU	A2cde	圆腹雅罗鱼 <i>Leuciscus idus</i>	LC	
斑重唇鱼 <i>Ditychus maculatus</i>	VU	A2cde	瓦氏雅罗鱼 <i>Leuciscus waleckii</i>	LC	
骨唇黄河鱼 <i>Chuanchia labiosa</i> Δ	EN	A2cde	三块鱼 <i>Tribolodon brandtii</i>	VU	A2bcd
极边扁咽齿鱼 <i>Platypharodon extremus</i> Δ	EN	A2bcde	珠星三块鱼 <i>Tribolodon hakonensis</i>	VU	A2bcd
小头高原鱼 <i>Herzensteinia microcephalus</i> Δ	EN	A2bd; B1ab(i, ii, iii)	短尾鲢 <i>Phoxinus brachyurus</i>	DD	
扁吻鱼 <i>Aspiorhynchus laticeps</i> Δ	CR	A2bce; B2ab(i, ii, iii, iv, v)	阿勒泰鲢 <i>Phoxinus ujmonensis</i>	DD	
唐鱼 <i>Tanichthys albonubes</i> Δ	CR	A2bce	吐鲁番鲢 <i>Phoxinus grumi</i> Δ	NT	
稀有鮡鲫 <i>Gobiocypris rarus</i> Δ	EN	A2bc; B1ab(i, ii, iii)+ 2ab (i, ii, iii)	斑鳍鲢 <i>Phoxinus keumkang</i>	NT	
林氏细鲫 <i>Aphyocypris lini</i> Δ	CR	A2bcde	真鲢 <i>Phoxinus phoxinus</i>	LC	
台湾副细鲫 <i>Paraschizothorax moltrechti</i> Δ	EN	A2bce	花江鲢 <i>Rhynchocypris czezanowskii</i>	LC	
美丽线细鲫 <i>Aphyocypris pulchilineata</i> Δ	DD		拉氏鲢 <i>Rhynchocypris lagowskii</i>	LC	
台湾细鲫 <i>Aphyocypris kikuchii</i> Δ	VU	A2bce	尖头鲢 <i>Rhynchocypris oxycephalus</i>	LC	
溪细鲫 <i>Aphyocypris amnis</i> Δ	DD		湖鲢 <i>Rhynchocypris percnurus</i>	LC	
中华细鲫 <i>Aphyocypris chinensis</i>	LC		拟鲤 <i>Rutilus rutilus</i>	LC	
拟细鲫 <i>Nicholsicypris normalis</i>	DD		拟赤梢鱼 <i>Pseudaspius leptoccephalus</i>	LC	
屏东须鳊 <i>Candidia pingtungensis</i> Δ	DD		丁鲃 <i>Tinca tinca</i>	LC	
须鳊 <i>Candidia barbata</i> Δ	VU	A2bc	青鱼 <i>Mylopharyngodon piceus</i>	LC	
宽鳍鳊 <i>Zacco platypus</i>	LC		草鱼 <i>Ctenopharyngodon idella</i>	LC	
成都鳊 <i>Zacco chengtui</i> Δ	EN	A2bcde	赤眼鳟 <i>Squaliobarbus curriculus</i>	LC	
异鳊 <i>Parazacco spilurus</i>	LC		鳊 <i>Ochetobius elongatus</i>	CR	A2bcd
长嘴鳊 <i>Raiamas guttatus</i>	LC		鳊 <i>Luciobrama macrocephalus</i>	CR	A2bcd
海南异鳊 <i>Parazacco fasciatus</i>	DD		鳊 <i>Elopichthys bambusa</i>	LC	
纵纹鳊 <i>Nipponocypris temminckii</i>	DD		桂林鳊 <i>Gobiobotia guilingensis</i> Δ	DD	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
平鳍鳅 <i>Gobiobotia homalopteroidea</i> Δ	DD		唇鲮 <i>Hemibarbus labeo</i>	LC	
江西鳅 <i>Gobiobotia jiangxiensis</i> Δ	DD		长吻鲮 <i>Hemibarbus longirostris</i>	LC	
海南鳅 <i>Gobiobotia kollerii</i>	DD		大刺鲮 <i>Hemibarbus macracanthus</i> Δ	LC	
长须鳅 <i>Gobiobotia longibarba</i> Δ	DD		花鲮 <i>Hemibarbus maculatus</i>	LC	
南方鳅 <i>Gobiobotia meridionalis</i> Δ	DD		间鲮 <i>Hemibarbus medius</i> Δ	LC	
潘氏鳅 <i>Gobiobotia pappenheimi</i>	DD		钱江鲮 <i>Hemibarbus qianjiangensis</i> Δ	LC	
少耙鳅 <i>Gobiobotia paucirastella</i> Δ	DD		花棘鲮 <i>Hemibarbus umbrifer</i> Δ	LC	
董氏鳅 <i>Gobiobotia tungii</i> Δ	DD		短鳍鲮 <i>Hemibarbus brevipinnus</i> Δ	LC	
陈氏鳅 <i>Gobiobotia cheni</i> Δ	VU	A2bc	彭县似鲮 <i>Belligobio pengxianensis</i> Δ	EN	A2bcde; B1ab(i, ii, iii)
中间鳅 <i>Gobiobotia intermedia</i> Δ	VU	A2bc	似鲮 <i>Belligobio nummifer</i> Δ	LC	
短身鳅 <i>Gobiobotia abbreviata</i> Δ	LC		扁吻鲮 <i>Pungtungia herzi</i>	LC	
短吻鳅 <i>Gobiobotia brevirostris</i> Δ	LC		长麦穗鱼 <i>Pseudorasbora elongata</i> Δ	VU	A2bce
宜昌鳅 <i>Gobiobotia filifer</i> Δ	LC		断线麦穗鱼 <i>Pseudorasbora interrupta</i> Δ	LC	
元江鳅 <i>Gobiobotia yuanjiangensis</i>	LC		麦穗鱼 <i>Pseudorasbora parva</i>	LC	
异鰕鳅 <i>Xenophysogobio boulengeri</i> Δ	LC		川西鳅 <i>Sarcocheilichthys davidi</i> Δ	NT	
裸体异鰕鳅 <i>Xenophysogobio nudicorpa</i> Δ	LC		克氏鳅 <i>Sarcocheilichthys czerskii</i>	LC	
黑龙江鲮 <i>Rhodeus amurensis</i>	LC		海南鳅 <i>Sarcocheilichthys hainanensis</i>	LC	
方氏鲮 <i>Rhodeus fangi</i> Δ	LC		江西鳅 <i>Sarcocheilichthys kiangsiensis</i> Δ	LC	
高体鲮 <i>Rhodeus ocellatus</i>	LC		东北鳅 <i>Sarcocheilichthys lacustris</i>	LC	
丝鲮 <i>Rhodeus sericeus</i>	LC		黑鳍鳅 <i>Sarcocheilichthys nigripinnis</i> Δ	LC	
中华鲮 <i>Rhodeus sinensis</i> Δ	LC		小鳅 <i>Sarcocheilichthys parvus</i> Δ	LC	
刺鳍鲮 <i>Rhodeus spinalis</i>	LC		福建华鳅 <i>Sarcocheilichthys fukiensis</i> Δ	LC	
长身鲮 <i>Acheilognathus elongatus</i> Δ	CR	B1ab(ii, iii, v)	华鳅 <i>Sarcocheilichthys sinensis</i>	LC	
小鰕鲮 <i>Acheilognathus microphysa</i> Δ	EN	A2bce; B1ab(i, ii, iii, iv, v)+2ab(i, ii, iii, iv, v)	犬首鰕 <i>Gobio cynocephalus</i>	LC	
短尾鲮 <i>Acheilognathus brevicaudatus</i> Δ	VU	B1ab(ii, iii, v)+2ab(ii, iii, v)	凌源鰕 <i>Gobio lingyuanensis</i> Δ	LC	
短须鲮 <i>Acheilognathus barbatus</i>	LC		大头鰕 <i>Gobio macrocephalus</i>	LC	
须鲮 <i>Acheilognathus barbatus</i> Δ	LC		棒花鰕 <i>Gobio rivuloides</i> Δ	LC	
兴凯鲮 <i>Acanthorhodeus chankaensis</i>	LC		高体鰕 <i>Gobio soldatovi</i>	LC	
无须鲮 <i>Acheilognathus gracilis</i> Δ	LC		黄河鰕 <i>Gobio huanghensis</i> Δ	EN	A2bcde
寡鳞鲮 <i>Acheilognathus hypselonotus</i> Δ	LC		尖鳍鰕 <i>Gobio acutipinnatus</i> Δ	DD	
彩副鲮 <i>Acheilognathus imberbis</i> Δ	LC		似铜鰕 <i>Gobio coriparoides</i> Δ	DD	
大口鲮 <i>Acheilognathus macromandibularis</i> Δ	LC		抚顺鰕 <i>Gobio fushunensis</i> Δ	DD	
大鳍鲮 <i>Acheilognathus macropterus</i>	LC		南方鰕 <i>Gobio meridionalis</i> Δ	DD	
广西鲮 <i>Acheilognathus meridianus</i> Δ	LC		细体鰕 <i>Gobio tenuicarpus</i>	LC	
峨眉鲮 <i>Acheilognathus omeiensis</i> Δ	LC		辽宁棒花鱼 <i>Abbottina liaoningensis</i> Δ	LC	
多鳞鲮 <i>Acheilognathus polylepis</i> Δ	LC		钝吻棒花鱼 <i>Abbottina obtusirostris</i> Δ	LC	
巨口鲮 <i>Acheilognathus tabira</i>	LC		棒花鱼 <i>Abbottina rivularis</i>	LC	
斑条鲮 <i>Acheilognathus taenianalis</i> Δ	LC		高身小鰕 <i>Microphysogobio alticarpus</i> Δ	LC	
越南鲮 <i>Acheilognathus tonkinensis</i>	LC		突吻小鰕 <i>Microphysogobio amurensis</i>	DD	
黑龙江鲮 <i>Acheilognathus asmusii</i>	DD		短吻小鰕 <i>Microphysogobio brevirostris</i> Δ	DD	
白河鲮 <i>Acheilognathus peihoensis</i> Δ	DD		清徐小鰕 <i>Microphysogobio chinssuensis</i> Δ	DD	
长汀鲮 <i>Acheilognathus changtingensis</i> Δ	DD		长体小鰕 <i>Microphysogobio elongatus</i> Δ	DD	
条纹鲮 <i>Acheilognathus striatus</i> Δ	DD		福建小鰕 <i>Microphysogobio fukiensis</i> Δ	DD	
石台鲮 <i>Rhodeus shitaiensis</i> Δ	NT		兴隆山小鰕 <i>Microphysogobio hsinglungshanensis</i> Δ	DD	
革条田中鲮 <i>Tanakia himantegus</i> Δ	NT		嘉积小鰕 <i>Microphysogobio kachekensis</i>	DD	
矛形田中鲮 <i>Tanakia lanceolata</i>	LC		乐山小鰕 <i>Microphysogobio kiatingensis</i> Δ	DD	
大鳞鲢 <i>Hypophthalmichthys harmandi</i>	EN	A2cde	似鲢小鰕 <i>Microphysogobio labeoides</i>	DD	
鲢 <i>Hypophthalmichthys molitrix</i>	LC		凌河小鰕 <i>Microphysogobio linghensis</i> Δ	DD	
鳊 <i>Aristichthys nobilis</i>	LC		小口小鰕 <i>Microphysogobio microstomus</i> Δ	DD	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
裸腹小鰾 <i>Microphysogobio nudiventris</i> Δ	DD		桂林似鰾 <i>Pseudogobio guilinensis</i>	LC	
似长体小鰾 <i>Microphysogobio pseudoelongatus</i> Δ	DD		平口鰾 <i>Ladislavia taczanowskii</i>	LC	
建德小鰾 <i>Microphysogobio tafangensis</i> Δ	DD		图们江中鰾 <i>Mesogobio tumenensis</i> Δ	LC	
洞庭小鰾 <i>Microphysogobio tungtingensis</i> Δ	DD		鸭绿江中鰾 <i>Mesogobio lachneri</i> Δ	DD	
五龙小鰾 <i>Microphysogobio wulonghensis</i> Δ	DD		辽河突吻鰾 <i>Rostrogobio liaohensis</i> Δ	LC	
云南小鰾 <i>Microphysogobio yunnanensis</i>	DD		须鰾 <i>Carassioides acuminatus</i>	LC	
似刺鰾 <i>Paracanthobrama guichenoti</i> Δ	LC		鲫 <i>Carassius auratus</i>	LC	
片唇鰾 <i>Platysmacheilus exiguus</i>	LC		黑鲫 <i>Carassius carassius</i>	LC	
长须片唇鰾 <i>Platysmacheilus longibarbus</i> Δ	DD		银鲫 <i>Carassius gibelio</i>	LC	
镇江片唇鰾 <i>Platysmacheilus zhenjiangensis</i> Δ	DD		异龙鲤 <i>Cyprinus yilongensis</i> Δ	EX	
裸腹片唇鰾 <i>Platysmacheilus nudiventris</i> Δ	LC		洱海鲤 <i>Cyprinus barbatus</i> Δ	CR	A2bcde
似白鰾 <i>Paraleucogobio notacanthus</i> Δ	DD		大理鲤 <i>Cyprinus daliensis</i> Δ	CR	A2bcde
圆口铜鱼 <i>Coreius guichenoti</i> Δ	CR	A2bcd	抚仙鲤 <i>Cyprinus fuxianensis</i> Δ	CR	A2bcde
北方铜鱼 <i>Coreius septentrionalis</i> Δ	CR	A2bcd	翘嘴鲤 <i>Cyprinus ilishaestomus</i> Δ	CR	A2bcde; B1ab(i, ii, iii) +2ab(i, ii, iii)
铜鱼 <i>Coreius heterodon</i> Δ	LC		大眼鲤 <i>Cyprinus megalophthalmus</i> Δ	CR	A2bcde
蛇鰾 <i>Saurogobio dabryi</i>	LC		小鲤 <i>Cyprinus micristius</i> Δ	CR	A2bcde; B1ab(i, ii, iii, iv) +2ab(i, ii, iii, iv)
长蛇鰾 <i>Saurogobio dumerili</i> Δ	LC		大头鲤 <i>Cyprinus pellegrini</i> Δ	CR	A2bcde
细尾蛇鰾 <i>Saurogobio gracilicaudatus</i> Δ	LC		邛海鲤 <i>Cyprinus qionghaiensis</i> Δ	CR	A2bcde; B1ab(i, ii, iii) +2ab(i, ii, iii)
光唇蛇鰾 <i>Saurogobio gymnocheilus</i> Δ	LC		云南鲤 <i>Cyprinus yunnanensis</i> Δ	CR	A2bce; B1ab(i, ii, iii) +2ab(i, ii, iii)
无斑蛇鰾 <i>Saurogobio immaculatus</i>	LC		尖鳍鲤 <i>Cyprinus acutidorsalis</i> Δ	LC	
湘江蛇鰾 <i>Saurogobio xiangjiangensis</i> Δ	LC		鲤 <i>Cyprinus carpio</i>	LC	
巴氏银鰾 <i>Squalidus banarescui</i> Δ	CR	A2bce	三角鲤 <i>Cyprinus multitaeniata</i> Δ	LC	
台银鰾 <i>Squalidus iijimae</i> Δ	CR	A2bcde	青鲤 <i>Cyprinus rubrofusus</i>	LC	
小银鰾 <i>Squalidus minor</i> Δ	EN	A2bcde; B1ab(i, ii, iii)	杞麓鲤 <i>Cyprinus chilia</i> Δ	EN	A2bcde; B1ab(i, ii, iii) +2ab(i, ii, iii)
银鰾 <i>Squalidus argentatus</i>	LC		龙州鲤 <i>Cyprinus longzhouensis</i> Δ	EN	A2bce; B1ab(i, ii, iii) +2ab(i, ii, iii)
亮银鰾 <i>Squalidus nitens</i> Δ	LC		春鲤 <i>Cyprinus longipectoralis</i> Δ	VU	A2bcde; B1ab(i, ii, iii) +2ab(i, ii, iii)
点纹银鰾 <i>Squalidus wolterstorffi</i> Δ	LC		乌原鲤 <i>Procypris merus</i> Δ	EN	A2bcde
暗斑银鰾 <i>Squalidus atromaculatus</i>	DD		岩原鲤 <i>Procypris rabaudi</i> Δ	VU	A2bcde
兴凯鰾 <i>Squalidus chankaensis</i>	DD		镰鰾鲤 <i>Puntioplites falcifer</i>	LC	
中间银鰾 <i>Squalidus intermedius</i> Δ	DD		爪哇鰾鲤 <i>Puntioplites waandersi</i>	LC	
长鳍吻鰾 <i>Rhinogobio ventralis</i> Δ	EN	A2bcd	大鳞高须鱼 <i>Hypsibarbus vernayi</i>	LC	
大鼻吻鰾 <i>Rhinogobio nasutus</i> Δ	NT		高体高须鱼 <i>Hypsibarbus pierrei</i>	DD	
圆筒吻鰾 <i>Rhinogobio cylindricus</i> Δ	LC		台湾梅氏鰾 <i>Metzia formosae</i>	VU	A2cde
吻鰾 <i>Rhinogobio typus</i> Δ	LC		大鳞梅氏鰾 <i>Metzia mesembrinum</i> Δ	VU	A2bce; B1ab(iii, iv, v)
湖南吻鰾 <i>Rhinogobio hunanensis</i> Δ	DD		线纹梅氏鰾 <i>Metzia lineata</i>	LC	
刺鰾 <i>Acanthogobio guentheri</i> Δ	EN	A2bcde	长吻梅氏鰾 <i>Metzia longinasus</i> Δ	DD	
细纹颌须鰾 <i>Gnathopogon taeniellus</i> Δ	LC		(9) 条鳅科 Nemacheilidae		
多纹颌须鰾 <i>Gnathopogon polytaenia</i> Δ	LC		茶卡高原鳅 <i>Triplophysa cakaensis</i> Δ	EX	
嘉陵颌须鰾 <i>Gnathopogon herzensteini</i> Δ	DD		隆额高原鳅 <i>Triplophysa bombifrons</i> Δ	CR	A2cde; B1ab(i, ii, iii, v) +2ab(i, ii, iii, v)
短须颌须鰾 <i>Gnathopogon imberbis</i> Δ	DD		尖头高原鳅 <i>Triplophysa cuneicephala</i> Δ	CR	A2ce; B1ab(i, ii, iii, v) +2ab(i, ii, iii, v)
隐须颌须鰾 <i>Gnathopogon nicholsi</i> Δ	DD		个旧盲高原鳅 <i>Triplophysa gejiuensis</i> Δ	CR	A2bc; B1ab(i, ii, iii, v) +2ab(i, ii, iii, v)
条纹颌须鰾 <i>Gnathopogon strigatus</i>	DD		湖高原鳅 <i>Triplophysa lacustris</i> Δ	EN	A2bce
济南颌须鰾 <i>Gnathopogon tsinanensis</i> Δ	DD		黄河高原鳅 <i>Triplophysa pappenheimi</i> Δ	EN	A2cde; B1ab(i, ii, iii, v) +2ab(i, ii, iii, v)
胡鰾 <i>Huigobio chenhsienensis</i> Δ	LC		河西高原鳅 <i>Triplophysa hexiensis</i> Δ	VU	A2ce
细尾胡鰾 <i>Huigobio exilicauda</i> Δ	LC		忽吉图高原鳅 <i>Triplophysa hutjertjuensis</i> Δ	VU	A2ce
似鰾 <i>Pseudogobio vaillanti</i>	LC		剑川高原鳅 <i>Triplophysa jianchuanensis</i> Δ	VU	A2ce

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
凌云高原鳅 <i>Triplophysa lingyunensis</i> Δ	VU	A2bc; B2ab(i, ii, iii, v)	黄体高原鳅 <i>Triplophysa flavicarpus</i> Δ	DD	
玫瑰高原鳅 <i>Triplophysa rosa</i> Δ	VU	D2	暗色高原鳅 <i>Triplophysa furva</i> Δ	DD	
石林盲高原鳅 <i>Triplophysa shilinsensis</i> Δ	VU	D2	改则高原鳅 <i>Triplophysa gerzeensis</i> Δ	DD	
拟鲇高原鳅 <i>Triplophysa siluroides</i> Δ	VU	A2cde	灰高原鳅 <i>Triplophysa gracilis</i>	DD	
天峨高原鳅 <i>Triplophysa tianeensis</i> Δ	VU	D2	昆明高原鳅 <i>Triplophysa grahami</i> Δ	DD	
湘西盲高原鳅 <i>Triplophysa xiangxiensis</i> Δ	VU	D2	冈氏高原鳅 <i>Triplophysa grummorum</i> Δ	DD	
叶尔羌河高原鳅 <i>Triplophysa yarkandensis</i> Δ	VU	A2cde	希氏高原鳅 <i>Triplophysa hialmari</i> Δ	DD	
云南高原鳅 <i>Triplophysa yunnanensis</i> Δ	VU	A2ce	酒泉高原鳅 <i>Triplophysa hsutschouensis</i> Δ	DD	
隆头高原鳅 <i>Triplophysa alticeps</i> Δ	NT		环江高原鳅 <i>Triplophysa huanjiangensis</i> Δ	DD	
短须高原鳅 <i>Triplophysa brevibarba</i> Δ	NT		蛰楼高原鳅 <i>Triplophysa incipiens</i> Δ	DD	
邵阳高原鳅 <i>Triplophysa heyangensis</i> Δ	NT		佳荣盲高原鳅 <i>Triplophysa jiarongensis</i> Δ	DD	
陕西高原鳅 <i>Triplophysa shaanxiensis</i> Δ	NT		卡氏高原鳅 <i>Triplophysa kaznakowi</i> Δ	DD	
秀丽高原鳅 <i>Triplophysa venusta</i> Δ	NT		巩乃斯高原鳅 <i>Triplophysa kungessana</i>	DD	
西昌高原鳅 <i>Triplophysa xichangensis</i> Δ	NT		拉达克高原鳅 <i>Triplophysa ladacensis</i>	DD	
前鳍高原鳅 <i>Triplophysa anterodorsalis</i> Δ	LC		侧斑高原鳅 <i>Triplophysa laterimaculata</i> Δ	DD	
勃氏高原鳅 <i>Triplophysa bleekeri</i> Δ	LC		侧头高原鳅 <i>Triplophysa laticeps</i> Δ	DD	
岷县高原鳅 <i>Triplophysa brachyptera</i> Δ	LC		理县高原鳅 <i>Triplophysa lixianensis</i> Δ	DD	
达里湖高原鳅 <i>Triplophysa dalaica</i> Δ	LC		长须盲高原鳅 <i>Triplophysa longibarbata</i> Δ	DD	
抚仙高原鳅 <i>Triplophysa fuxianensis</i> Δ	LC		长鳍高原鳅 <i>Triplophysa longipectoralis</i> Δ	DD	
格氏高原鳅 <i>Triplophysa griffithii</i> Δ	LC		龙里高原鳅 <i>Triplophysa longliensis</i> Δ	DD	
花坪高原鳅 <i>Triplophysa huapingensis</i> Δ	LC		大头高原鳅 <i>Triplophysa macrocephala</i> Δ	DD	
中间高原鳅 <i>Triplophysa intermedia</i> Δ	LC		大斑高原鳅 <i>Triplophysa macromaculata</i> Δ	DD	
總唇高原鳅 <i>Triplophysa labiata</i>	LC		大眼高原鳅 <i>Triplophysa macrophthalma</i> Δ	DD	
梭形高原鳅 <i>Triplophysa leptosoma</i> Δ	LC		玛柯河高原鳅 <i>Triplophysa markehenensis</i> Δ	DD	
里湖高原鳅 <i>Triplophysa lihuensis</i> Δ	LC		小鲮高原鳅 <i>Triplophysa microphysa</i> Δ	DD	
长蛇高原鳅 <i>Triplophysa longianguis</i> Δ	LC		小眼高原鳅 <i>Triplophysa microps</i>	DD	
东方高原鳅 <i>Triplophysa orientalis</i> Δ	LC		小体高原鳅 <i>Triplophysa minuta</i> Δ	DD	
粗壮高原鳅 <i>Triplophysa robusta</i> Δ	LC		墨曲高原鳅 <i>Triplophysa moquensis</i> Δ	DD	
硬鳍高原鳅 <i>Triplophysa scleroptera</i> Δ	LC		南丹高原鳅 <i>Triplophysa nandanensis</i> Δ	DD	
赛丽高原鳅 <i>Triplophysa sellaefer</i> Δ	LC		南盘江高原鳅 <i>Triplophysa nanpanjiangensis</i> Δ	DD	
细尾高原鳅 <i>Triplophysa stenura</i>	LC		鼻高原鳅 <i>Triplophysa nasalis</i> Δ	DD	
异尾高原鳅 <i>Triplophysa stewarti</i>	LC		鼻须高原鳅 <i>Triplophysa nasobarbatula</i> Δ	DD	
斯氏高原鳅 <i>Triplophysa stoliczkai</i>	LC		宁蒗高原鳅 <i>Triplophysa ninglangensis</i> Δ	DD	
西藏高原鳅 <i>Triplophysa tibetana</i>	LC		怒江高原鳅 <i>Triplophysa nujiangensis</i> Δ	DD	
吐鲁番高原鳅 <i>Triplophysa turpanensis</i> Δ	LC		黑体高原鳅 <i>Triplophysa obscura</i> Δ	DD	
亚历山大高原鳅 <i>Triplophysa alexandrae</i> Δ	DD		钝吻高原鳅 <i>Triplophysa obtusirostra</i> Δ	DD	
阿里高原鳅 <i>Triplophysa aliensis</i>	DD		疣唇高原鳅 <i>Triplophysa papillosolabiata</i> Δ	DD	
阿庐高原鳅 <i>Triplophysa aluensis</i> Δ	DD		小高原鳅 <i>Triplophysa parvus</i> Δ	DD	
安氏高原鳅 <i>Triplophysa angeli</i> Δ	DD		多带高原鳅 <i>Triplophysa polyfasciata</i> Δ	DD	
水绿高原鳅 <i>Triplophysa aquaecaeruleae</i> Δ	DD		后鳍盲高原鳅 <i>Triplophysa posterodorsalis</i> Δ	DD	
巴山高原鳅 <i>Triplophysa bashanensis</i> Δ	DD		拟硬刺高原鳅 <i>Triplophysa pseudoscleroptera</i> Δ	DD	
短尾高原鳅 <i>Triplophysa breviceauda</i> Δ	DD		拟细尾高原鳅 <i>Triplophysa pseudostenura</i> Δ	DD	
厚尾高原鳅 <i>Triplophysa crassicauda</i>	DD		邱北盲高原鳅 <i>Triplophysa qiubeiensis</i> Δ	DD	
铲颌高原鳅 <i>Triplophysa chondrostoma</i> Δ	DD		红异高原鳅 <i>Triplophysa rossoperegrinatorum</i> Δ	DD	
粗唇高原鳅 <i>Triplophysa crassilabris</i> Δ	DD		圆腹高原鳅 <i>Triplophysa rotundiventris</i> Δ	DD	
大桥高原鳅 <i>Triplophysa daqiaoensis</i> Δ	DD		挖颌高原鳅 <i>Triplophysa scapanognatha</i> Δ	DD	
黑背高原鳅 <i>Triplophysa dorsalis</i>	DD		石羊河高原鳅 <i>Triplophysa shiyangensis</i> Δ	DD	
背斑高原鳅 <i>Triplophysa dorsonotata</i>	DD		新疆高原鳅 <i>Triplophysa strauchii</i>	DD	
贪食高原鳅 <i>Triplophysa edsinica</i> Δ	DD		唐古拉高原鳅 <i>Triplophysa tanggulaensis</i> Δ	DD	
尤金氏高原鳅 <i>Triplophysa eugeniae</i> Δ	DD		窄尾高原鳅 <i>Triplophysa tenuicauda</i>	DD	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
长身高原鳅 <i>Triplophysa tenuis</i>	DD		四川云南鳅 <i>Yunnanilus sichuanensis</i> Δ	DD	
歪思高原鳅 <i>Triplophysa waisihani</i> Δ	DD		横斑云南鳅 <i>Yunnanilus spanisbripes</i> Δ	DD	
武威高原鳅 <i>Triplophysa wuweiensis</i> Δ	DD		虎纹云南鳅 <i>Yunnanilus tigerivinus</i> Δ	DD	
响水箐高原鳅 <i>Triplophysa xiangshuingsensis</i> Δ	DD		北鳅 <i>Lefua costata</i>	DD	
西溪高原鳅 <i>Triplophysa xiqiensis</i> Δ	DD		北方须鳅 <i>Barbatula nuda</i>	LC	
姚氏高原鳅 <i>Triplophysa yaopeizhii</i> Δ	DD		小眼须鳅 <i>Barbatula microphthalma</i> Δ	LC	
柴达木高原鳅 <i>Triplophysa zaidamensis</i> Δ	DD		托氏须鳅 <i>Barbatula toni</i>	LC	
巨头高原鳅 <i>Triplophysa zamegacephala</i> Δ	DD		阿尔泰须鳅 <i>Barbatula altayensis</i> Δ	DD	
赵氏高原鳅 <i>Triplophysa zhaoi</i> Δ	DD		弓背须鳅 <i>Barbatula gibba</i> Δ	DD	
贞丰高原鳅 <i>Triplophysa zhenfengensis</i> Δ	DD		波塔宁须鳅 <i>Barbatula potaninorum</i> Δ	DD	
浪平高原鳅 <i>Triplophysa langpingensis</i> Δ	DD		鼓颊南鳅 <i>Schistura bucculenta</i>	LC	
凤山高原鳅 <i>Triplophysa fengshanensis</i> Δ	DD		叉尾南鳅 <i>Schistura caudofurca</i>	LC	
岷敢高原鳅 <i>Triplophysa dongganensis</i> Δ	DD		亨氏南鳅 <i>Schistura hingi</i> Δ	LC	
颊鳞异条鳅 <i>Paranemachilus genilepis</i> Δ	NT		湄海南鳅 <i>Schistura kengtungensis</i>	LC	
苹果异条鳅 <i>Paranemachilus pingguoensis</i> Δ	DD		云纹南鳅 <i>Schistura malaisei</i>	LC	
美丽小条鳅 <i>Traccaticthys pulcher</i>	LC		尼氏南鳅 <i>Schistura nicholsi</i>	LC	
越南小条鳅 <i>Traccaticthys taeniatius</i>	LC		密带南鳅 <i>Schistura poculi</i>	LC	
疣背小条鳅 <i>Traccaticthys tuberculum</i> Δ	DD		杨克曼南鳅 <i>Schistura sikmaiensis</i>	LC	
透明间条鳅 <i>Heminoemacheilus hyalinus</i> Δ	EN	A2bc	密纹南鳅 <i>Schistura vinciguerrae</i>	LC	
郑氏间条鳅 <i>Heminoemacheilus zheng-baoshani</i> Δ	NT		浅棕南鳅 <i>Schistura scaturigina</i>	LC	
褚氏云南鳅 <i>Yunnanilus chui</i> Δ	CR	A2bce; B1ab(i, ii, iii, v)	白鼻南鳅 <i>Schistura albirostris</i> Δ	DD	
异色云南鳅 <i>Yunnanilus discoloris</i> Δ	CR	A2bc; B1ab(i, ii, iii, v)+2ab(i, ii, iii, v)	版纳南鳅 <i>Schistura bannaensis</i> Δ	DD	
纺锤云南鳅 <i>Yunnanilus elakatis</i> Δ	EN	A2bce	短头南鳅 <i>Schistura breviceps</i>	DD	
黑斑云南鳅 <i>Yunnanilus nigromaculatus</i> Δ	EN	A2bce; B1ab(i, iii, v)+2ab(i, iii, v)	美斑南鳅 <i>Schistura callichromus</i>	DD	
阳宗海云南鳅 <i>Yunnanilus yangzonghaiensis</i> Δ	EN	A2bce	锥吻南鳅 <i>Schistura conirostris</i> Δ	DD	
长臀云南鳅 <i>Yunnanilus analis</i> Δ	VU	A2ce	隐斑南鳅 <i>Schistura cryptofasciata</i> Δ	DD	
侧纹云南鳅 <i>Yunnanilus pleurotaenia</i> Δ	VU	A2bce; B1ab(i, iii, v)	异斑南鳅 <i>Schistura disparizona</i> Δ	DD	
长鳃云南鳅 <i>Yunnanilus longibulla</i> Δ	NT		横纹南鳅 <i>Schistura fasciolata</i>	DD	
白莲云南鳅 <i>Yunnanilus bailianensis</i> Δ	DD		无斑南鳅 <i>Schistura incerta</i>	DD	
高体云南鳅 <i>Yunnanilus altus</i> Δ	DD		克氏南鳅 <i>Schistura kloetzliae</i>	DD	
巴江云南鳅 <i>Yunnanilus bjiangensis</i> Δ	DD		宽纹南鳅 <i>Schistura latifasciata</i> Δ	DD	
北盘江云南鳅 <i>Yunnanilus beipanjiangensis</i> Δ	DD		长南鳅 <i>Schistura longa</i> Δ	DD	
短身云南鳅 <i>Yunnanilus brevis</i> Δ	DD		大头南鳅 <i>Schistura macrocephalus</i>	DD	
草海云南鳅 <i>Yunnanilus caohaiensis</i> Δ	DD		大斑南鳅 <i>Schistura macrotaenia</i> Δ	DD	
干河云南鳅 <i>Yunnanilus ganheensis</i> Δ	DD		南定南鳅 <i>Schistura nandingensis</i> Δ	DD	
靖西云南鳅 <i>Yunnanilus jinxiensis</i> Δ	DD		棒状南鳅 <i>Schistura pertica</i>	DD	
长须云南鳅 <i>Yunnanilus longibarbatu</i> Δ	DD		宽带南鳅 <i>Schistura prolixifasciata</i> Δ	DD	
长背云南鳅 <i>Yunnanilus longidorsalis</i> Δ	DD		波托斯南鳅 <i>Schistura porthos</i>	DD	
膨腹云南鳅 <i>Yunnanilus macrogaster</i> Δ	DD		似横纹南鳅 <i>Schistura pseudofasciolata</i> Δ	DD	
大斑云南鳅 <i>Yunnanilus macroistainus</i> Δ	DD		稀有南鳅 <i>Schistura rara</i> Δ	DD	
南盘江云南鳅 <i>Yunnanilus nanpanjiangensis</i> Δ	DD		多鳞南鳅 <i>Schistura schultzi</i>	DD	
黑体云南鳅 <i>Yunnanilus niger</i> Δ	DD		六斑南鳅 <i>Schistura sexnubes</i> Δ	DD	
牛栏江云南鳅 <i>Yunnanilus niulanensis</i> Δ	DD		华坪南鳅 <i>Schistura huapingensis</i> Δ	DD	
钝吻云南鳅 <i>Yunnanilus obtusirostris</i> Δ	DD		多纹南鳅 <i>Schistura polytaenia</i> Δ	DD	
宽头云南鳅 <i>Yunnanilus pachycephalus</i> Δ	DD		双江南鳅 <i>Schistura shuangjiangensis</i> Δ	DD	
沼泽云南鳅 <i>Yunnanilus paludosus</i> Δ	DD		瓦氏南鳅 <i>Schistura waltoni</i>	DD	
小云南鳅 <i>Yunnanilus parvus</i> Δ	DD		盈江南鳅 <i>Schistura yingjiangensis</i> Δ	DD	
丽纹云南鳅 <i>Yunnanilus pulcherrimus</i> Δ	DD		墨脱阿波鳅 <i>Aborichthys kemp</i>	NT	
后鳍云南鳅 <i>Yunnanilus retrodorsalis</i> Δ	DD		长鳍原条鳅 <i>Protonemacheilus longipectoralis</i> Δ	NT	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
孟定新条鳅 <i>Neonoemacheilus mengdingensis</i> Δ	DD		多鳞爬岩鳅 <i>Beaufortia polylepis</i> Δ	DD	
拉奥游鳔条鳅 <i>Physoschistura raoi</i>	DD		条斑爬岩鳅 <i>Beaufortia zebroides</i> Δ	DD	
异颌棱唇条鳅 <i>Sectoria heterognathos</i>	DD		巴马副原吸鳅 <i>Paraprotomyzon bamaensis</i> Δ	VU	A2ce
沙条鳅 <i>Acanthocobitis botia</i>	LC		龙口副原吸鳅 <i>Paraprotomyzon lungkowensis</i> Δ	DD	
南方翘条鳅 <i>Pteronemacheilus meridionalis</i>	LC		副原吸鳅 <i>Paraprotomyzon multifasciatus</i> Δ	DD	
拟鳗荷马条鳅 <i>Homatula anguillioides</i> Δ	LC		牛栏江副原吸鳅 <i>Paraprotomyzon niulanjiangensis</i> Δ	DD	
长背荷马条鳅 <i>Homatula longidorsalis</i> Δ	LC		云南副原吸鳅 <i>Paraprotomyzon yunnanensis</i> Δ	DD	
南盘江荷马条鳅 <i>Homatula nanpanjiangensis</i> Δ	LC		宽头拟腹吸鳅 <i>Pseudogastromyzon laticeps</i> Δ	VU	A2ce
寡鳞荷马条鳅 <i>Homatula oligolepis</i> Δ	LC		长汀拟腹吸鳅 <i>Pseudogastromyzon changtingensis</i>	DD	
短体荷马条鳅 <i>Homatula potanini</i> Δ	LC		东陂拟腹吸鳅 <i>Pseudogastromyzon tungpeiensis</i>	DD	
红尾荷马条鳅 <i>Homatula variegata</i> Δ	LC		圆斑拟腹吸鳅 <i>Pseudogastromyzon cheni</i> Δ	DD	
异斑荷马条鳅 <i>Homatula disparizona</i> Δ	DD		越南拟腹吸鳅 <i>Pseudogastromyzon daon</i>	DD	
尖头荷马条鳅 <i>Homatula acuticephala</i> Δ	DD		方氏拟腹吸鳅 <i>Pseudogastromyzon fangi</i> Δ	DD	
贝氏荷马条鳅 <i>Homatula berezowskii</i> Δ	DD		拟腹吸鳅 <i>Pseudogastromyzon fasciatus</i> Δ	DD	
洱海荷马条鳅 <i>Homatula erhaiensis</i> Δ	DD		练江拟腹吸鳅 <i>Pseudogastromyzon lianjiangensis</i> Δ	DD	
宽纹荷马条鳅 <i>Homatula laxicltrahra</i> Δ	DD		梅花山拟腹吸鳅 <i>Pseudogastromyzon meihuashanensis</i> Δ	DD	
多鳞荷马条鳅 <i>Homatula pycnolepis</i> Δ	DD		花斑间吸鳅 <i>Pseudogastromyzon myersi</i> Δ	DD	
无量荷马条鳅 <i>Homatula wuliangensis</i> Δ	DD		密斑拟腹吸鳅 <i>Pseudogastromyzon peristicus</i> Δ	DD	
乌江荷马条鳅 <i>Homatula wujiangensis</i> Δ	DD		平舟原缨口鳅 <i>Vanmanenia pingchowensis</i> Δ	LC	
滇池球鳔鳅 <i>Sphaerophysa dianchiensis</i> Δ	CR	A2bce; B1ab(i, ii, iii, v) +2ab(i, ii, iii, v)	纵纹原缨口鳅 <i>Vanmanenia caldwelli</i> Δ	DD	
无眼岭鳅 <i>Oreonectes anophthalmus</i> Δ	EN	D2	裸腹原缨口鳅 <i>Vanmanenia gymnetrus</i> Δ	DD	
叉尾岭鳅 <i>Oreonectes furcocaudalis</i> Δ	VU	D2	海南原缨口鳅 <i>Vanmanenia hainanensis</i> Δ	DD	
透明岭鳅 <i>Oreonectes translucens</i> Δ	VU	D2	扁头原缨口鳅 <i>Vanmanenia homalocephala</i> Δ	DD	
关安岭鳅 <i>Oreonectes guanensis</i> Δ	LC		线纹原缨口鳅 <i>Vanmanenia lineata</i> Δ	DD	
罗城岭鳅 <i>Oreonectes luochengensis</i> Δ	LC		湄公河原缨口鳅 <i>Vanmanenia serrilineata</i>	DD	
大鳞岭鳅 <i>Oreonectes macrolepis</i> Δ	LC		原缨口鳅 <i>Vanmanenia stenosoma</i> Δ	DD	
平头岭鳅 <i>Oreonectes platycephalus</i>	LC		横斑原缨口鳅 <i>Vanmanenia striata</i>	DD	
多斑岭鳅 <i>Oreonectes polystigmus</i> Δ	LC		四叶原缨口鳅 <i>Vanmanenia tetraloba</i>	DD	
后鳍岭鳅 <i>Oreonectes retrodorsalis</i> Δ	LC		信宜原缨口鳅 <i>Vanmanenia xinyiensis</i> Δ	DD	
弓背岭鳅 <i>Oreonectes acridorsalis</i> Δ	DD		陈氏缨口鳅 <i>Formosania cheniyui</i> Δ	DD	
弱须岭鳅 <i>Oreonectes barbatus</i> Δ	DD		缨口鳅 <i>Formosania davidi</i> Δ	DD	
都安岭鳅 <i>Oreonectes duanensis</i> Δ	DD		花尾缨口鳅 <i>Formosania fascicauda</i> Δ	DD	
东兰岭鳅 <i>Oreonectes donglanensis</i> Δ	DD		横纹缨口鳅 <i>Formosania fasciolata</i> Δ	DD	
长身岭鳅 <i>Oreonectes elongatus</i> Δ	DD		亮斑缨口鳅 <i>Formosania galericula</i> Δ	DD	
小眼岭鳅 <i>Oreonectes microphthalmus</i> Δ	DD		台湾缨口鳅 <i>Formosania lacustre</i> Δ	DD	
戴氏山鳅 <i>Claea dabryi</i> Δ	NT		少鳞缨口鳅 <i>Formosania paucisquama</i> Δ	DD	
牛栏江山鳅 <i>Claea niulanjiangensis</i> Δ	DD		斑纹缨口鳅 <i>Formosania stigmata</i> Δ	DD	
(10) 腹吸鳅科 Gastromyzontidae			丁氏缨口鳅 <i>Formosania tinkhami</i> Δ	DD	
圆体爬岩鳅 <i>Beaufortia cyclica</i> Δ	DD		拟平鳅 <i>Liniparhomaloptera disparis</i>	DD	
侧沟爬岩鳅 <i>Beaufortia liui</i> Δ	NT		琼中拟平鳅 <i>Liniparhomaloptera qiongzhongensis</i> Δ	DD	
四川爬岩鳅 <i>Beaufortia szechuanensis</i> Δ	NT		钝吻拟平鳅 <i>Liniparhomaloptera obtusirostris</i> Δ	DD	
黄果树爬岩鳅 <i>Beaufortia huangguoshuensis</i> Δ	DD		保亭近原吸鳅 <i>Plesiomyzon baotingensis</i> Δ	VU	A2ce
中间爬岩鳅 <i>Beaufortia intermedia</i> Δ	DD		厚唇瑶山鳅 <i>Yaoshania pachychilus</i> Δ	VU	A2ce
贵州爬岩鳅 <i>Beaufortia kweichowensis</i> Δ	DD		中华原吸鳅 <i>Erromyzon sinensis</i> Δ	DD	
爬岩鳅 <i>Beaufortia leveretti</i>	DD		杨氏原吸鳅 <i>Erromyzon yangi</i> Δ	DD	
牛栏爬岩鳅 <i>Beaufortia niulanensis</i> Δ	DD		美斑原吸鳅 <i>Erromyzon kalotaenia</i> Δ	DD	
秉氏爬岩鳅 <i>Beaufortia pingi</i> Δ	DD		(11) 爬鳅科 Balitoridae		

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
台东间吸鳅 <i>Hemimyzon taitungensis</i> Δ	EN	B1ab(i, ii, iii)	东方薄鳅 <i>Leptobotia orientalis</i> Δ	NT	
窟滩间吸鳅 <i>Hemimyzon yaotianensis</i> Δ	EN	A2bce	桂林薄鳅 <i>Leptobotia guilinensis</i> Δ	LC	
台湾间吸鳅 <i>Hemimyzon formosanus</i> Δ	DD		白氏薄鳅 <i>Leptobotia pellegrini</i> Δ	LC	
大鳍间吸鳅 <i>Hemimyzon macroptera</i> Δ	DD		后鳍薄鳅 <i>Leptobotia posterodorsalis</i> Δ	DD	
大眼间吸鳅 <i>Hemimyzon megalopseos</i> Δ	DD		斑点薄鳅 <i>Leptobotia punctata</i> Δ	DD	
彭氏间吸鳅 <i>Hemimyzon pengi</i>	DD		张氏薄鳅 <i>Leptobotia tchangi</i> Δ	DD	
矮身间吸鳅 <i>Hemimyzon pumilicorpora</i> Δ	DD		扁尾薄鳅 <i>Leptobotia tientainensis</i> Δ	DD	
沈氏间吸鳅 <i>Hemimyzon sheni</i> Δ	DD		中华华沙鳅 <i>Sinibotia supercilialis</i> Δ	VU	A2cde
埔里华吸鳅 <i>Sinogastromyzon puliensis</i> Δ	VU	A2ce	长腹华沙鳅 <i>Sinibotia longiventralis</i>	DD	
南盘江华吸鳅 <i>Sinogastromyzon nanpanjiangensis</i> Δ	EN	A2bce	美丽华沙鳅 <i>Sinibotia pulchra</i> Δ	DD	
西昌华吸鳅 <i>Sinogastromyzon sichangensis</i> Δ	LC		宽体华沙鳅 <i>Sinibotia reevesae</i> Δ	DD	
四川华吸鳅 <i>Sinogastromyzon szechuanensis</i> Δ	LC		壮体华沙鳅 <i>Sinibotia robusta</i>	DD	
红河华吸鳅 <i>Sinogastromyzon chapaensis</i>	DD		斑纹华沙鳅 <i>Sinibotia zebra</i> Δ	DD	
德泽华吸鳅 <i>Sinogastromyzon dezeensis</i> Δ	DD		斑鳍连穗沙鳅 <i>Syncrossus beauforti</i>	NT	
下司华吸鳅 <i>Sinogastromyzon hsiashiensis</i> Δ	DD		缅甸连穗沙鳅 <i>Syncrossus berdmorei</i>	NT	
李仙江华吸鳅 <i>Sinogastromyzon lixianjiangensis</i> Δ	DD		南方连穗沙鳅 <i>Syncrossus lucasbahi</i>	NT	
大口华吸鳅 <i>Sinogastromyzon macrostoma</i> Δ	DD		武昌副沙鳅 <i>Parabotia banarensui</i> Δ	LC	
多斑华吸鳅 <i>Sinogastromyzon multiocellum</i>	DD		双斑副沙鳅 <i>Parabotia bimaculata</i> Δ	LC	
越南华吸鳅 <i>Sinogastromyzon tonkinensis</i>	DD		花斑副沙鳅 <i>Parabotia fasciata</i> Δ	LC	
伍氏华吸鳅 <i>Sinogastromyzon wui</i> Δ	DD		头点副沙鳅 <i>Parabotia maculosa</i> Δ	LC	
大渡河华吸鳅 <i>Sinogastromyzon daduheensis</i> Δ	DD		短吻副沙鳅 <i>Parabotia brevirostris</i> Δ	DD	
长体爬鳅 <i>Balitora elongata</i> Δ	VU	A2bce	短副沙鳅 <i>Parabotia curtus</i>	DD	
长须爬鳅 <i>Balitora longibarata</i> Δ	VU	A2bce	江西副沙鳅 <i>Parabotia kiangsiensis</i> Δ	DD	
爬鳅 <i>Balitora brucei</i>	NT		漓江副沙鳅 <i>Parabotia lijiangensis</i> Δ	DD	
怒江爬鳅 <i>Balitora nujiangensis</i> Δ	NT		松花江副沙鳅 <i>Parabotia mantschurica</i>	DD	
缅甸爬鳅 <i>Balitora burmanica</i>	LC		小副沙鳅 <i>Parabotia parva</i> Δ	DD	
广西爬鳅 <i>Balitora kwangsiensis</i>	LC		伊洛瓦底沙鳅 <i>Botia histrionica</i>	LC	
澜沧江爬鳅 <i>Balitora lancangjiangensis</i>	LC		突吻沙鳅 <i>Botia rostrata</i>	LC	
张氏爬鳅 <i>Balitora tchangi</i> Δ	LC		黑线安巴沙鳅 <i>Ambastaia nigrolineata</i>	DD	
禄峒爬鳅 <i>Balitora ludongensis</i> Δ	DD		(13) 花鳅科 Cobitidae		
南方爬鳅 <i>Balitora meridionalis</i>	DD		无眼原花鳅 <i>Protocobitis typhlops</i> Δ	EN	A2cd
南汀爬鳅 <i>Balitora nantingensis</i> Δ	DD		多鳞原花鳅 <i>Protocobitis polylepis</i> Δ	VU	D2
原爬鳅 <i>Balitoropsis vulgaris</i> Δ	DD		前腹原花鳅 <i>Protocobitis anteroventris</i> Δ	DD	
云南原爬鳅 <i>Balitoropsis yunnanensis</i>	DD		细头鳅 <i>Paralepidocephalus yui</i> Δ	EN	B1ab(i, ii, iii)
长鳍犁头鳅 <i>Lepturichthys dolichopterus</i> Δ	DD		圭山细头鳅 <i>Paralepidocephalus guishanensis</i> Δ	DD	
犁头鳅 <i>Lepturichthys fimbriata</i> Δ	DD		马头鳅 <i>Acantopsis choirorhynchus</i>	LC	
短身金沙鳅 <i>Jinshaia abbreviata</i> Δ	NT		朝鲜花鳅 <i>Cobitis choii</i>	LC	
中华金沙鳅 <i>Jinshaia sinensis</i> Δ	LC		长吻花鳅 <i>Cobitis dolichorhynchus</i> Δ	LC	
牛栏江金沙鳅 <i>Jinshaia niulanjiangensis</i> Δ	DD		莱氏花鳅 <i>Cobitis lebedevi</i>	LC	
汉水后平鳅 <i>Metahomaloptera hanshuiensis</i> Δ	DD		黑龙江花鳅 <i>Cobitis lutheri</i>	LC	
长尾后平鳅 <i>Metahomaloptera longicauda</i> Δ	DD		大斑花鳅 <i>Cobitis macrostigma</i> Δ	LC	
峨眉后平鳅 <i>Metahomaloptera omeiensis</i> Δ	DD		花斑花鳅 <i>Cobitis melanoleuca</i>	LC	
(12) 沙鳅科 Botidae			小头花鳅 <i>Cobitis microcephala</i> Δ	LC	
黄线薄鳅 <i>Leptobotia flavolineata</i> Δ	EN	A2bce	多斑花鳅 <i>Cobitis multimaculata</i> Δ	LC	
衡阳薄鳅 <i>Leptobotia hengyangensis</i> Δ	VU	A2bce	北方花鳅 <i>Cobitis sibirica</i>	LC	
小眼薄鳅 <i>Leptobotia microphthalmia</i> Δ	VU	A2bce	稀有花鳅 <i>Cobitis rara</i> Δ	LC	
红唇薄鳅 <i>Leptobotia rubrilabris</i> Δ	VU	A2bce	中华花鳅 <i>Cobitis sinensis</i>	LC	
紫薄鳅 <i>Leptobotia taeniops</i> Δ	VU	A2bce	花鳅 <i>Cobitis taenia</i>	LC	
长薄鳅 <i>Leptobotia elongata</i> Δ	VU	A2bce	浙江花鳅 <i>Cobitis zhejiangensis</i> Δ	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
沙花鳅 <i>Cobitis arenae</i> Δ	DD		峨眉拟鲮 <i>Pseudobagrus omeihensis</i> Δ	DD	
南方花鳅 <i>Cobitis australis</i> Δ	DD		盩厔拟鲮 <i>Pseudobagrus ondon</i> Δ	DD	
厚尾华鳅 <i>Cobitis crassicauda</i> Δ	DD		条纹拟鲮 <i>Pseudobagrus taeniatus</i> Δ	DD	
窄尾华鳅 <i>Cobitis stenocauda</i> Δ	DD		台湾拟鲮 <i>Pseudobagrus taiwanensis</i> Δ	DD	
横纹花鳅 <i>Cobitis fasciola</i> Δ	DD		细叉拟鲮 <i>Pseudobagrus tenuifurcatus</i> Δ	DD	
柏氏似鳞头鳅 <i>Lepidocephalichthys berdmorei</i>	LC		圆尾拟鲮 <i>Pseudobagrus tenuis</i> Δ	DD	
尾斑似鳞头鳅 <i>Lepidocephalichthys birmanicus</i>	LC		切尾拟鲮 <i>Pseudobagrus truncatus</i> Δ	DD	
赫氏似鳞头鳅 <i>Lepidocephalichthys hasselti</i>	LC		纵带拟鲮 <i>Pseudobagrus argentivittatus</i> Δ	DD	
泥鳅 <i>Misgurnus anguillicaudatus</i>	LC		中朝拟鲮 <i>Pseudobagrus brashnikowi</i>	DD	
北方泥鳅 <i>Misgurnus mohoity</i>	LC		纵纹拟鲮 <i>Pseudobagrus virgatus</i> Δ	DD	
大鳞副泥鳅 <i>Paramisgurnus dabryanus</i>	LC		斑鲮 <i>Hemibagrus guttatus</i>	LC	
拟长鳅 <i>Acanthopsoides gracilis</i>	LC		大鳍鲮 <i>Hemibagrus macropterus</i> Δ	LC	
斑后鳍花鳅 <i>Niwaella laterimaculata</i> Δ	DD		越鲮 <i>Hemibagrus pluriradiatus</i>	LC	
长须后鳍花鳅 <i>Niwaella longibarba</i> Δ	DD		丝尾鲮 <i>Hemibagrus wyckioides</i>	LC	
信江后鳍花鳅 <i>Niwaella xinjiangensis</i> Δ	DD		海南鲮 <i>Hemibagrus hainanensis</i> Δ	DD	
双须花鳅 <i>Bibarba bibarba</i> Δ	DD		(19) 长臀鲮科 Cranoglanididae		
(14) 亚口鱼科 Catostomidae			长臀鲮 <i>Cranoglanis boudierus</i> Δ	EN	A2cde
胭脂鱼 <i>Myxocyprinus asiaticus</i> Δ	CR	A2bcde	海南长臀鲮 <i>Cranoglanis multiradiatus</i> Δ	EN	A2cde
(15) 双孔鱼科 Gyrinocheilidae			红河长臀鲮 <i>Cranoglanis henrici</i>	DD	
双孔鱼 <i>Gyrinocheilus aymonieri</i>	LC		(20) 鲇科 Siluridae		
(16) 裸吻鱼科 Psilorhynchidae			昆明鲇 <i>Silurus mento</i> Δ	CR	A2bce; B1ab(ii, iii)
平鳍裸吻鱼 <i>Psilorhynchus homaloptera</i>	EN	A2bce	兰州鲇 <i>Silurus lanzhouensis</i> Δ	EN	A2cde
7 鲇形目 Siluriformes			小背鳍鲇 <i>Silurus microdorsalis</i>	VU	A3cde
(17) 囊鳃鲇科 Heteropneustidae			怀头鲇 <i>Silurus soldatovi</i>	VU	A2bcde; B2b(i, ii, iii, iv)
印度囊鳃鲇 <i>Heteropneustes fossilis</i>	LC		抚仙鲇 <i>Silurus grahami</i> Δ	NT	
(18) 鲮科 Bagridae			鲇 <i>Silurus asotus</i>	LC	
长须拟鲮 <i>Pseudobagrus longibarbus</i> Δ	CR	A2c; B1ab(i, ii, iii, v) +2ab(i, ii, iii, v)	大口鲇 <i>Silurus meridionalis</i> Δ	LC	
中臀拟鲮 <i>Pseudobagrus medianalis</i> Δ	CR	A2bcde; B1ab(i, ii, iii, v) +2ab(i, ii, iii, v)	都安鲇 <i>Silurus duanensis</i> Δ	DD	
细体拟鲮 <i>Pseudobagrus pratti</i> Δ	VU	A2bcde	湄公河半鲇 <i>Hemisilurus mekongensis</i>	LC	
长脂拟鲮 <i>Pseudobagrus adiposalis</i> Δ	NT		半鲇 <i>Hemisilurus heterorhynchus</i>	DD	
三线拟鲮 <i>Pseudobagrus trilineatus</i> Δ	NT		叉尾鲇 <i>Wallago attu</i>	NT	
长吻拟鲮 <i>Pseudobagrus longirostris</i>	LC		滨河亮背鲇 <i>Phalacrodon bleekeri</i>	LC	
叉尾拟鲮 <i>Pelteobagrus eupogon</i> Δ	LC		缺须亮背鲇 <i>Phalacrodon apogon</i>	LC	
中间拟鲮 <i>Pelteobagrus intermedius</i>	LC		糙隐鳍鲇 <i>Pterocryptis anomala</i> Δ	LC	
乌苏拟鲮 <i>Pelteobagrus ussuriensis</i>	LC		越南隐鳍鲇 <i>Pterocryptis cochinchinensis</i>	LC	
白边拟鲮 <i>Pseudobagrus albomarginatus</i> Δ	LC		吉氏隐鳍鲇 <i>Pterocryptis gilberti</i> Δ	DD	
粗唇拟鲮 <i>Pseudobagrus crassilabris</i> Δ	LC		湄南细丝鲇 <i>Micronema moorei</i>	DD	
瓦氏拟鲮 <i>Pseudobagrus vachellii</i>	LC		(21) 锡伯鲇科 Schilbidae		
黄颡鱼 <i>Pseudobagrus fulvidraco</i>	LC		长臀鲢鲇 <i>Clupisoma longianalis</i>	NT	
光泽拟鲮 <i>Pseudobagrus nitidus</i> Δ	LC		中华鲢鲇 <i>Clupisoma sinense</i>	LC	
长臀拟鲮 <i>Pseudobagrus analis</i> Δ	DD		云南鲢鲇 <i>Clupisoma yunnanensis</i> Δ	DD	
短须拟鲮 <i>Pseudobagrus brachyrhabdion</i> Δ	DD		(22) 鲢科 Pangasiidae		
短臀拟鲮 <i>Pseudobagrus brevianalis</i> Δ	DD		长丝鲢 <i>Pangasius sanitwongsei</i>	CR	A2cd
短尾拟鲮 <i>Pseudobagrus brevicaudatus</i> Δ	DD		克氏鲢 <i>Pangasius krempfi</i>	NT	
钝吻拟鲮 <i>Pseudobagrus crassirostris</i> Δ	DD		短须鲢 <i>Pangasius micronemus</i>	NT	
凹尾拟鲮 <i>Pseudobagrus emarginatus</i> Δ	DD		贾巴鲢 <i>Pangasius djambal</i>	DD	
傅氏拟鲮 <i>Pseudobagrus fui</i> Δ	DD		巨无齿鲢 <i>Pangasianodon gigas</i>	DD	
长体拟鲮 <i>Pseudobagrus gracilis</i> Δ	DD		(23) 钝头鲇科 Amblycipitidae		
越南拟鲮 <i>Pseudobagrus kyphus</i>	DD		司氏鲇 <i>Liobagrus styani</i> Δ	CR	A2bcde; B2ab(ii, iii, iv, v)

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
台湾缺 <i>Liobagrus formosanus</i> Δ	VU	A2ce	长鳍褶鲢 <i>Pseudecheneis longipectoralis</i> Δ	DD	
白缘缺 <i>Liobagrus marginatus</i> Δ	VU	A2bcde; B2ab (ii, iii, iv, v)	少斑褶鲢 <i>Pseudecheneis paucipunctata</i> Δ	DD	
等颌缺 <i>Liobagrus aequilabris</i> Δ	DD		中间褶鲢 <i>Pseudecheneis paviei</i>	DD	
鳃尾缺 <i>Liobagrus anguillicauda</i> Δ	DD		扁体褶鲢 <i>Pseudecheneis tchangi</i> Δ	DD	
金氏缺 <i>Liobagrus kingi</i> Δ	DD		黄斑褶鲢 <i>Pseudecheneis sulcata</i>	LC	
拟缘缺 <i>Liobagrus marginatoides</i> Δ	DD		短体拟鳢 <i>Pseudexostoma brachysoma</i> Δ	NT	
南投缺 <i>Liobagrus nantoensis</i> Δ	DD		长鳍拟鳢 <i>Pseudexostoma longipterus</i> Δ	NT	
黑尾缺 <i>Liobagrus nigricauda</i> Δ	DD		云南拟鳢 <i>Pseudexostoma yunnanense</i> Δ	NT	
程海缺 <i>Liobagrus chenghaiensis</i> Δ	DD		墨脱纹胸鲃 <i>Glyptothorax annandalei</i> Δ	LC	
修仁缺 <i>Xiurenbagrus xiurenensis</i> Δ	LC		缅甸纹胸鲃 <i>Glyptothorax burmanicus</i>	LC	
巨修仁缺 <i>Xiurenbagrus gigas</i> Δ	DD		穴形纹胸鲃 <i>Glyptothorax cavia</i>	LC	
后背修仁缺 <i>Xiurenbagrus dorsalis</i> Δ	DD		亮背纹胸鲃 <i>Glyptothorax dorsalis</i>	LC	
(24) 粒鲃科 Akysidae			福建纹胸鲃 <i>Glyptothorax fokiensis</i> Δ	LC	
短须粒鲃 <i>Akysis brachybarbatus</i> Δ	EN	A2bc; B2a(i, ii, iii)	棕色纹胸鲃 <i>Glyptothorax fuscus</i>	LC	
中华粒鲃 <i>Akysis sinensis</i> Δ	DD		丽纹胸鲃 <i>Glyptothorax lampris</i>	LC	
(25) 鲃科 Sisoridae			老挝纹胸鲃 <i>Glyptothorax laosensis</i>	LC	
黑斑原鲃 <i>Glyptosternon maculatum</i>	CR	A2cd; B2ab(i, ii, iii, iv)	长须纹胸鲃 <i>Glyptothorax longinema</i> Δ	LC	
青石爬鲃 <i>Euchiloglanis davidi</i> Δ	EN	A2cde; B2ab(i, ii, iii, iv)	长尾纹胸鲃 <i>Glyptothorax longicauda</i> Δ	LC	
黄石爬鲃 <i>Euchiloglanis kishinouyei</i> Δ	EN	A2cde; B2ab(i, ii, iii, iv)	龙江纹胸鲃 <i>Glyptothorax longjiangensis</i> Δ	LC	
长须石爬鲃 <i>Euchiloglanis longibarbus</i> Δ	DD		大斑纹胸鲃 <i>Glyptothorax macromaculatus</i>	LC	
长石爬鲃 <i>Euchiloglanis longus</i> Δ	DD		似亮背纹胸鲃 <i>Glyptothorax ngapang</i>	LC	
短体鲃 <i>Pareuchiloglanis abbreviatus</i> Δ	DD		中华纹胸鲃 <i>Glyptothorax sinensis</i> Δ	LC	
短鳍鲃 <i>Pareuchiloglanis feae</i>	DD		三线纹胸鲃 <i>Glyptothorax trilineatus</i>	LC	
长尾鲃 <i>Pareuchiloglanis longicauda</i> Δ	DD		锥吻纹胸鲃 <i>Glyptothorax conirostris</i>	DD	
大孔鲃 <i>Pareuchiloglanis macrotrema</i>	DD		细体纹胸鲃 <i>Glyptothorax gracilis</i>	DD	
长背鲃 <i>Pareuchiloglanis prolixidorsalis</i> Δ	DD		海南纹胸鲃 <i>Glyptothorax hainanensis</i>	DD	
壮体鲃 <i>Pareuchiloglanis robustus</i> Δ	DD		红河纹胸鲃 <i>Glyptothorax honghensis</i>	DD	
细尾鲃 <i>Pareuchiloglanis gracilicaudata</i> Δ	EN	A2cd; B2ab(i, ii, iii, iv)	矛形纹胸鲃 <i>Glyptothorax lanceatus</i> Δ	DD	
兰坪鲃 <i>Pareuchiloglanis myzostoma</i> Δ	EN	A2cd; B2ab(i, ii, iii, iv)	斜斑纹胸鲃 <i>Glyptothorax obliquimaculatus</i> Δ	DD	
中华鲃 <i>Pareuchiloglanis sinensis</i> Δ	EN	A2cd	暗色纹胸鲃 <i>Glyptothorax obscurus</i> Δ	DD	
前臀鲃 <i>Pareuchiloglanis anteanalis</i> Δ	NT		白线纹胸鲃 <i>Glyptothorax pallozonus</i> Δ	DD	
四川鲃 <i>Pareuchiloglanis sichuanensis</i> Δ	NT		四斑纹胸鲃 <i>Glyptothorax quadriocellatus</i>	DD	
天全鲃 <i>Pareuchiloglanis tianquanensis</i> Δ	NT		扎那纹胸鲃 <i>Glyptothorax zanaensis</i> Δ	DD	
越南鲃 <i>Pareuchiloglanis poilanei</i>	LC		珠江纹胸鲃 <i>Glyptothorax zhujiangensis</i> Δ	DD	
短鳍异鲃 <i>Creteuchiloglanis brachypterus</i>	NT		德钦纹胸鲃 <i>Glyptothorax deqinensis</i> Δ	EN	A2cde
贡山异鲃 <i>Creteuchiloglanis gongshanensis</i> Δ	NT		细斑纹胸鲃 <i>Glyptothorax minimaculatus</i> Δ	NT	
长胸异鲃 <i>Creteuchiloglanis longipectoralis</i> Δ	NT		无斑异齿鳢 <i>Oreoglanis immaculatus</i> Δ	NT	
大鳍异鲃 <i>Creteuchiloglanis macropterus</i> Δ	NT		鲃 <i>Bagarius bagarius</i>	VU	A2cd
扁头鲃 <i>Creteuchiloglanis kamengensis</i>	DD		巨鲃 <i>Bagarius yarrelli</i>	VU	A2cd
纯色纹胸鲃 <i>Glyptothorax interspinalis</i>	NT		红鲃 <i>Bagarius rutilus</i>	NT	
显斑异齿鳢 <i>Oreoglanis insignis</i>	NT		长丝黑鲃 <i>Gagata dolichnema</i> Δ	VU	A2cde
景东异齿鳢 <i>Oreoglanis jingdongensis</i>	NT		黑鲃 <i>Gagata cenia</i>	LC	
大鳍异齿鳢 <i>Oreoglanis macropterus</i>	NT		凿齿鲃 <i>Glaridoglanis andersonii</i> Δ	VU	A2cde
穗缘异齿鳢 <i>Oreoglanis setiger</i>	NT		藏鳢 <i>Exostoma labiatum</i>	LC	
细尾异齿鳢 <i>Oreoglanis delacouri</i>	DD		(26) 胡子鲇科 Clariidae		
细尾褶鲃 <i>Pseudecheneis stenura</i> Δ	NT		胡子鲇 <i>Clarias fuscus</i>	LC	
似黄斑褶鲃 <i>Pseudecheneis sulcatoides</i> Δ	NT		8 狗鱼目 Esociformes		
无斑褶鲃 <i>Pseudecheneis immaculata</i> Δ	VU	A2cd	(27) 狗鱼科 Esocidae		
粗尾褶鲃 <i>Pseudecheneis brachyurus</i> Δ	DD		白斑狗鱼 <i>Esox lucius</i>	LC	
纤体褶鲃 <i>Pseudecheneis gracilis</i> Δ	DD		黑斑狗鱼 <i>Esox reichertii</i>	LC	

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
9 胡瓜鱼目 Osmeriformes			青鳉 <i>Oryzias latipes</i>	LC	
(28) 胡瓜鱼科 Osmeridae			小青鳉 <i>Oryzias minutillus</i>	LC	
亚洲公鱼 <i>Hypomesus nipponensis</i>	LC		中华青鳉 <i>Oryzias sinensis</i>	LC	
池沼公鱼 <i>Hypomesus olidus</i>	LC		13 刺鱼目 Gasterosteiformes		
(29) 香鱼科 Plecoglossidae			(35) 刺鱼科 Gasterosteidae		
香鱼 <i>Plecoglossus altivelis altivelis</i>	EN	A2bcde	三刺鱼 <i>Gasterosteus aculeatus</i>	LC	
(30) 银鱼科 Salangidae			九棘多刺鱼 <i>Pungitius pungitius</i>	LC	
前颌间银鱼 <i>Hemisalanx prognathus</i>	EN	A2bcd	中华多刺鱼 <i>Pungitius sinensis</i>	LC	
短吻间银鱼 <i>Hemisalanx brachyrostralis</i> Δ	VU	A2bcd	14 合鳃鱼目 Syngnathiformes		
太湖新银鱼 <i>Neosalanx taihuensis</i> Δ	LC		(36) 合鳃鱼科 Syngnathidae		
安氏新银鱼 <i>Neosalanx anderssoni</i>	DD		鱥鱼 <i>Monopterus albus</i>	LC	
银色新银鱼 <i>Neosalanx argentea</i>	DD		山黄鱥 <i>Monopterus cuchia</i>	LC	
短吻新银鱼 <i>Neosalanx brevirostris</i>	DD		(37) 刺鲀科 Mastacembelidae		
乔氏新银鱼 <i>Neosalanx jordani</i>	DD		刺鲀 <i>Macrognathus aculeatus</i> Δ	LC	
寡齿新银鱼 <i>Neosalanx oligodontis</i> Δ	DD		大刺鲀 <i>Mastacembelus armatus</i>	LC	
近太湖新银鱼 <i>Neosalanx pseudotaihuensis</i> Δ	DD		腹纹刺鲀 <i>Mastacembelus strigiventus</i> Δ	DD	
陈氏新银鱼 <i>Neosalanx tangkahkeii</i> Δ	DD		三叶刺鲀 <i>Mastacembelus triolobus</i> Δ	DD	
大银鱼 <i>Protosalanx hyalocranius</i>	DD		云斑刺鲀 <i>Mastacembelus oatesii</i>	DD	
有明银鱼 <i>Salanx ariakensis</i>	DD		中华刺鲀 <i>Mastacembelus sinensis</i>	DD	
居氏银鱼 <i>Salanx cuvieri</i> Δ	DD		15 鲉形目 Scorpaeniformes		
白肌银鱼 <i>Leucosoma chinensis</i>	DD		(38) 杜父鱼科 Cottidae		
10 鲑形目 Salmoniformes			松江鲈 <i>Trachidermus fasciatus</i>	EN	A2cde
(31) 鲑科 Salmonidae			阿尔泰杜父鱼 <i>Cottus altaicos</i> Δ	VU	A2bcd; B2ab(i, ii, iii, v)
长颌北鲑 <i>Stenodus nelma</i>	RE		克氏杜父鱼 <i>Cottus czerskii</i>	LC	
川陕哲罗鲑 <i>Hucho bleekeri</i> Δ	CR	A2cde	图们江杜父鱼 <i>Cottus hangiongensis</i>	LC	
哲罗鲑 <i>Hucho taimen</i>	VU	A2bcd	杂色杜父鱼 <i>Cottus poecilopus</i>	LC	
石川哲罗鲑 <i>Hucho ishikawae</i>	DD		拇指杜父鱼 <i>Cottus pollux</i>	DD	
台湾樱花钩吻鲑 <i>Oncorhynchus formosanus</i> Δ	CR	A2c; B2ab(i, ii, iii, v)	中华床杜父鱼 <i>Myoxocephalus sinensis</i>	DD	
细鳞大麻哈鱼 <i>Oncorhynchus gorbuscha</i>	NT		中杜父鱼 <i>Mesocottus haitei</i>	DD	
大麻哈鱼 <i>Oncorhynchus keta</i>	LC		眶棘双边鱼 <i>Ambassis gymnocephalus</i>	LC	
马苏大麻哈鱼 <i>Oncorhynchus masou masou</i>	LC		16 鲈形目 Perciformes		
细鳞鲑 <i>Brachymystax lenok</i>	EN	A2bcd	(39) 真鲈科 Percichthyidae		
秦岭细鳞鲑 <i>Brachymystax tsinlingensis</i> Δ	EN	A2bcd; B1ab(iii, v) + 2ab(iii, v)	长身鳊 <i>Siniperca roulei</i> Δ	VU	A2bce
乌苏里白鲑 <i>Coregonus ussuriensis</i>	VU	A2bcde	暗鳊 <i>Siniperca obscura</i> Δ	NT	
小口白鲑 <i>Coregonus chadary</i>	NT		波纹鳊 <i>Siniperca undulata</i> Δ	NT	
北极茴鱼 <i>Thymallus arcticus</i>	VU	A2cde	鳊 <i>Siniperca chuatsi</i>	LC	
黑龙江茴鱼 <i>Thymallus grubii</i>	VU	A2cde	大眼鳊 <i>Siniperca kneri</i>	LC	
远东红点鲑 <i>Salvelinus leucomaenis</i>	LC		斑鳊 <i>Siniperca scherzeri</i>	LC	
玛红点鲑 <i>Salvelinus malma</i>	LC		柳州鳊 <i>Siniperca liuzhouensis</i> Δ	DD	
11 鳊形目 Gadiformes			高体鳊 <i>Siniperca robusta</i> Δ	DD	
(32) 鳊科 Lotidae			中国少鳞鳊 <i>Coreoperca whiteheadi</i>	NT	
江鳊 <i>Lota lota</i>	LC		刘氏少鳞鳊 <i>Coreoperca liui</i> Δ	DD	
宽突鳊 <i>Eleginus gracilis</i>	LC		(40) 鲈科 Percidae		
12 颌针鱼目 Beloniformes			伊犁鲈 <i>Perca schrenkii</i>	VU	A2cde; B2ab(i, ii, iii, v)
(33) 鲢科 Hemiramphidae			河鲈 <i>Perca fluviatilis</i>	LC	
间下鲢 <i>Hyporhamphus intermedius</i>	LC		(41) 变色鲈科 Badidae		
缘下鲢 <i>Hyporhamphus limbatus</i>	LC		大盈江黛鲈 <i>Dario dayingensis</i> Δ	DD	
沙氏下鲢 <i>Hyporhamphus sajori</i>	LC		(42) 溪鱧科 Rhyacichthyidae		
(34) 鲮科 Adrianichthyidae			溪鱧 <i>Rhyacichthys aspro</i>	DD	
弓背青鳉 <i>Oryzias curvinotus</i>	LC		(43) 沙塘鳢科 Odontobutidae		

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
海南新沙塘鳢 <i>Neodontobutis hainanensis</i> Δ	VU	A2bce	刘氏吻虾虎鱼 <i>Rhinogobius liui</i> Δ	DD	
海丰沙塘鳢 <i>Odontobutis haifengensis</i> Δ	VU	A2bce; B2ab(ii, iii)	陵水吻虾虎鱼 <i>Rhinogobius linshuiensis</i> Δ	DD	
鸭绿沙塘鳢 <i>Odontobutis yaluensis</i> Δ	VU	A2cde; B2ab(i, ii, iii)	斑带吻虾虎鱼 <i>Rhinogobius maculafasciatus</i> Δ	DD	
河川沙塘鳢 <i>Odontobutis potamophila</i> Δ	LC		密点吻虾虎鱼 <i>Rhinogobius multimaculatus</i> Δ	DD	
中华沙塘鳢 <i>Odontobutis sinensis</i> Δ	LC		名古屋吻虾虎鱼 <i>Rhinogobius nagoyae</i>	DD	
小黄鲈 <i>Micropercops swinhonis</i>	LC		南渡江吻虾虎鱼 <i>Rhinogobius nanduijiangensis</i> Δ	DD	
萨氏华鲈 <i>Sineleotris saccharae</i> Δ	LC		朋口吻虾虎鱼 <i>Rhinogobius ponkouensis</i> Δ	DD	
葛氏鲈塘鳢 <i>Perccottus glenii</i>	LC		网纹吻虾虎鱼 <i>Rhinogobius reticulatus</i> Δ	DD	
海南细齿塘鳢 <i>Philypnus chalmersi</i> Δ	DD		红纹吻虾虎鱼 <i>Rhinogobius rubrolineatus</i> Δ	DD	
(44) 塘鳢科 Eleotridae			短吻褐斑吻虾虎鱼 <i>Rhinogobius rubro-maculatus</i> Δ	DD	
刺盖塘鳢 <i>Eleotris acanthopoma</i>	LC		万泉河吻虾虎鱼 <i>Rhinogobius wangchuan-gensis</i> Δ	DD	
褐塘鳢 <i>Eleotris fusca</i>	LC		王氏吻虾虎鱼 <i>Rhinogobius wangi</i> Δ	DD	
黑塘鳢 <i>Eleotris melanosoma</i>	LC		乌岩岭吻虾虎鱼 <i>Rhinogobius wuyanlingensis</i> Δ	DD	
尖头塘鳢 <i>Eleotris oxycephala</i>	LC		武义吻虾虎鱼 <i>Rhinogobius wuyiensis</i> Δ	DD	
似鲤黄鲈 <i>Hypseleotris cyprinoides</i>	LC		仙水吻虾虎鱼 <i>Rhinogobius xianshuiensis</i> Δ	DD	
无孔蛇塘鳢 <i>Ophieleotris aporos</i>	DD		横带裸身虾虎鱼 <i>Gymnogobius transverse-fasciatus</i>	EN	A2bc
头孔塘鳢 <i>Ophiocara porocephala</i>	DD		栗色裸身虾虎鱼 <i>Gymnogobius castaneus</i>	DD	
(45) 虾虎鱼科 Gobiidae			黄带裸身虾虎鱼 <i>Gymnogobius laevis</i>	DD	
细斑吻虾虎 <i>Rhinogobius delicatus</i> Δ	EN	A2bce	塔氏裸身虾虎鱼 <i>Gymnogobius taranetzi</i>	DD	
小吻虾虎鱼 <i>Rhinogobius parvus</i> Δ	EN	A2bce	条尾裸身虾虎鱼 <i>Gymnogobius urotaenia</i>	DD	
神农吻虾虎鱼 <i>Rhinogobius shennongensis</i> Δ	EN	A2bc	舟山裸身虾虎鱼 <i>Gymnogobius zhoushanensis</i> Δ	DD	
四川吻虾虎鱼 <i>Rhinogobius szechuanensis</i> Δ	EN	A2bc	多鳞鲷吻虾虎鱼 <i>Mugilogobius polylepis</i> Δ	EN	A2bc
瑶山吻虾虎鱼 <i>Rhinogobius yaoshanensis</i> Δ	EN	A2bc; B1ab(i, ii, iii, v) +2ab(i, ii, iii, v)	粘皮鲷吻虾虎鱼 <i>Mugilogobius myxodermus</i> Δ	DD	
周氏吻虾虎鱼 <i>Rhinogobius zhoui</i> Δ	VU	A2bc	多鳞枝牙虾虎鱼 <i>Stiphodon multisquamus</i> Δ	EN	A2bc
恒春吻虾虎鱼 <i>Rhinogobius henchuenensis</i> Δ	NT		紫身枝牙虾虎鱼 <i>Stiphodon atropurpureus</i>	NT	
兰屿吻虾虎鱼 <i>Rhinogobius lanyuensis</i> Δ	NT		黑鳍枝牙虾虎鱼 <i>Stiphodon percnopterygionus</i>	NT	
南台吻虾虎鱼 <i>Rhinogobius nantaiensis</i> Δ	NT		明仁枝牙虾虎鱼 <i>Stiphodon imperiorientis</i>	DD	
明潭吻虾虎鱼 <i>Rhinogobius candidianus</i> Δ	LC		大鳞鲷吻虾虎鱼 <i>Gobiopsis macrolepis</i> Δ	VU	B2b(i, ii, iii, iv, v)
昌江吻虾虎鱼 <i>Rhinogobius changjiangensis</i> Δ	LC		宽带裂身虾虎鱼 <i>Schismatogobius amphivinculus</i>	NT	
波氏吻虾虎鱼 <i>Rhinogobius cliffordpopei</i> Δ	LC		罗氏裂身虾虎鱼 <i>Schismatogobius roxasi</i>	NT	
大吻虾虎鱼 <i>Rhinogobius gigas</i> Δ	LC		黑首阿胡吻虾虎鱼 <i>Awaous melanocephalus</i>	LC	
子陵吻虾虎鱼 <i>Rhinogobius giurinus</i>	LC		睛斑阿胡吻虾虎鱼 <i>Awaous ocellaris</i>	LC	
李氏吻虾虎鱼 <i>Rhinogobius leavelli</i> Δ	LC		斑纹舌吻虾虎鱼 <i>Glossogobius olivaceus</i>	LC	
雀斑吻虾虎鱼 <i>Rhinogobius lentiginis</i> Δ	LC		日本瓢鳍吻虾虎鱼 <i>Sicyopterus japonica</i>	LC	
台湾吻虾虎鱼 <i>Rhinogobius formosanus</i> Δ	LC		宽颊瓢鳍吻虾虎鱼 <i>Sicyopterus macrostetholepis</i>	LC	
无孔吻虾虎鱼 <i>Rhinogobius aporus</i> Δ	DD		环带瓢眼吻虾虎鱼 <i>Sicyopus zosterophorus</i>	DD	
褐吻虾虎鱼 <i>Rhinogobius brunneus</i>	DD		大口髯吻虾虎鱼 <i>Gobiopsis macrostoma</i>	DD	
长汀吻虾虎鱼 <i>Rhinogobius changtinensis</i> Δ	DD		伍氏拟髯吻虾虎鱼 <i>Pseudogobiopsis wuhanlinli</i> Δ	DD	
戴氏吻虾虎鱼 <i>Rhinogobius davidi</i> Δ	DD		条纹狭吻虾虎鱼 <i>Stenogobius genivittatus</i>	DD	
溪吻虾虎鱼 <i>Rhinogobius duospilus</i> Δ	DD		眼带狭吻虾虎鱼 <i>Stenogobius ophthalmoporus</i>	DD	
丝鳍吻虾虎鱼 <i>Rhinogobius filamentosus</i> Δ	DD		短棘缟吻虾虎鱼 <i>Tridentiger brevispinis</i>	DD	
福岛吻虾虎鱼 <i>Rhinogobius fukushimai</i> Δ	DD		纹缟吻虾虎鱼 <i>Tridentiger trigonocephalus</i>	DD	
颊纹吻虾虎鱼 <i>Rhinogobius genanematus</i> Δ	DD		(46) 攀鲈科 Anabantidae		
亨氏吻虾虎鱼 <i>Rhinogobius henryi</i> Δ	DD		攀鲈 <i>Anabas testudineus</i>	DD	
红河吻虾虎鱼 <i>Rhinogobius honghensis</i>	DD		(47) 斗鱼科 Belontiidae		
林氏吻虾虎鱼 <i>Rhinogobius lindbergi</i>	DD		圆尾斗鱼 <i>Macropodus chinensis</i>	LC	
龙岩吻虾虎鱼 <i>Rhinogobius longyanensis</i> Δ	DD		叉尾斗鱼 <i>Macropodus opercularis</i>	LC	
龙窝吻虾虎鱼 <i>Rhinogobius lungwoensis</i> Δ	DD		(48) 鲢科 Channidae		

种名 Species	等级 Status	评估依据 Assessment criteria	种名 Species	等级 Status	评估依据 Assessment criteria
乌鳢 <i>Channa argus</i>	LC		(50) 鲀科 Tetraodontidae		
月鳢 <i>Channa asiatica</i>	LC		暗纹东方鲀 <i>Takifugu obscurus</i> Δ	LC	
缘鳢 <i>Channa gachua</i>	LC		弓斑东方鲀 <i>Takifugu ocellatus</i> Δ	LC	
带鳢 <i>Channa lucius</i>	LC		圆斑东方鲀 <i>Takifugu orbimaculatus</i> Δ	LC	
斑鳢 <i>Channa maculata</i>	LC		假睛东方鲀 <i>Takifugu pseudommus</i> Δ	DD	
巨鳢 <i>Channa marulius</i>	LC		晕环东方鲀 <i>Takifugu coronoidus</i> Δ	DD	
东方鳢 <i>Channa orientalis</i>	LC		湄公河单孔鲀 <i>Monotrete leiurus</i>	LC	
翠鳢 <i>Channa punctata</i>	LC		18 鲈形目 Pleuronectiformes		
线鳢 <i>Channa striata</i>	LC		(51) 舌鳎科 Cynoglossidae		
沃氏鳢 <i>Channa warpachowski</i>	DD		莱氏舌鳎 <i>Cynoglossus lighti</i> Δ	LC	
黑月鳢 <i>Channa nox</i> Δ	DD		紫斑舌鳎 <i>Cynoglossus purpureomaculatus</i> Δ	LC	
(49) 丝足鲈科 Osphronemidae			窄体舌鳎 <i>Cynoglossus gracilis</i> Δ	LC	
线足鲈 <i>Trichogaster trichopterus</i>	LC		短吻舌鳎 <i>Cynoglossus abbreviatus</i> Δ	LC	
17 鲀形目 Tetraodontiformes			三线舌鳎 <i>Cynoglossus trigrammus</i>	LC	

(责编编委: 马克平 责任编辑: 周玉荣)

蒋志刚, 江建平, 王跃招, 张鹞, 张雁云, 李立立, 谢锋, 蔡波, 曹亮, 郑光美, 董路, 张正旺, 丁平, 罗振华, 丁长青, 马志军, 汤宋华, 曹文宣, 李春旺, 胡慧建, 马勇, 吴毅, 王应祥, 周开亚, 刘少英, 陈跃英, 李家堂, 冯祚建, 王燕, 王斌, 李成, 宋雪琳, 蔡蕾, 臧春鑫, 曾岩, 孟智斌, 方红霞, 平晓鸽. 中国脊椎动物红色名录. 生物多样性, 2016, 24 (5): 500–551.
<http://www.biodiversity-science.net/CN/10.17520/biods.2016076>

参考文献

- Cai B, Li JT, Chen YY, Wang YZ (2016) Exploring the status and causes of China's threatened reptiles through the red list assessment. *Biodiversity Science*, 24, 578–587. (in Chinese with English abstract) [蔡波, 李家堂, 陈跃英, 王跃招 (2016) 通过红色名录评估探讨中国爬行动物受威胁现状及原因. 生物多样性, 24, 578–587.]
- Cao L, Zhang E, Zang CX, Cao WX (2016) Evaluating the status of China's continental fish and analyzing their causes of endangerment through the red list assessment. *Biodiversity Science*, 24, 598–609. (in Chinese with English abstract) [曹亮, 张鹞, 臧春鑫, 曹文宣 (2016) 通过红色名录评估研究中国内陆鱼类受威胁现状及成因. 生物多样性, 24, 598–609.]
- Fei L, Ye CY, Jiang JP (2012) *Colored Atlas of Chinese Amphibians and Their Distributions*. Sichuan Publishing House of Science and Technology, Chengdu. (in Chinese) [费梁, 叶昌媛, 江建平 (2012) 中国两栖动物及其分布彩色图鉴. 四川科学技术出版社, 成都.]
- Jiang JP, Xie F, Zang CX, Cai L, Li C, Wang B, Li JT, Wang J, Hu JH, Wang Y, Liu JY (2016) Assessing the threat status of amphibians in China. *Biodiversity Science*, 24, 588–597. (in Chinese with English abstract) [江建平, 谢锋, 臧春鑫, 蔡蕾, 李成, 王斌, 李家堂, 王杰, 胡军华, 王燕, 刘炯宇 (2016) 中国两栖动物受威胁现状评估. 生物多样性, 24, 588–597.]
- Jiang ZG, Li LL, Luo ZH, Tang SH, Li CW, Hu HJ, Ma Y, Wu Y, Wang YX, Zhou KY, Liu SY, Feng ZJ, Cai L, Zang CX, Zeng Y, Meng ZB, Ping XG, Fang HX (2016b) Evaluating the status of China's mammals and analyzing their causes of endangerment through the red list assessment. *Biodiversity Science*, 24, 552–567. (in Chinese with English abstract) [蒋志刚, 李立立, 罗振华, 汤宋华, 李春旺, 胡慧建, 马勇, 吴毅, 王应祥, 周开亚, 刘少英, 冯祚建, 蔡蕾, 臧春鑫, 曾岩, 孟智斌, 平晓鸽, 方红霞 (2016b) 通过红色名录评估研究中国哺乳动物受威胁现状及原因. 生物多样性, 24, 552–567.]
- Jiang ZG, Ma Y, Wu Y, Wang YX, Feng ZJ, Zhou KY, Liu SY, Luo ZH, Li CW (2015) China's mammalian diversity. *Biodiversity Science*, 23, 351–364. (in Chinese with English abstract) [蒋志刚, 马勇, 吴毅, 王应祥, 冯祚建, 周开亚, 刘少英, 罗振华, 李春旺 (2015) 中国哺乳动物多样性. 生物多样性, 23, 351–364.]
- IUCN (2012a) *IUCN Red List Categories and Criteria*, Version 3.1. 2nd edn. IUCN, Gland, Switzerland and Cambridge, UK.
- IUCN (2012b) *Guidelines for Application of IUCN Red List Criteria at Regional and National Levels*, Version 4.0. IUCN, Gland, Switzerland and Cambridge, UK.
- IUCN Standards and Petitions Subcommittee (2010) *Guidelines for Using the IUCN Red List Categories and Criteria*, Version 8.1. <http://www.iucnredlist.org/documents/RedListGuidelines.pdf>. (accessed on 2014-03-01)
- Zhang YY, Zhang ZW, Dong L, Ding P, Ding CQ, Ma ZJ, Zheng GM (2016) Assessment of red list of birds in China. *Biodiversity Science*, 24, 568–577. (in Chinese with English abstract) [张雁云, 张正旺, 董路, 丁平, 丁长青, 马志军, 郑光美 (2016) 中国鸟类红色名录评估. 生物多样性, 24, 568–577.]
- Zheng GM (2011) *A Checklist on the Classification and Distribution of the Birds of China*, 2nd edn. Science Press, Beijing. (in Chinese) [郑光美 (2011) 中国鸟类分类与分布名录(第二版). 科学出版社, 北京.]