

孔嘉鑫, 张昭臣, 张健. 基于多源遥感数据的植物物种分类与识别: 研究进展与展望. 生物多样性, 2019, 27(7), 796–812.

<http://www.biodiversity-science.net/CN/10.17520/biods.2019197>

附录1 基于遥感数据进行植物物种识别的120个研究案例

Appendix 1 120 selected research papers of plant species identification using remote sensing

- Adelabu S, Mutanga O, Adam E, Cho MA (2013) Exploiting machine learning algorithms for tree species classification in a semiarid woodland using RapidEye image. *Journal of Applied Remote Sensing*, 7, 073480.
- Alonzo M, Bookhagen B, Roberts DA (2014) Urban tree species mapping using hyperspectral and lidar data fusion. *Remote Sensing of Environment*, 148, 70–83.
- Amiri M, Solaimani K, Miryaghoubzadeh M (2013) Fuzzy classification for mapping invasive species from multispectral imagery. *Journal of the Indian Society of Remote Sensing*, 41, 749–755.
- Boschetti M, Boschetti L, Oliveri S, Casati L, Canova I (2007) Tree species mapping with Airborne hyper-spectral MIVIS data, the Ticino Park study case. *Journal of Remote Sensing*, 28, 1251–1261.
- Brandtberg T (2002) Individual tree-based species classification in high spatial resolution aerial images of forests using fuzzy sets. *Fuzzy Sets and Systems*, 132, 371–387.
- Brandtberg T (2007) Classifying individual tree species under leaf-off and leaf-on conditions using airborne lidar. *ISPRS Journal of Photogrammetry & Remote Sensing*, 61, 325–340.
- Brovkina O, Hanus J, Zemek F, Mochalov VF, Grigorieva O, Pikla M (2016) Evaluating the potential of satellite hyperspectral Resurs-P data for forest species classification. *ISPRS-International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLI-B1, 443–448.
- Buddenbaum H, Schlerf M, Hill J (2005) Classification of coniferous tree species and age classes using hyperspectral data and geostatistical methods. *International Journal of Remote Sensing*, 26, 5453–5465.
- Cao JJ, Leng WC, Liu K, Liu L, He Z, Zhu YH (2018) Object-based mangrove species classification using unmanned aerial vehicle hyperspectral images and digital surface models. *Remote Sensing*, 10, 89.
- Ceamanos X, Waske B, Benediktsson JA, Chanussot J, Fauvel M, Sveinsson JR (2010) A classifier ensemble based on fusion of support vector machines for classifying hyperspectral data. *International Journal of Image and Data Fusion*, 1, 293–307.
- Chen XY, Yun T, Xue LF, Liu YA (2019) Classification of tree species using LiDAR point cloud data. *Laser & Optoelectronics Progress*, 56, 122801. (in Chinese with English abstract) [陈向宇, 云挺, 薛联凤, 刘应安 (2019) 基于激光雷达点云数据的树种分类研究. *激光与光电子学进展*, 56, 122801.]
- Chenari A, Erfanifard Y, Dehghani M, Pourghasemi HR (2017) Woodland mapping at single-tree levels using object-oriented classification of unmanned aerial vehicle (UAV) images. *ISPRS-International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLII-4/W4, 43–49.
- Chi YF, Lai RW, Yu LL, Zhang ZJ, Su YQ, Ying XL (2017) Extracting tree species distribution with Landsat 8 OLI data. *Journal of Natural Resources*, 32, 1193–1203. (in Chinese with English abstract) [池毓锋, 赖日文, 余莉莉, 张泽均, 苏艳琴, 应兴亮 (2017) 基于 Landsat 8 OLI 数据的树种类型分布提取. *自然资源学报*, 32, 1193–1203.]
- Cho MA, Debba P, Mathieu R, Naidoo L, van Aardt J, Asner GP (2010) Improving discrimination of savanna tree species through a multiple-endmember spectral angle mapper approach, canopy-level analysis. *IEEE Transactions on Geoscience and Remote Sensing*, 48, 4133–4142.
- Cho MA, Mathieu R, Asner GP, Naidoo L, van Aardt J, Ramoelo A, Debba P, Wessels K, Main R, Smit IPJ, Erasmus B (2012) Mapping tree species composition in South African savannas using an integrated airborne spectral and LiDAR system. *Remote Sensing of Environment*, 125, 214–226.
- Clark ML, Roberts DA, Clark DB (2005) Hyperspectral discrimination of tropical rain forest tree species at leaf to crown scales. *Remote Sensing of Environment*, 96, 375–398.

孔嘉鑫, 张昭臣, 张健. 基于多源遥感数据的植物物种分类与识别: 研究进展与展望. 生物多样性, 2019, 27(7), 796–812.

<http://www.biodiversity-science.net/CN/10.17520/biods.2019197>

Colgan MS, Baldeck CA, Feret JB, Asner GP (2012) Mapping savanna tree species at ecosystem scales using support vector machine classification and BRDF correction on airborne hyperspectral and LiDAR data. *Remote Sensing*, 4, 3462–3480.

Dalponte M, Bruzzone L, Gianelle D (2008) Fusion of hyperspectral and LIDAR remote sensing data for classification of complex forest areas. *IEEE Transactions on Geoscience and Remote Sensing*, 46, 1416–1427.

Dalponte M, Bruzzone L, Gianelle D (2012) Tree species classification in the Southern Alps based on the fusion of very high geometrical resolution multispectral/hyperspectral images and LiDAR data. *Remote Sensing of Environment*, 123, 258–270.

Dalponte M, Ørka HO, Ene LT, Gobakken T, Næsset E (2014) Tree crown delineation and tree species classification in boreal forests using hyperspectral and ALS data. *Remote Sensing of Environment*, 140, 306–317.

Dalponte M, Ørka HO, Gobakken T, Gianelle D, Næsset E (2013) Tree species classification in boreal forests with hyperspectral data. *IEEE Transactions on Geoscience and Remote Sensing*, 51, 2632–2645.

Deng Z, Li D, Ke YH, Wu YC, Li XJ, Gong HL (2016) An improved SVM algorithm for high spatial resolution remote sensing image classification. *Remote Sensing for Land & Resources*, 28(3), 12–18. (in Chinese with English abstract) [邓曾, 李丹, 柯樱海, 吴燕晨, 李小娟, 宫辉力 (2016) 基于改进 SVM 算法的高分辨率遥感影像分类. *国土资源遥感*, 28(3), 12–18.]

Dian YY, Pang Y, Dong YF, Li ZY (2016) Urban tree species mapping using airborne LiDAR and hyperspectral data. *Journal of the Indian Society of Remote Sensing*, 44, 595–603.

Dickinson C, Siqueira P, Clewley D, Lucas R (2013) Classification of forest composition using polarimetric decomposition in multiple landscapes. *Remote Sensing of Environment*, 131, 206–214.

Dong T, Lee BK, Cho SW (2007) An analysis on polycyclic aromatic hydrocarbons (PAHs) deposited in road dust at downtown areas in a city of Korea. *International forum on strategic technology*, 520–523.

Dymond CC, Mladenoff DJ, Radeloff VC (2002) Phenological differences in Tasseled Cap indices improve deciduous forest classification. *Remote Sensing of Environment*, 80, 460–472.

Engler R, Waser LT, Zimmermann NE, Schaub M, Berdos S, Ginzler C, Psomas A (2013) Combining ensemble modeling and remote sensing for mapping individual tree species at high spatial resolution. *Forest Ecology & Management*, 310, 64–73.

Erikson M (2004) Species classification of individually segmented tree crowns in high-resolution aerial images using radiometric and morphologic image measures. *Remote Sensing of Environment*, 91, 469–477.

Fan X, Liu QW, Tan BX (2017) Classification of forest species using airborne PHI hyperspectral data. *Remote Sensing for Land & Resources*, 29(2), 110–116. (in Chinese with English abstract) [樊雪, 刘清旺, 谭炳香 (2017) 基于机载 PHI 高光谱数据的森林优势树种分类研究. *国土资源遥感*, 29(2), 110–116.]

Féret JB, Asner GP (2012) Semi-supervised methods to identify individual crowns of lowland tropical canopy species using imaging spectroscopy and LiDAR. *Remote Sensing*, 4, 2457–2476.

Féret JB, Asner GP (2013) Tree species discrimination in tropical forests using airborne imaging spectroscopy. *IEEE Transactions on Geoscience and Remote Sensing*, 51, 73–84.

Ferreira MP, Wagner FH, Aragao LEOC, Shimabukuro YE, de Souza CR (2019) Tree species classification in tropical forests using visible to shortwave infrared WorldView-3 images and texture analysis. *ISPRS Journal of Photogrammetry and Remote Sensing*, 149, 119–131.

Ferreira MP, Zortea M, Zanotta DC, Shimabukuro YE, de Souza CR (2016) Mapping tree species in tropical seasonal semi-deciduous forests with hyperspectral and multispectral data. *Remote Sensing of Environment*,

孔嘉鑫, 张昭臣, 张健. 基于多源遥感数据的植物物种分类与识别: 研究进展与展望. 生物多样性, 2019, 27(7), 796–812.

<http://www.biodiversity-science.net/CN/10.17520/biods.2019197>

179, 66–78.

Franklin SE, Ahmed OS (2018) Deciduous tree species classification using object-based analysis and machine learning with unmanned aerial vehicle multispectral data. *International Journal of Remote Sensing*, 39, 5236–5245.

Franklin SE, Ahmed OS, Williams G (2017) Northern conifer forest species classification using multispectral data acquired from an unmanned aerial vehicle. *Photogrammetric Engineering & Remote Sensing*, 83, 501–507.

Fu F, Wang XJ, Wang J, Wang N, Tong JH (2019) Tree species and age groups classification based on GF-2 Image. *Remote Sensing for Land and Resources*, 31(2), 118–124. (in Chinese with English abstract) [傅锋, 王新杰, 汪锦, 王娜, 佟济宏 (2019) 高分二号影像树种识别及龄组划分. *国土资源遥感*, 31(2), 118–124.]

Gao S, Shen X, Dai JS, Cao L (2018) Tree species classification in urban forests based on LiDAR point cloud segmentation and hyperspectral metrics extraction. *Remote Sensing Technology and Application*, 33, 1073–1083. (in Chinese with English abstract) [皋厦, 申鑫, 代劲松, 曹林 (2018) 结合 LiDAR 单木分割和高光谱特征提取的城市森林树种分类. *遥感技术与应用*, 33, 1073–1083.]

Ghiyamat A, Shafri HZM, Mahdiraji GA, Shariff ARM, Mansor S (2013) Hyperspectral discrimination of tree species with different classifications using single- and multiple-endmember. *International Journal of Applied Earth Observation and Geoinformation*, 23, 177–191.

Ghosh A, Fassnacht FE, Joshi PK, Koch B (2014) A framework for mapping tree species combining hyperspectral and LiDAR data, role of selected classifiers and sensor across three spatial scales. *International Journal of Applied Earth Observation and Geoinformation*, 26, 49–63.

Gini R, Passoni D, Pinto L, Sona G (2014) Use of Unmanned Aerial Systems for multispectral survey and tree classification, a test in a park area of northern Italy. *European Journal of Remote Sensing*, 47, 251–269.

Haara A, Haarala M (2002) Tree species classification using semi-automatic delineation of trees on aerial images. *Scandinavian Journal of Forest Research*, 17, 556–565.

Hantson W, Kooistra L, Slim PA (2012) Mapping invasive woody species in coastal dunes in the Netherlands, a remote sensing approach using LIDAR and high-resolution aerial photographs. *Applied Vegetation Science*, 15, 536–547.

Heinzel J, Koch B (2011) Exploring full-waveform LiDAR parameters for tree species classification. *International Journal of Applied Earth Observation and Geoinformation*, 13, 152–160.

Heinzel J, Koch B (2012) Investigating multiple data sources for tree species classification in temperate forest and use for single tree delineation. *International Journal of Applied Earth Observation and Geoinformation*, 18, 101–110.

Hesketh M, Sánchez-Azofeifa GA (2012) The effect of seasonal spectral variation on species classification in the Panamanian tropical forest. *Remote Sensing of Environment*, 118, 73–82.

Hill RA, Wilson AK, George M, Hinsley SA (2010) Mapping tree species in temperate deciduous woodland using time-series multi-spectral data. *Applied Vegetation Science*, 13, 86–99.

Hovi A, Korhonen L, Vauhkonen J, Korpela I (2016) LiDAR waveform features for tree species classification and their sensitivity to tree- and acquisition related parameters. *Remote Sensing of Environment*, 173, 224–237.

Hung C, Xu Z, Sukkarieh S (2014) Feature learning based approach for weed classification using high resolution aerial images from a digital camera mounted on a UAV. *Remote Sensing*, 6, 12037–12054.

Immitzer M, Atzberger C, Koukal T (2012a) Suitability of WorldView-2 data for tree species classification with special emphasis on the four new spectral bands. *Photogrammetrie-Fernerkundung-Geoinformation*, 5, 573–588.

孔嘉鑫, 张昭臣, 张健. 基于多源遥感数据的植物物种分类与识别: 研究进展与展望. 生物多样性, 2019, 27(7), 796–812.

<http://www.biodiversity-science.net/CN/10.17520/biods.2019197>

Immitzer M, Atzberger C, Koukal T (2012b) Tree species classification with random forest using very high spatial resolution 8-Band WorldView-2 satellite data. *Remote Sensing*, 4, 2661–2693.

Jia MM, Zhang YZ, Wang ZM, Song KS, Ren CY (2014) Mapping the distribution of mangrove species in the Core Zone of Mai Po Marshes Nature Reserve, Hong Kong, using hyperspectral data and high-resolution data. *International Journal of Applied Earth Observation and Geoinformation*, 33, 226–231.

Jones TG, Coops NC, Sharma T (2010) Assessing the utility of airborne hyperspectral and LiDAR data for species distribution mapping in the coastal Pacific Northwest, Canada. *Remote Sensing of Environment*, 114, 2841–2852.

Kamal M, Phinn S (2011) Hyperspectral data for mangrove species mapping, a comparison of pixel-based and object-based approach. *Remote Sensing*, 3, 2222–2242.

Karlson M, Ostwald M, Reese H, Bazie HR, Tankoano B (2016) Assessing the potential of multi-seasonal WorldView-2 imagery for mapping West African agroforestry tree species. *International Journal of Applied Earth Observation and Geoinformation*, 50, 80–88.

Ke YH, Quackenbush LJ, Im J (2010) Synergistic use of QuickBird multispectral imagery and LIDAR data for object-based forest species classification. *Remote Sensing of Environment*, 114, 1141–1154.

Key T, Warner TA, McGraw JB, Fajvan MA (2001) A comparison of multispectral and multitemporal information in high spatial resolution imagery for classification of individual tree species in a temperate hardwood forest. *Remote Sensing of Environment*, 75, 100–112.

Kim S, Mcgaughey RJ, Andersen HE, Schreuder G (2009) Tree species differentiation using intensity data derived from leaf-on and leaf-off airborne laser scanner data. *Remote Sensing of Environment*, 113, 1575–1586.

Korpela I, Heikkinen V, Honkavaara E, Rohrbach F, Tokola T (2011) Variation and directional anisotropy of reflectance at the crown scale—Implications for tree species classification in digital aerial images. *Remote Sensing of Environment*, 115, 2062–2074.

Koukal T, Atzberger C, Schneider W (2014) Evaluation of semi-empirical BRDF models inverted against multi-angle data from a digital airborne frame camera for enhancing forest type classification. *Remote Sensing of Environment*, 151, 27–43.

Li D, Ke YH, Gong HL, Li XJ (2015) Object-based urban tree species classification using bi-temporal WorldView-2 and WorldView-3 images. *Remote Sensing*, 7, 16917–16937.

Li JL, Hu BX, Noland TL (2013) Classification of tree species based on structural features derived from high density LiDAR data. *Agricultural and Forest Meteorology*, 171, 104–114.

Li X, Liu K, Zhu YH, Meng L, Yu CX, Cao JJ (2018) Study on mangrove species classification based on ZY-3 image. *Remote Sensing Technology and Application*, 33, 360–369. (in Chinese with English abstract) [李想, 刘凯, 朱远辉, 蒙琳, 于晨曦, 曹晶晶 (2018) 基于资源三号影像的红树林物种分类研究. *遥感技术与应用*, 33, 360–369.]

Lindberg E, Eysn L, Hollaus M, Holmgren J, Pfeifer N (2014) Delineation of tree crowns and tree species classification from full-waveform airborne laser scanning data using 3-D ellipsoidal clustering. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 7, 3174–3181.

Liu LJ, Pang Y, Fan WY, Li ZY, Li MZ (2011) Fusion of airborne hyperspectral and LiDAR data for tree species classification in the temperate forest of northeast China. In: 2011 19th International Conference on Geoinformatics, IEEE.

Liu LX, Coops NC, Aven NW, Pang Y (2017) Mapping urban tree species using integrated airborne hyperspectral and LiDAR remote sensing data. *Remote Sensing of Environment*, 200, 170–182.

Liu QW, Tan BX, Hu KL, Fan X, Li ZY, Pang Y, Li SM (2016) The remote sensing experiment on airborne LiDAR

孔嘉鑫, 张昭臣, 张健. 基于多源遥感数据的植物物种分类与识别: 研究进展与展望. 生物多样性, 2019, 27(7), 796–812.

<http://www.biodiversity-science.net/CN/10.17520/biods.2019197>

and hyperspectral integrated system for subtropical forest estimation. *Chinese High Technology Letters*, 26, 264–274. (in Chinese with English abstract) [刘清旺, 谭炳香, 胡凯龙, 樊雪, 李增元, 庞勇, 李世明 (2016) 机载激光雷达和高光谱组合系统的亚热带森林估测遥感试验. *高技术通讯*, 26, 264–274.]

Liu YJ, Pang Y, Liao SX, Jia W, Chen BW, Liu LX (2016) Merged airborne LiDAR and hyperspectral data for tree species classification in Puer's Mountainous area. *Forest Research*, 29, 407–412. (in Chinese with English abstract) [刘怡君, 庞勇, 廖声熙, 莢文, 陈博伟, 刘鲁霞 (2016) 机载 LiDAR 和高光谱融合实现普洱山区树种分类. *林业科学研究*, 29, 407–412.]

Lu B, He YH (2017) Species classification using Unmanned Aerial Vehicle (UAV)-acquired high spatial resolution imagery in a heterogeneous grassland. *ISPRS Journal of Photogrammetry and Remote Sensing*, 128, 73–85.

Lu XY, Yun T, Xue LF, Xu QF, Cao L (2019) Effective feature extraction and identification method based on tree laser. *Chinese Journal of Lasers*, 46, 510002-1. (in Chinese with English abstract) [卢晓艺, 云挺, 薛联凤, 徐强法, 曹林 (2019) 面向树木激光点云的有效特征抽取与识别方法. *中国激光*, 46, 510002-1.]

Lucas R, Bunting P, Paterson M, Chisholm L (2008) Classification of Australian forest communities using aerial photography, CASI and HyMap data. *Remote Sensing of Environment*, 112, 2088–2103.

Madonsela S, Cho MA, Mathieu R, Mutanga O, Ramoelo A, Kaszta Z, Van de Kerchove R, Wolff, E (2017) Multi-phenology WorldView-2 imagery improves remote sensing of savannah tree species. *International Journal of Applied Earth Observation and Geoinformation*, 58, 65–73.

Maghsoudi Y, Collins M, Leckie DG (2012) Polarimetric classification of boreal forest using nonparametric feature selection and multiple classifiers. *International Journal of Applied Earth Observations & Geoinformation*, 19, 139–150.

Mallinis G, Koutsias N, Tsakiri-Strati M, Karteris M (2008) Object-based classification using Quickbird imagery for delineating forest vegetation polygons in a Mediterranean test site. *ISPRS Journal of Photogrammetry and Remote Sensing*, 63, 237–250.

Mao XG, Chen WQ, Wei JY, Fan WY (2017) Effect and evaluation of segmentation scale on object-based forest species classification. *Scientia Silvae Sinicae*, 53(12), 73–83. (in Chinese with English abstract) [毛学刚, 陈文曲, 魏晶昱, 范文义 (2017) 分割尺度对面向对象树种分类的影响及评价. *林业科学*, 53(12), 73–83.]

Matsuki T, Yokoya N, Iwasaki A (2015) Hyperspectral tree species classification of Japanese complex mixed forest with the aid of Lidar data. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 8, 2177–2187.

Michez A, Piegay H, Jonathan L, Claessens H, Lejeune P (2015) Mapping of riparian invasive species with supervised classification of Unmanned Aerial System (UAS) imagery. *International Journal of Applied Earth Observation & Geoinformation*, 44, 88–94.

Michez A, Piegay H, Lisein J, Claessens H, Lejeune P (2016) Classification of riparian forest species and health condition using multi-temporal and hyperspatial imagery from unmanned aerial system. *Environmental Monitoring & Assessment*, 188, 146.

Monteiro ST, Uto K, Kosugi Y, Oda K, Iino Y, Saito G (2008) Hyperspectral image classification of grass species in northeast Japan. In: *IGARSS 2008—2008 IEEE International Geoscience and Remote Sensing Symposium*. IEEE, pp.399–402.

Mustafa YT, Habeeb HN, Stein A, Sulaiman FY (2015) Identification and mapping of tree species in urban areas using Worldview-2 imagery. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, II-2/W2, 175–181.

Naidoo L, Cho MA, Mathieu R, Asner G (2012) Classification of savanna tree species, in the Greater Kruger National Park region, by integrating hyperspectral and LiDAR data in a Random Forest data mining environment. *ISPRS Journal of Photogrammetry and Remote Sensing*, 69, 167–179.

孔嘉鑫, 张昭臣, 张健. 基于多源遥感数据的植物物种分类与识别: 研究进展与展望. 生物多样性, 2019, 27(7), 796–812.

<http://www.biodiversity-science.net/CN/10.17520/biods.2019197>

- Nia MS, Wang DZ, Bohlman SA, Gader P, Graves SJ, Petrovic M (2015) Impact of atmospheric correction and image filtering on hyperspectral classification of tree species using support vector machine. *Journal of Applied Remote Sensing*, 9, 095990.
- Orka HO, Naasset E, Bollandsas OM (2009) Classifying species of individual trees by intensity and structure features derived from airborne laser scanner data. *Remote Sensing of Environment*, 113, 1163–1174.
- Pant P, Heikkinen V, Hovi A, Korpela I, Hauta-Kasari M, Tokola T (2013) Evaluation of simulated bands in airborne optical sensors for tree species identification. *Remote Sensing of Environment*, 138, 27–37.
- Pant P, Heikkinen V, Korpela I, Hauta-Kasari M, Tokola T (2014) Logistic regression-based spectral band selection for tree species classification, effects of spatial scale and balance in training samples. *IEEE Geoscience and Remote Sensing Letters*, 11, 1604–1608.
- Peña MA, Cruz P, Roig M (2013) The effect of spectral and spatial degradation of hyperspectral imagery for the Sclerophyll tree species classification. *International Journal of Remote Sensing*, 34, 7113–7130.
- Pu RL, Landry S (2012) A comparative analysis of high spatial resolution IKONOS and WorldView-2 imagery for mapping urban tree species. *Remote Sensing of Environment*, 124, 516–533.
- Puttonen E, Litkey P, Hyypä J (2009) Individual tree species classification by illuminated-shaded area separation. *Remote Sensing*, 2, 19–35.
- Puttonen E, Suomalainen J, Hakala T, Raikonen E, Kaartinen H, Kaasalainen S, Litkey P (2010) Tree species classification from fused active hyperspectral reflectance and LIDAR measurements. *Forest Ecology and Management*, 260, 1843–1852.
- Qian YR, Jia ZH, Yu J, Yang F, Duan WL (2011) Application of BP-ANN to classification of hyperspectral grassland in desert. *Computer Engineering and Applications*, 47(12), 225–228. (in Chinese with English abstract) [钱育蓉, 贾振红, 于炯, 杨峰, 段文亮 (2011) BP-ANN 在荒漠草地高光谱分类研究中的应用. *计算机工程与应用*, 47(12), 225–228.]
- Richter R, Reu B, Wirth C, Doktor D, Vohland M (2016) The use of airborne hyperspectral data for tree species classification in a species-rich Central European forest area. *International Journal of Applied Earth Observation and Geoinformation*, 52, 464–474.
- Sarrazin D, van Aardt JAN, Asner GP, McGlinchy J, Messinger DW, Wu JY (2010) Fusing waveform lidar and hyperspectral data for species-level structural assessment in savanna ecosystems. *Proceedings of SPIE, Laser Radar Technology and Applications XV*, 76841H.
- Sarrazin D, van Aardt JAN, Asner GP, McGlinchy J, Messinger DW, Wu JY (2012) Fusing small-footprint waveform LiDAR and hyperspectral data for canopy-level species classification and herbaceous biomass modeling in savanna ecosystems. *Canadian Journal of Remote Sensing*, 37, 653–665.
- Shang X, Chisholm LA (2014) Classification of Australian native forest species using hyperspectral remote sensing and machine-learning classification algorithms. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 7, 2481–2489.
- Skovsen S, Dyrmann M, Mortensen AK, Steen KA, Green O, Eriksen J, Gislum R, Jorgensen RN, Karstoft H (2017) Estimation of the botanical composition of clover-grass leys from RGB images using data simulation and fully convolutional neural networks. *Sensors*, 17, 2930–2947.
- Stavroudis DG, Dragozi E, Gitas IZ, Karydas CG (2014) Decision fusion based on hyperspectral and multispectral satellite imagery for accurate forest species mapping. *Remote Sensing*, 6, 6897–6928.
- Suratno A, Seielstad C, Queen L (2009) Tree species identification in mixed coniferous forest using airborne laser scanning. *ISPRS Journal of Photogrammetry and Remote Sensing*, 64, 683–693.
- Tao JY, Liu LJ, Pang Y, Li DQ, Feng YY, Wang X, Ding YL, Peng Q, Xiao WH (2018) Automatic identification of

孔嘉鑫, 张昭臣, 张健. 基于多源遥感数据的植物物种分类与识别: 研究进展与展望. 生物多样性, 2019, 27(7), 796–812.

<http://www.biodiversity-science.net/CN/10.17520/biods.2019197>

tree species based on airborne LiDAR and hyperspectral data. *Journal of Zhejiang A & F University*, 35, 314–323. (in Chinese with English abstract) [陶江玥, 刘丽娟, 庞勇, 李登秋, 冯云云, 王雪, 丁友丽, 彭琼, 肖文惠 (2018) 基于机载激光雷达和高光谱数据的树种识别方法. *浙江农林大学学报*, 35, 314–323.]

Teng WX, Wen XR, Wang N, Shi HH (2019) Tree species classification and mapping using deep transfer learning with unmanned aerial vehicle high resolution image. *Laser & Optoelectronics Progress*, 56(7), 227–286. (in Chinese with English abstract) [滕文秀, 温小荣, 王妮, 施慧慧 (2019) 基于深度迁移学习的无人机高分影像树种分类与制图. *激光与光电子学进展*, 56(7), 227–286.]

Tigges J, Lakes T, Hostert P (2013) Urban vegetation classification, benefits of multitemporal RapidEye satellite data. *Remote Sensing of Environment*, 136, 66–75.

Torabzadeh H, Morsdorf F, Leiterer R, Schaepman ME (2014) Fusing imaging spectrometry and airborne laser scanning data for tree species discrimination. In: 2014 IEEE Geoscience and Remote Sensing Symposium. IEEE, pp. 1253–1256.

Trier OD, Salberg AB, Kermit M, Rudjord O, Gobakken T, Naeset E, Aarsten D (2018) Tree species classification in Norway from airborne hyperspectral and airborne laser scanning data. *European Journal of Remote Sensing*, 51, 336–351.

Ullah S, Schlerf M, Skidmore AK, Hecker C (2012) Identifying plant species using mid-wave infrared (2.5–6 μm) and thermal infrared (8–14 μm) emissivity spectra. *Remote Sensing of Environment*, 118, 95–102.

Ustin SL, Dipietro D, Olmstead KS, Underwood EC, Scheer G (2002) Hyperspectral remote sensing for invasive species detection and mapping. In: 2002 IEEE Geoscience and Remote Sensing Symposium, IEEE, pp. 1658–1660.

Valderrama-Landeros L, Flores-de-santiago F, Kovacs JM, Flores-Verdugo, F (2018) An assessment of commonly employed satellite-based remote sensors for mapping mangrove species in Mexico using an NDVI-based classification scheme. *Environmental Monitoring & Assessment*, 190, 23–35.

Van Aardt JAN, Wynne RH (2007) Examining pine spectral separability using hyperspectral data from an airborne sensor, An extension of field-based results. *Journal of remote sensing*, 28, 431–436.

Voss M, Sugumaran R (2008) Seasonal effect on tree species classification in an urban environment using hyperspectral data, LiDAR, and an object-oriented approach. *Sensors*, 8, 3020–3036.

Wang EL, Li CJ, Zhou JP, Peng DL, Hu HT, Dong X (2017) Classification of Beijing afforestation species based on multi-temporal images. *Journal of Beijing University of Technology*, 43, 710–718. (in Chinese with English abstract) [王二丽, 李存军, 周静平, 彭代亮, 胡海棠, 董熙 (2017) 基于多时相遥感影像的北京平原人工林树种分类. *北京工业大学学报*, 43, 710–718.]

Wang SH, Yang T (2018) Hyperspectral image dimension reduction based on manifold learning approach DLA and tree species classification. *Bulletin of Surveying and Mapping*, 1, 55–61. (in Chinese with English abstract) [汪少华, 杨婷 (2018) 判别流形学习算法的高光谱数据降维与树种识别. *测绘通报*, 1, 55–61.]

Wang T, Zhang HS, Lin H, Fang CY (2016) Textural-spectral feature-based species classification of mangroves in Mai Po Nature Reserve from Worldview-3 imagery. *Remote Sensing*, 8, 24–38.

Waser LT, Ginzler C, Kuechler M, Baltsavias E, Hurni L (2011) Semi-automatic classification of tree species in different forest ecosystems by spectral and geometric variables derived from Airborne Digital Sensor (ADS40) and RC30 data. *Remote Sensing of Environment*, 115, 76–85.

Wei JY, Mao XG, Fang BY, Bao XJ, Xu ZY (2016) Submeter remote sensing image recognition of trees based on Landsat 8 OLI support. *Journal of Beijing Forestry University*, 38(11), 23–33. (in Chinese with English abstract) [魏晶昱, 毛学刚, 方本煜, 包晓建, 许振宇 (2016) 基于 Landsat 8 OLI 辅助的亚米级遥感影像树种识别. *北京林业大学学报*, 38(11), 23–33.]

孔嘉鑫, 张昭臣, 张健. 基于多源遥感数据的植物物种分类与识别: 研究进展与展望. 生物多样性, 2019, 27(7), 796–812.

<http://www.biodiversity-science.net/CN/10.17520/biods.2019197>

Wen XL, Zhong A, Hu XJ (2018) The classification of urban greening tree species based on feature selection of random forest. *Journal of Geo-Information Science*, 20, 1777–1786. (in Chinese with English abstract) [温小乐, 钟奥, 胡秀娟 (2018) 基于随机森林特征选择的绿化乔木树种分类. 地球信息科学学报, 20, 1777–1786.]

Yang CH, Everitt JH, Fletcher RS, Jensen RR, Mausel PW (2009) Evaluating AISA + hyperspectral imagery for mapping black mangrove along the South Texas Gulf Coast. *Photogrammetric Engineering and Remote Sensing*, 75, 425–435.

Yang XH, Rochdi N, Zhang JK, Banting J, Rolfson D, King C, Staenz K, Patterson S, Purdy B (2014) Mapping tree species in a boreal forest area using RapidEye and LiDAR data. In: 2014 IEEE Geoscience and Remote Sensing Symposium, IEEE, pp. 69–71.

Yao W, Krzystek P, Heurich M (2012) Tree species classification and estimation of stem volume and DBH based on single tree extraction by exploiting airborne full-waveform LiDAR data. *Remote Sensing of Environment*, 123, 368–380.

Yin LY, Qin XL, Sun GF, Zu XF, Chen XZ (2016) Tree species identification method based on GF-2 images. *Forest Resources Management*, (4), 121–127. (in Chinese with English abstract) [尹凌宇, 覃先林, 孙桂芬, 祖笑锋, 陈小中 (2016) 基于高分二号多光谱数据的树种识别方法. 林业资源管理, (4), 121–127.]

Youngtob KN, Roberts DA, Held AA, Dennison PE, Jia XP, Lindenmayer DB (2011) Mapping two Eucalyptus subgenera using multiple endmember spectral mixture analysis and continuum-removed imaging spectrometry data. *Remote Sensing of Environment*, 115, 1115–1128.

Yu LK, Yu Y, Liu XY, Du YC, Zhang H (2016) Tree species classification with hyperspectral image. *Journal of North-East Forestry University*, 44(9), 40–43, 57. (in Chinese with English abstract) [于丽柯, 于颖, 柳向宇, 杜一尘, 张涵 (2016) 基于高光谱影像的树种分类. 东北林业大学学报, 44(9), 40–43, 57.]

Yu XW, Hyypä J, Litkey P, Kaartinen H, Vastaranta M, Holopainen M (2017) Single-sensor solution to tree species classification using multispectral airborne laser scanning. *Remote Sensing*, 9, 108.

Zhou JH, Qin J, Gao K, Leng HB (2016) SVM-based soft classification of urban tree species using very high-spatial resolution remote-sensing imagery. *International Journal of Remote Sensing*, 37, 2541–2559.