

附录2 贵州花溪大学城26个林地斑块中物种多度排列矩阵

Appendix 2 Species-by-sites abundance matrix of birds recorded on 26 fragmented woodlots in Huaxi University Town, Guizhou Province<sup>1</sup>

物种 <sup>2</sup> Species	林地斑块编号 Woodlot no.																									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
黄臀鹌 <i>Pycnonotus xanthorrhous</i>	69	57	62	68	64	45	34	62	41	32	41	21	57	33	67	53	294	87	25	73	102	29	30	46	40	9
白颊噪鹛 <i>Garrulax sannio</i>	67	48	69	27	26	19	29	27	38	22	24	18	54	9	28	24	109	38	15	37	51	9	12	6	18	5
北红尾鹀 <i>Phoenicurus auroreus</i>	5	14	25	10	6	18	5	8	9	8	7	6	12	8	15	22	88	30	5	15	22	15	21	5	17	5
麻雀 <i>Passer montanus</i>	15	7	20	17	7	16	3	40	8	3	15	32	21	21	46	4	95	53	89	59	69	58	59	23	70	10
白鹡鸰 <i>Motacilla alba</i>	7	9	9	2	7	2	10	19	3	7	3	4	4	4	6	19	29	10	4	12	15	9	6	6	13	5
领雀嘴鹀 <i>Spizixos semitorques</i>	16	21	8	14	6	2	5	30	12	12	9	17	19	7	18	15	73	37	13	21	54	0	9	7	37	5
山斑鸠 <i>Streptopelia orientalis</i>	5	11	4	1	1	7	5	2	10	1	3	1	2	6	6	2	10	4	3	4	5	0	0	1	12	2
红嘴蓝鹊 <i>Urocissa erythrorhyncha</i>	3	8	5	7	2	3	3	8	7	6	1	15	7	4	0	17	18	4	5	2	16	0	2	0	9	16
大山雀 <i>Parus cinereus</i>	13	26	7	3	1	1	7	17	7	18	0	0	3	8	3	5	19	8	5	5	6	1	2	0	12	3
金翅雀 <i>Chloris sinica</i>	1	24	17	10	9	12	0	2	13	12	3	3	4	6	6	0	24	17	0	5	23	2	18	3	15	1
喜鹊 <i>Pica pica</i>	0	10	3	3	1	8	0	6	6	2	0	0	7	3	3	0	19	15	3	2	4	4	2	9	3	4
棕背伯劳 <i>Lanius schach</i>	0	1	2	1	0	2	3	1	1	1	0	7	2	0	3	1	20	7	0	2	2	1	0	1	2	0
强脚树莺 <i>Horornis fortipes</i>	0	0	9	0	5	0	0	1	1	1	0	2	1	0	3	4	52	2	0	9	21	0	7	2	5	0
鹊鸂 <i>Copsychus saularis</i>	1	1	2	0	0	0	1	1	4	0	0	0	2	10	2	0	8	4	6	1	1	0	0	0	5	0
暗绿绣眼鸟 <i>Zosterops japonicus</i>	5	14	10	11	2	2	0	0	7	0	0	0	0	0	0	0	47	8	0	11	5	0	0	0	9	0
红头长尾山雀 <i>Aegithalos concinnus</i>	2	22	16	0	0	1	0	0	6	6	0	0	0	1	0	0	31	20	0	0	3	0	0	0	1	0
八哥 <i>Acridotheres cristatellus</i>	0	0	1	0	0	0	0	2	0	0	0	2	0	0	1	0	15	4	0	1	5	0	0	0	7	0
黄腰柳莺 <i>Phylloscopus proregulus</i>	9	15	6	0	2	4	5	0	0	0	0	0	0	0	0	0	2	0	0	4	0	0	0	0	3	0
棕脸鹟莺 <i>Abroscopus albogularis</i>	1	5	0	0	0	0	0	1	0	1	0	0	0	0	0	1	4	1	0	0	0	0	0	0	3	0
纯色山鹡鸰 <i>Prinia inornata</i>	0	0	0	0	0	0	0	0	0	0	1	0	0	0	8	0	9	1	0	4	1	4	1	10	0	0
虎纹伯劳 <i>Lanius tigrinus</i>	0	0	0	0	0	1	0	6	1	0	0	0	0	1	0	0	1	0	6	0	0	0	0	1	10	0
乌鸫 <i>Turdus mandarinus</i>	0	0	2	0	0	0	0	0	0	0	0	0	0	3	0	0	3	1	3	3	0	0	0	0	18	1
珠颈斑鸠 <i>Spilopelia chinensis</i>	0	5	1	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	8	5	0	0	0	0	0	0
红尾伯劳 <i>Lanius cristatus</i>	1	0	0	0	0	0	0	3	0	0	0	0	2	3	0	0	1	0	0	0	0	0	0	1	1	0
黑喉石鹇 <i>Saxicola torquata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20	0	21	0	0	2	8	7	10	16	0	0



物种 <sup>2</sup> Species	林地斑块编号 Woodlot no.																										
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
环颈雉 <i>Phasianus colchicus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0	0	0	0
栗耳鹀 <i>Emberiza fucata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	0	0	0	0	0	0	0	0	0
大拟啄木鸟 <i>Psilopogon virens</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
灰头绿啄木鸟 <i>Picus canus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
蓝翅希鹀 <i>Siva cyanouroptera</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0

<sup>1</sup>表中的物种多度是10次调查中记录的个体数的累积值 The abundance is the accumulative records of individuals of each species during ten surveys.

<sup>2</sup>未包括燕子、雨燕、水鸟等高空飞行或非森林鸟类以及调查中仅记录到1次的偶然出现物种 Fly-overs (e.g., swallows and swifts), non-forest dwelling birds (e.g., waterbirds), and birds that were only recorded once in the survey were excluded.