

附录1 东北红豆杉天然种群概况表

Appendix 1 *Taxus cuspidata* population profile

编号	优势种组	海拔	坡度	分布林场	经纬度	Latitude and longitude
No.	Dominant group	Altitude (m)	Slope (°)	Forest Farm	N	E
1	舞鹤草-软枣子-臭冷杉 <i>Maianthemum bifolium-Actinidia arguta-Abies nephrolepis</i>	866	26°	和龙市荒沟林场 Helong Forest Farm	42°24'23"	128°38'4"
2	舞鹤草-软枣子-臭冷杉 <i>Maianthemum bifolium-Actinidia arguta-Abies nephrolepis</i>	813.1	30°	和龙市荒沟林场 Helong Forest Farm	42°24'24.9"	128°40'5.9"
3	舞鹤草-刺五加-花楷槭 <i>Maianthemum bifolium-Acanthopanax senticosus-Acer ukurunduense</i>	1,021	30°	和龙市荒沟林场 Helong Forest Farm	42°24'27.9"	128°40'7.8"
4	卵果蕨-软枣子-花楷槭 <i>Phegopteris connectilis-Actinidia arguta-Acer ukurunduense</i>	998.4	29°	和龙市荒沟林场 Helong Forest Farm	42°24'28.5"	128°40'10.8"
5	舞鹤草-软枣子-花楷槭 <i>Maianthemum bifolium-Actinidia arguta-Acer ukurunduense</i>	979.5	32°	和龙市荒沟林场 Helong Forest Farm	42°24'06.7"	128°39'54.0"
6	舞鹤草-软枣子-红松 <i>Maianthemum bifolium-Actinidia arguta-Pinus koraiensis</i>	1,130	12°	和龙市荒沟林场 Helong Forest Farm	42°23'58.8"	128°40'0.9"
7	舞鹤草-软枣子-花楷槭 <i>Maianthemum bifolium-Actinidia arguta-Acer ukurunduense</i>	1,030	23°	和龙市荒沟林场 Helong Forest Farm	42°23'45"	128°39'56"

编号	优势种组	海拔	坡度	分布林场	经纬度 Latitude and longitude	
No.	Dominant group	Altitude (m)	Slope (°)	Forest Farm	N	E
8	白花酢浆草–长白忍冬–臭冷杉 <i>Oxalis acetosella–Lonicera ruprechtiana–Abies nephrolepis</i>	873.3	13°	金钩岭林场 Jingouling Forest Farm	43°22'29"	130°9'33.9"
9	盾叶唐松草–狗枣子–臭冷杉 <i>Thalictrum ichangense–Actinidia kolomikta–Abies nephrolepis</i>	694.2	17°	金沟岭林场 Jingouling Forest Farm	43°21'37"	130°10'12.8"
10	舞鹤草–狗枣子–臭冷杉 <i>Maianthemum bifolium–Actinidia kolomikta–Abies nephrolepis</i>	910.5	14°	杜荒子林场 Duhuangzi Forest Farm	43°12'24"	130°36'35.3"
11	舞鹤草–辽东槲木–臭冷杉 <i>Maianthemum bifolium–Aralia elata–Abies nephrolepis</i>	907	13°	杜荒子林场 Duhuangzi Forest Farm	43°12'22.7"	130°36'35.7"
12	丝引藁草–长白忍冬–紫椴 <i>Carex remotiuscula–Lonicera ruprechtiana–Tilia amurensis</i>	856.8	21°	杜荒子林场 Duhuangzi Forest Farm	43°12'27.7"	130°36'36.7"
13	丝引藁草–狗枣子–臭冷杉 <i>Carex remotiuscula–Actinidia kolomikta–Abies nephrolepis</i>	808.1	18°	杜荒子林场 Duhuangzi Forest Farm	43°12'23.0"	130°36'25.8"
14	盾叶唐松草–五味子–臭冷杉 <i>Thalictrum ichangense–Schisandra chinensis–Abies nephrolepis</i>	818.6	18°	杜荒子林场 Duhuangzi Forest Farm	43°12'28.6"	130°36'25.3"
15	东北羊角芹–软枣子–臭冷杉 <i>Aegopodium alpestre–Actinidia arguta–Abies nephrolepis</i>	936.6	24°	杜荒子林场 Duhuangzi Forest Farm	43°11'51.3"	130°36'25.7"

编号	优势种组	海拔	坡度	分布林场	经纬度 Latitude and longitude	
No.	Dominant group	Altitude (m)	Slope (°)	Forest Farm	N	E
16	盾叶唐松草–刺五加–臭冷杉 <i>Thalictrum ichangense–Acanthopanax senticosus–Abies nephrolepis</i>	900.4	3°	荒沟林场 Huanggou Forest Farm	43°18'45.8"	130°19'31"
17	盾叶唐松草–东北茶藨–髭脉槭 <i>Thalictrum ichangense–Ribes mandshuricum–Acer barbinerve</i>	700	12°	兰家林场 Lanjia Forest Farm	43°26'19"	130°57'25"
18	盾叶唐松草–狗枣子–髭脉槭 <i>Thalictrum ichangense–Actinidia kolomikta–Acer barbinerve</i>	789.1	7°	兰家林场 Lanjia Forest Farm	43°26'19.4"	130°57'15.8"
19	白花酢浆草–东北溲疏–臭冷杉 <i>Oxalis acetosella–Deutzia parviflora–Abies nephrolepis</i>	766.9	27°	兰家林场 Lanjia Forest Farm	43°27'11.6"	130°56'12.4"
20	东北羊角芹–狗枣子–臭冷杉 <i>Aegopodium alpestre–Actinidia kolomikta–Abies nephrolepis</i>	745	20°	马滴答林场 Madida Forest Farm	43°9'35.5'	130°41'23.5"