

贺佳云, 张东, 储玲, 严云志 (2021) 人为干扰对溪流鱼类功能多样性及其纵向梯度格局的影响. 生物多样性, 29, 927–937. <https://www.biodiversity-science.net/CN/10.17520/biods.2020434>

附录 2 不同坡度土地利用比例的变化(城市用地/农业用地)

Appendix 2 The variations in the proportion of land use across the areas of different slopes (urban land/farmland)

坡度 Slope	舒溪 Shuxi	麻溪 Maxi	浦溪 Puxi	参考文献 Reference
>25°	0.03/0.13	0.13/0.10	0.08/0.08	陆君等, 2014
15°-25°	0.05/0.22	0.26/0.40	0.37/0.64	
6°-15°	0.12/0.69	0.60/1.69	1.53/2.47	
0°-6°	0.43/2.63	2.14/5.90	7.33/7.94	

Lu J, Liu YF, Huang HH, Qi K, Li X, Fan ZQ (2014) Correlation analysis between land use structure and water quality of the Taiping Lake watershed in Huangshan. *Journal of Fudan University (Natural Science)*, 53, 731–736, 746. (in Chinese with English abstract)
[陆君, 刘亚风, 黄洪辉, 齐珂, 李响, 樊正球 (2014) 黄山市太平湖流域土地利用结构与河流水质相关性分析. 复旦学报(自然科学版), 53, 731–736, 746.]