

附录3 赣江流域鱼类名录

Appendix 3 List of fish in Ganjiang River

本次研究	历史记录	备注
This study	Previous studies	Notes
鲟形目 Acipenseriformes		
鲟科 Acipenseridae		
001. 中华鲟 <i>Acipenser sinensis</i> Gray, 1835		○
鳗鲡目 Anguilliformes		
鳗鲡科 Anguillidae		
002. 日本鳗鲡 <i>Anguilla japonica</i> Temminck & Schlegel, 1846		⊕
鲱形目 Clupeiformes		
鲱科 Cluocidae		
003. 鲱 <i>Tenualosa reevesii</i> (Richardson, 1846)		○
鯀科 Engraulidae		
004. 刀鲚 <i>Coilia nasus</i> Temminck & Schlegel, 1846		○
005. 短颌鲚 <i>Coilia brachygnathus</i> Temminck & Schlegel, 1846		⊕
鲤形目 Cypriniformes		
鲤科 Cyprinidae		
006. 棘颊鱮 <i>Zacco acanthogenys</i> (Boulenger, 1901)		⊕T
	宽鳍鱮 <i>Zacco platypus</i> (Temminck & Schlegel, 1846)	⊖T
007. 马口鱼 <i>Opsariichthys bidens</i> Günther, 1873		⊕
008. 中华细鲫 <i>Aphyocypris chinensis</i> Günther, 1868		⊕
	异鱮 <i>Parazacco spilurus</i> (Günther, 1868)	⊖M

本次研究 This study	历史记录 Previous studies	备注 Notes
009. 青鱼 <i>Mylopharyngodon piceus</i> (Richardson, 1846)		⊕
010. 鮨 <i>Luciobrama macrocephalus</i> (Lacepède, 1803)		○
011. 草鱼 <i>Ctenopharyngodon idella</i> (Valenciennes, 1844)		⊕
012. 尖头大吻鲢 <i>Rhynchocypris oxycephalus</i> (Sauvage & Dabry de Thiersant, 1874)	尖头鲢 <i>Phoxinus oxycephalus</i>	○T
	拉氏鲢 <i>Phoxinus lagowskii</i> (Dybowski, 1869)	⊖M
013. 赤眼鲮 <i>Squaliobarbus curriculus</i> (Richardson, 1846)		⊕
014. 鲮 <i>Ochetobius elongatus</i> (Kner, 1867)		○
015. 鲮 <i>Elopichthys bambusa</i> (Richardson, 1845)		⊕
016. 飘鱼 <i>Pseudolaubuca sinensis</i> Bleeker, 1864		⊕
017. 寡鳞飘鱼 <i>Pseudolaubuca engraulis</i> (Nichols, 1925)		○
018. 大眼华鲮 <i>Sinibrama macrops</i> (Günther, 1868)		⊕
	伍氏华鲮 <i>Sinibrama wui</i> (Rendahl, 1933)	⊖S
019. 南方拟鲮 <i>Pseudohemiculter dispar</i> (Peters, 1881)		⊕
020. 海南拟鲮 <i>Pseudohemiculter hainanensis</i> (Boulenger, 1900)		⊕
	金华拟鲮 <i>Pseudohemiculter kinghwanensis</i> (Wang, 1935)	⊖S
021. 似鲮 <i>Toxabramis swinhonis</i> Günther, 1873		⊕
022. 鲮 <i>Hemiculter leucisculus</i> (Basilewsky, 1855)		⊕
023. 贝氏鲮 <i>Hemiculter bleekeri</i> Warpachowski, 1888		⊕
	兴凯鲮 <i>Hemiculter lucidus</i>	⊖M
024. 半鲮 <i>Hemiculterella sauvagei</i> Warpachowski, 1888		⊕
025. 伍氏半鲮 <i>Hemiculterella wui</i> (Wang, 1935)		⊕

本次研究 This study	历史记录 Previous studies	备注 Notes
026. 红鳍鲌 <i>Culter alburnus</i> Basilewsky, 1855	红鳍原鲌 <i>Cultrichthys erythropterus</i>	⊕T
027. 翘嘴原鲌 <i>Chanodichthys erythropterus</i> (Basilewsky, 1855)	翘嘴鲌 <i>Culter alburnus</i>	⊕T
028. 达氏原鲌 <i>Chanodichthys dabryi</i> Bleeker, 1871	达氏鲌 <i>Culter dabryi</i>	⊕T
029. 蒙古原鲌 <i>Chanodichthys mongolicus</i> Basilewsky, 1855	蒙古鲌 <i>Culter mongolicus</i>	○T
030. 尖头原鲌 <i>Chanodichthys oxycephalus</i> Bleeker, 1871	尖头鲌 <i>Culter oxycephalus</i>	○T
031. 拟尖头原鲌 <i>Chanodichthys oxycephaloides</i> Kreyenberg & Pappenheim, 1908	拟尖头鲌 <i>Culter oxycephaloides</i>	⊕T
	高体近红鲌 <i>Ancherythroculter kurematsui</i> (Kimura, 1934)	⊖M
032. 鳊 <i>Parabramis pekinensis</i> (Basilewsky, 1855)		⊕
033. 鲂 <i>Megalobrama mantschuricus</i> (Basilewsky, 1855)		⊕
034. 团头鲂 <i>Megalobrama amblycephala</i> Yih, 1955		⊕
035. 三角鲂 <i>Megalobrama terminalis</i> (Richardson, 1846)		○
036. 银鲌 <i>Xenocypris argentea</i> Günther, 1868		⊕
037. 黄尾鲌 <i>Xenocypris davidi</i> Bleeker, 1871		⊕
038. 细鳞鲌 <i>Xenocypris microlepis</i> Bleeker, 1871		⊕
039. 圆吻鲌 <i>Distoechodon tumirostris</i> Peters, 1881		⊕
040. 似鳊 <i>Pseudobrama simoni</i> (Bleeker, 1864)		⊕
041. 华南鲤 <i>Cyprinus rubrofusculus</i> Lacepède, 1803		⊕
	鲤 <i>Cyprinus carpio</i> Linnaeus, 1758	⊖T
	三角鲤 <i>Cyprinus multitaeniatus</i> Pellegrin & Chevey, 1936	⊖M
042. 鲫 <i>Carassius auratus</i> (Linnaeus, 1758)		⊕
043. 鳊 <i>Aristichthys nobilis</i> (Richardson, 1845)		⊕

本次研究 This study	历史记录 Previous studies	备注 Notes
044. 鲢 <i>Hypophthalmichthys molitrix</i> (Valenciennes, 1844)		⊕
045. 高体鳊 <i>Rhodeus ocellatus</i> (Kner, 1866)		⊕
046. 中华鳊 <i>Rhodeus sinensis</i> Günther, 1868		⊕
	彩石鳊 <i>Rhodeus lighti</i> (Wu, 1931)	⊖S
047. 方氏鳊 <i>Rhodeus fangi</i> (Miao 1934)		+
048. 鳊未定种 <i>Rhodeus</i> sp.nov.		+
049. 大鳍鱮 <i>Acheilognathus macropterus</i> (Bleeker, 1871)		⊕
	斑条鱮 <i>Acheilognathus taenianalis</i> (Günther, 1873)	⊖S
050. 短须鱮 <i>Acheilognathus barbatus</i> Günther, 1873		⊕
	白河鱮 <i>Acheilognathus peihoensis</i> (Fowler, 1910)	⊖S
051. 越南鱮 <i>Acheilognathus tonkinensis</i> (Vaillant, 1892)		⊕
052. 兴凯鱮 <i>Acheilognathus chankaensis</i> (Dybowski, 1872)		⊕
053. 寡鳞鱮 <i>Acheilognathus hypselonotus</i> (Bleeker, 1871)		○
054. 无须鱮 <i>Acheilognathus gracilis</i> Nichols, 1926		⊕
055. 须鱮 <i>Acheilognathus barbatus</i> Nichols, 1926		+
056. 多鳞鱮 <i>Acheilognathus polylepis</i> (Wu, 1964)		⊕
057. 彩鱮 <i>Acheilognathus imberbis</i> Günther, 1868		○
058. 广西鱮 <i>Acheilognathus meridianus</i> (Wu, 1939)		⊕
059. 鱮未定种 <i>Acheilognathus</i> sp. nov.		+
	革条田中鳊 <i>Tanakia himantegus</i> (Günther, 1868)	⊖M
060. 刺鲃 <i>Spinibarbus caldwelli</i> (Nichols, 1925)		⊕

本次研究 This study	历史记录 Previous studies	备注 Notes
	光倒刺鲃 <i>Spinibarbus hollandi</i> Oshima, 1919	⊖T
	中华倒刺鲃 <i>Spinibarbus sinensis</i> Bleeker, 1871	⊖M
061. 条纹小鲃 <i>Barbodes semifasciolatus</i> (Günther, 1868)		⊕
062. 克氏光唇鱼 <i>Acrossocheilus kreyenbergii</i> (Regan, 1908)		⊕
	带半刺光唇鱼 <i>Acrossocheilus hemispinus cinctus</i> (Lin, 1931)	⊖S
063. 侧条光唇鱼 <i>Acrossocheilus parallens</i> (Nichols, 1931)		⊕
	光唇鱼 <i>Acrossocheilus fasciatus</i> (Steindachner, 1892)	⊖M
	半刺光唇鱼 <i>Acrossocheilus hemispinus</i> (Nichols, 1925)	⊖M
	厚唇光唇鱼 <i>Acrossocheilus labiatus</i> (Regan, 1908)	⊖M
	台湾光唇鱼 <i>Acrossocheilus paradoxus</i> (Günther, 1868)	⊖M
064. 纵带白甲鱼 <i>Onychostoma virgulatum</i> Xin, Zhang & Cao, 2009		+
065. 短须白甲鱼 <i>Onychostoma brevibarba</i> Song, Cao & Zhang, 2018		⊕
	台湾白甲鱼 <i>Onychostoma barbatulum</i> (Pellegrin, 1908)	⊖T
	白甲鱼 <i>Onychostoma simum</i> (Sauvage & Dabry de Thiersant, 1874)	⊖M
	细身白甲鱼 <i>Onychostoma elongatum</i> (Pellegrin & Chevey, 1934)	⊖M
	小口白甲鱼 <i>Onychostoma lini</i> (Wu, 1939)	⊖M
066. 瓣结鱼 <i>Folifer brevifilis</i> (Peters, 1881)		○
	泉水鱼 <i>Pseudogyrinocheilus prochilus</i> (Sauvage & Dabry de Thiersant, 1874)	⊖U
067. 东方墨头鱼 <i>Garra orientalis</i> Nichols, 1925		⊕
068. 花斑异华鲮 <i>Parasinilabeo maculatus</i> Zhang, 2000		+
069. 鲮 <i>Cirrhinus molitorella</i> (Valenciennes, 1844)		+A

本次研究 This study	历史记录 Previous studies	备注 Notes
070. 麦瑞加拉鲮 <i>Cirrhinus cirrhosus</i> Bloch, 1795		+A
071. 露斯塔野鲮 <i>Labeo rohita</i> (Hamilton, 1822)		+A
	纹唇鱼 <i>Osteochilus salsburyi</i> Nichols & Pope, 1927	⊖U
072. 花鲮 <i>Hemibarbus maculatus</i> Bleeker, 1871		⊕
073. 唇鲮 <i>Hemibarbus labeo</i> (Pallas, 1776)		⊕
	长吻鲮 <i>Hemibarbus longirostris</i> Regan, 1908	⊖M
	花棘鲮 <i>Hemibarbus umbrifer</i> (Lin, 1931)	⊖M
074. 似鲮 <i>Belligobio nummifer</i> (Boulenger, 1901)		○
075. 小鲮 <i>Sarcocheilichthys parvus</i> Nichols, 1930		⊕
076. 江西鲮 <i>Sarcocheilichthys kiangsiensis</i> Nichols, 1930		⊕
077. 黑鳍鲮 <i>Sarcocheilichthys nigripinnis</i> (Günther, 1873)		⊕
078. 华鲮 <i>Sarcocheilichthys sinensis</i> Bleeker, 1871		⊕
079. 斑纹鲮 <i>Sarcocheilichthys vittatus</i> An & Zhang, 2020		+
080. 麦穗鱼 <i>Pseudorasbora parva</i> (Temminck & Schlegel, 1846)		⊕
081. 银鲃 <i>Squalidus argentatus</i> (Sauvage & Dabry de Thiersant, 1874)		⊕
082. 点纹银鲃 <i>Squalidus wolterstorffi</i> (Regan, 1908)		⊕
083. 铜鱼 <i>Coreius heterodon</i> (Bleeker 1864)		○
084. 吻鲃 <i>Rhinogobio typus</i> Bleeker, 1871		⊕
	长鳍吻鲃 <i>Rhinogobio ventralis</i> Sauvage & Dabry de Thiersant, 1874	⊖M
085. 圆筒吻鲃 <i>Rhinogobio cylindricus</i> Günther, 1888		○
086. 棒花鱼 <i>Abbottina rivularis</i> (Basilewsky, 1855)		⊕

本次研究 This study	历史记录 Previous studies	备注 Notes
	钝吻棒花鱼 <i>Abbottina obtusirostris</i> (Wu & Wang, 1931)	⊖M
087. 蛇鮠 <i>Saurogobio dabryi</i> Bleeker, 1871		⊕
088. 蛇鮠未定种 <i>Saurogobio</i> sp. nov.		+
089. 长蛇鮠 <i>Saurogobio dumerili</i> Bleeker, 1871		○
090. 光唇蛇鮠 <i>Saurogobio lissilabris</i> Bănărescu & Nalbant, 1973		⊕
091. 湘江蛇鮠 <i>Saurogobio xiangjiangensis</i> Tang, 1980		⊕
092. 细尾蛇鮠 <i>Saurogobio gracilicaudatus</i> Yao & Yang, 1977		○
093. 似鮠 <i>Pseudogobio vaillanti</i> (Sauvage, 1878)		⊕
	桂林似鮠 <i>Pseudogobio guilinensis</i> Yao & Yang, 1977	⊖M
094. 短须颌须鮠 <i>Gnathopogon imberbis</i> (Sauvage & Dabry de Thiersant, 1874)		+
095. 长须片唇鮠 <i>Platysmacheilus longibarbatus</i> Lu, Luo & Chen, 1977		⊕
	片唇鮠 <i>Platysmacheilus exiguous</i> (Lin, 1932)	⊖M
096. 胡鮠 <i>Microphysogobio chenhsienensis</i> (Fang, 1938)		⊕
097. 洞庭小鰾鮠 <i>Microphysogobio tungtingensis</i> (Nichols, 1926)		⊕
098. 裸腹小鰾鮠 <i>Microphysogobio nudiventris</i> Jiang, Gao & Zhang, 2012		+
099. 福建小鰾鮠 <i>Microphysogobio fukiensis</i> (Nichols, 1926)		⊕
100. 乐山小鰾鮠 <i>Microphysogobio kiatingensis</i> (Wu, 1930)		⊕
101. 长体小鰾鮠 <i>Microphysogobio elongatus</i> (Yao & Yang, 1977)		⊕
102. 张氏小鰾鮠 <i>Microphysogobio zhangii</i> Huang, Zhao, Chen & Shao, 2017		+
103. 小鰾鮠未定种 <i>Microphysogobio</i> sp. nov.		+
104. 似刺鰾鮠 <i>Paracanthobrama guichenoti</i> Bleeker, 1864		○

本次研究 This study	历史记录 Previous studies	备注 Notes
105. 南方鳅鲇 <i>Gobiobotia meridionalis</i> Chen & Cao, 1977		⊕
106. 宜昌鳅鲇 <i>Gobiobotia filifer</i> (Garman, 1912)		⊕
107. 海南鳅鲇 <i>Gobiobotia kollerii</i> Bănărescu & Nalbant, 1966		+
	董氏鳅鲇 <i>Gobiobotia tungi</i> Fang, 1933	⊖M
胭脂鱼科 Catostomidae		
108. 胭脂鱼 <i>Myxocyprinus asiaticus</i> (Bleeker, 1864)		⊕
条鳅科 Nemacheilidae		
109. 无斑南鳅 <i>Schistura incerta</i> (Nichols, 1931)		⊕
110. 横纹南鳅 <i>Schistura fasciolata</i> (Nichols & Pope, 1927)		⊕
	辛氏条鳅 <i>Schistura singhi</i> (Menon, 1987)	⊖M
111. 平头岭鳅 <i>Oreonectes platycephalus</i> Günther, 1868		+
花鳅科 Cobitidae		
112. 中华花鳅 <i>Cobitis sinensis</i> Sauvage & Dabry de Thiersant, 1874		⊕
113. 大斑花鳅 <i>Cobitis macrostigma</i> Dabry de Thiersant, 1872		⊕
	花鳅 <i>Cobitis taenia</i> Linnaeus, 1758	⊖M
114. 泥鳅 <i>Misgurnus anguillicaudatus</i> (Cantor, 1842)		⊕
115. 大鳞副泥鳅 <i>Paramisgurnus dabryanus</i> Dabry de Thiersant, 1872		⊕
沙鳅科 Botidae		
116. 江西副沙鳅 <i>Parabotia kiangsiensis</i> Liu & Guo, 1986		+
117. 花斑副沙鳅 <i>Parabotia fasciata</i> Dabry de Thiersant, 1872		⊕
118. 武昌副沙鳅 <i>Parabotia banarescui</i> (Nalbant, 1965)		⊕

本次研究 This study	历史记录 Previous studies	备注 Notes
119. 漓江副沙鳅 <i>Parabotia lijiangensis</i> Chen, 1980		+
120. 点面副沙鳅 <i>Parabotia maculosa</i> (Wu, 1939)		⊕
121. 橘黄薄鳅 <i>Leptobotia citraurata</i> (Nichols, 1925)		⊕
	长薄鳅 <i>Leptobotia elongata</i> (Bleeker, 1870)	⊖T
122. 紫薄鳅 <i>Leptobotia taeniops</i> (Sauvage, 1878)		⊕
123. 扁尾薄鳅 <i>Leptobotia tientainensis</i> (Wu, 1930)		⊕
124. 薄鳅未定种 <i>Leptobotia</i> sp. nov.		+
	张氏薄鳅 <i>Leptobotia tchangi</i> Fang, 1936	⊖M
腹吸鳅科 Gastromyzontidae		
125. 丁氏缨口鳅 <i>Formosania tinkhami</i> (Herre, 1934)		+
	达氏缨口鳅 <i>Formosania davidi</i>	⊖M
126. 大斑原缨口鳅 <i>Vanmanenia maculata</i> Yi, Zhang & Shen, 2014		⊕
	平舟原缨口鳅 <i>Vanmanenia pinchowensis</i> (Fang, 1935)	⊖T
127. 原缨口鳅 <i>Vanmanenia stenosoma</i> (Boulenger, 1901)		○
	浙南原缨口鳅 <i>Vanmanenia chekianensis</i> (Tchang, 1932)	⊖S
128. 裸腹原缨口鳅 <i>Vanmanenia gymnetrus</i> Chen, 1980		⊕
	信宜原缨口鳅 <i>Vanmanenia xinyiensis</i> Zheng & Chen, 1980	⊖M
129. 方氏拟腹吸鳅 <i>Pseudogastromyzon fangi</i> (Nichols, 1931)		+
130. 长汀拟腹吸鳅 <i>Pseudogastromyzon changtingensis</i> Liang, 1942		⊕
爬鳅科 Balitoridae		
131. 大鳍犁头鳅 <i>Lepturichthys dolichopterus</i> Dai, 1985		+

本次研究 This study	历史记录 Previous studies	备注 Notes
132. 犁头鳅 <i>Lepturichthys fimbriata</i> (Günther, 1888)		⊕
鲇形目 Siluriformes		
钝头鮠科 Amblycipitidae		
133. 等颌鮠 <i>Liobagrus aequilabris</i> Wright & Ng, 2008		+
134. 鳗尾鮠 <i>Liobagrus anguillicauda</i> Nichols, 1926		⊕
	黑尾鮠 <i>Liobagrus nigricauda</i> Regan, 1904	⊖M
	白缘鮠 <i>Liobagrus marginatus</i> (Günther, 1892)	⊖M
鲃科 Sisoridae		
135. 中华纹胸鲃 <i>Glyptothorax sinensis</i> (Regan, 1908)		⊕
	福建纹胸鲃 <i>Glyptothorax fukiensis</i> (Rendahl, 1925)	⊖S
鲇科 Siluridae		
136. 鲇 <i>Silurus asotus</i> Linnaeus, 1758		⊕
137. 大口鲇 <i>Silurus meridionalis</i> Chen, 1977		⊕
	越南隐鳍鲇 <i>Pterocryptis cochinchinensis</i> (Valenciennes, 1840)	⊖M
胡子鲇科 Clariidae		
138. 胡子鲇 <i>Clarias fuscus</i> Lacepède, 1803		⊕
鲮科 Bagridae		
139. 黄颡鱼 <i>Tachysurus sinensis</i> (Richardson, 1846)		⊕T
140. 长须黄颡鱼 <i>Tachysurus eupogon</i> (Boulenger, 1892)		⊕T
141. 瓦氏黄颡鱼 <i>Tachysurus vachellii</i> (Richardson, 1846)		⊕T
142. 光泽黄颡鱼 <i>Tachysurus nitidus</i> (Sauvage & Dabry de Thiersant, 1874)		⊕T

本次研究 This study	历史记录 Previous studies	备注 Notes
143. 长吻鮠 <i>Tachysurus dumerili</i> (Bleeker, 1864)		○T
144. 粗唇鮠 <i>Tachysurus crassilabris</i> (Günther, 1864)		⊕T
145. 白边拟鲮 <i>Tachysurus albomarginatus</i> (Rendahl, 1928)		⊕T
146. 切尾拟鲮 <i>Tachysurus truncatus</i> (Regan, 1913)		⊕T
147. 盍堂拟鲮 <i>Tachysurus ondon</i> (Shaw, 1930)		⊕T
148. 长臀拟鲮 <i>Tachysurus analis</i> (Nichols, 1930)		○T
	细体拟鲮 <i>Tachysurus pratti</i> (Günther, 1892)	⊖M
	短尾拟鲮 <i>Tachysurus brevicaudatus</i> (Wu, 1930)	⊖M
	长脂拟鲮 <i>Tachysurus adiposalis</i> (Oshima, 1919)	⊖M
	乌苏里拟鲮 <i>Tachysurus ussuriensis</i> (Dybowski, 1872)	⊖M
	条纹拟鲮 <i>Tachysurus taeniatus</i> (Günther, 1873)	⊖M
	圆尾拟鲮 <i>Tachysurus tenuis</i> (Günther, 1873)	⊖M
149. 大鳍鱩 <i>Hemibagrus macropterus</i> Bleeker, 1870		⊕
胡瓜鱼目 Osmeriformes		
银鱼科 Salangidae		
150. 大银鱼 <i>Protosalanx chinensis</i> (Basilewsky, 1855)		○
151. 短吻间银鱼 <i>Hemisanx brachyrostralis</i> (Fang, 1934)		○
152. 陈氏新银鱼 <i>Neosalanx tangkahkeii</i> (Wu, 1931)		+
颌针鱼目 Beloniformes		
鱖科 Hemiramphidae		
153. 间下鱖 <i>Hyporhamphus intermedius</i> (Cantor, 1842)		⊕

本次研究 This study	历史记录 Previous studies	备注 Notes
合鳃鱼目 Synbranchiformes		
合鳃鱼科 Synbranchidae		
154. 黄鳝 <i>Monopterus albus</i> (Zuiew, 1793)		⊕
刺鲃科 Mastacembelidae		
155. 中华刺鲃 <i>Sinobdella sinensis</i> (Bleeker, 1870)		⊕
156. 大刺鲃 <i>Mastacembelus armatus</i> (Lacepède, 1800)		⊕
鲮形目 Cyprinodontiformes		
青鳉科 Oryziatidae		
157. 青鳉 <i>Oryzias latipes</i> (Temminck & Schlegel, 1846)		⊕
胎鳉科 Poeciliidae		
158. 食蚊鱼 <i>Gambusia affinis</i> (Baird & Girard, 1853)		⊕A
鲈形目 Perciformes		
鳊科 Sinipercidae		
159. 长体鳊 <i>Siniperca roulei</i> Wu, 1930		⊕
160. 鳊 <i>Siniperca chuatsi</i> (Basilewsky, 1855)		⊕
161. 大眼鳊 <i>Siniperca knerii</i> Garman, 1912		⊕
162. 斑鳊 <i>Siniperca scherzeri</i> Steindachner, 1892		⊕
163. 暗鳊 <i>Siniperca obscura</i> Nichols, 1930		⊕
164. 波纹鳊 <i>Siniperca undulata</i> Fang & Chong, 1932		⊕
太阳鱼科 Centrarchidae		

本次研究 This study	历史记录 Previous studies	备注 Notes
165. 大口黑鲈 <i>Micropterus salmoides</i> (Lacepède, 1802)		+A
沙塘鳢科 Odontobutidae		
166. 中华沙塘鳢 <i>Odontobutis sinensis</i> Wu, Chen & Chong, 2002		⊕
167. 小黄魮鱼 <i>Micropercops cinctus</i> (Dabry de Thiersant 1872)	小黄魮鱼 <i>Micropercops swinhonis</i> (Günther, 1873)	⊕T
鰕虎鱼科 Gobiidae		
168. 波氏吻鰕虎鱼 <i>Rhinogobius cliffordpopei</i> (Nichols, 1925)		⊕
169. 子陵吻鰕虎鱼 <i>Rhinogobius giurinus</i> Gill, 1859		⊕
170. 溪吻鰕虎鱼 <i>Rhinogobius duospilus</i> (Herre, 1935)		+
	褐吻鰕虎鱼 <i>Rhinogobius brunneus</i> (Temminck & Schlegel, 1845)	⊖M
171. 真吻鰕虎鱼 <i>Rhinogobius similis</i> Gill, 1859		○
斗鱼科 Osphronemidae		
172. 圆尾斗鱼 <i>Macropodus chinensis</i> (Bloch, 1790)		⊕
173. 叉尾斗鱼 <i>Macropodus opercularis</i> (Linnaeus, 1758)		⊕
鳢科 Channidae		
174. 乌鳢 <i>Channa argus</i> (Cantor, 1842)		⊕
175. 斑鳢 <i>Channa maculata</i> (Lacepède, 1801)		⊕
176. 月鳢 <i>Channa asiatica</i> (Linnaeus, 1758)		⊕
丽鱼科 Cichlidae		
177. 罗非鱼 <i>Oreochromis mossambicus</i> (Peters, 1852)		+A
鲈形目 Tetraodontiformes		
鲈科 Teraodontidae		

本次研究	历史记录	备注
This study	Previous studies	Notes
178. 暗纹东方鲀 <i>Takifugu obscurus</i> (Abe, 1949)		○
179. 弓斑东方鲀 <i>Takifugu ocellatus</i> (Linnaeus, 1758)		○
鲽形目 Pleuronectiformes		
舌鳎科 Cynoglossidae		
180. 窄体舌鳎 <i>Cynoglossus gracilis</i> Günther, 1873		○

⊕: 历史记录存在且本次调查采集到的物种 (Historically recorded species caught in this study); ○: 历史记录存在但本次调查未采集到的物种 (Historically recorded species not caught in this study); ⊖: 历史记录存在但本名录未收录的物种 (Historically recorded species not included in this checklist); +: 新记录的物种 (Newly recorded species); A: 外来种或引进种 (Alien species); S: 同物异名 (Synonyms); M: 鉴定错误的物种 (Previously misidentified species); T: 分类变更的物种 (Taxonomically altered species); U: 无法确定的物种 (Uncertain species)

王子彤, 张鸮 (2021) 赣江鱼类物种更新名录. 生物多样性, 29, 1256–1264. <https://www.biodiversity-science.net/CN/10.17520/biods.2021119>