

## 附录1 本研究纳入的文献

### Appendix 1 The literature included in the meta-analysis

- Alvarez T, Frampton GK, Goulson D (2001) Epigeic Collembola in winter wheat under organic, integrated and conventional farm management regimes. *Agriculture, Ecosystems & Environment*, 83, 95–110.
- Caprio E, Nervo B, Isaia M, Allegro G, Rolando A (2015) Organic versus conventional systems in viticulture: Comparative effects on spiders and carabids in vineyards and adjacent forests. *Agricultural Systems*, 136, 61–69.
- Chen HF, Li KS, Yu P, Huang JH (2015) Analysis on arthropod community structure parameters in paddy fields by the yellow board trap sampling. *Journal of Shanxi Agricultural University (Natural Science Edition)*, 35, 447–450. (in Chinese with English abstract) [陈洪凡, 李快生, 余鹏, 黄建华 (2015) 黄板诱集法取样下稻田节肢动物群落结构特征参数分析. 山西农业大学学报(自然科学版), 35, 447–450.]
- Chen HF, Liang YY, Ye DP, Lan B, Li XM, Yang YQ (2017) Analysis of the arthropod community composition in paddy fields by sweep net sampling. *Journal of Anhui Agricultural University*, 44, 1124–1130. (in Chinese with English abstract) [陈洪凡, 梁玉勇, 叶德萍, 兰波, 李湘民, 杨迎青 (2017) 扫网法取样下稻田节肢动物群落组成分析. 安徽农业大学学报, 44, 1124–1130.]
- Doles JL, Zimmerman RJ, Moore JC (2001) Soil microarthropod community structure and dynamics in organic and conventionally managed apple orchards in Western Colorado, USA. *Applied Soil Ecology*, 18, 83–96.
- Drinkwater LE, Letourneau DK, Workneh F, van Bruggen AHC, Shennan C (1995) Fundamental differences between conventional and organic tomato agroecosystems in California. *Ecological Applications*, 5, 1098–1112.
- Dritschilo W, Erwin TL (1982) Responses in abundance and diversity of cornfield carabid communities to differences in farm practices. *Ecology*, 63, 900–904.
- Dritschilo W, Wanner D (1980) Ground beetle abundance in organic and conventional corn fields. *Environmental Entomology*, 9, 629–631.
- Feber RE, Bell J, Johnson PJ, Firbank LG, MacDonald DW (1998) The effects of organic farming on surface-active spider (Araneae) assemblages in wheat in southern England, UK. *Journal of Arachnology*, 26, 190–202.
- Froidevaux JSP, Louboutin B, Jones G (2017) Does organic farming enhance biodiversity in Mediterranean vineyards? A case study with bats and arachnids. *Agriculture, Ecosystems & Environment*, 249, 112–122.
- Gkissakis V, Volakakis N, Kollaros D, Bãrberi P, Kabourakis EM (2016) Soil arthropod community in the olive agroecosystem: Determined by environment and farming practices in different management systems and agroecological zones. *Agriculture, Ecosystems & Environment*, 218, 178–189.
- Gu SS, Hu QL, Gong ZH, Yang ZX, Li J, Tan L (2019) Community structure of arthropods in tea plantations under different management modes. *Guizhou Agricultural Sciences*, 47, 31–35. (in Chinese with English abstract) [顾松松, 胡秋龙, 龚志华, 杨中侠, 李娟, 谭琳 (2019) 不同管理模式下茶园节肢动物的群落结构. 贵州农业科学, 47, 31–35.]
- Hadjicharalampous E, Kalburtji KL, Mamolos AP (2002) Soil arthropods (Coleoptera, Isopoda) in organic and conventional agroecosystems. *Environmental Management*, 29, 683–690.
- Han BY (2005) Difference in dynamic and structure of spider communities in organic and non-pollution and common tea gardens. *Acta Arachnologica Sinica*, 14, 104–107. (in Chinese with English abstract) [韩宝瑜 (2005) 有机、无公害和普通茶园蜘蛛群落组成及动态差异. 蛛形学报, 14, 104–107.]

黄方倩, 王超, 刘明庆, 陈秋会, 韩笑, 王磊, 席运官, 张纪兵 (2022) 有机种植对农田节肢动物多样性影响的整合分析. 生物多样性, 30, 21243. <https://www.biodiversity-science.net/CN/10.17520/biods.2021243>

- Han BY, Cui L, Dong WX (2006) The effect of farming methods in organic, safety, and common tea gardens on the composition of arthropod communities and the abundances of main pests. *Acta Ecologica Sinica*, 26, 1438–1443. (in Chinese with English abstract) [韩宝瑜, 崔林, 董文霞 (2006) 有机、无公害和普通茶园管理方式对节肢动物群落和主要害虫的影响. *生态学报*, 26, 1438–1443.]
- Han BY, Zhou P, Cui L, Zhou XG, Xia Y (2007) Impact of farming methods and tea garden habitats on population density of *Ectopis oblique* and its main natural enemies. *Acta Phytophylacica Sinica*, 34, 15–21. (in Chinese with English abstract) [韩宝瑜, 周鹏, 崔林, 周孝贵, 夏艳 (2007) 不同管理方式的茶园生境中茶尺蠖及其天敌密度的差异. *植物保护学报*, 34, 15–21.]
- Han Y, Dai PP, Li X, Song X, Li J, Liu YH (2015) Effects of organic farming on diversity of arthropods in farmlands of North China plain in summer. *Journal of Ecology and Rural Environment*, 31, 697–703. (in Chinese with English abstract) [韩印, 戴漂漂, 李想, 宋潇, 李季, 刘云慧 (2015) 华北平原有机农业对夏季农田节肢动物多样性的影响. *生态与农村环境学报*, 31, 697–703.]
- Hesler LS, Grigarick AA, Orazo MJ, Palrang AT (1993) Arthropod fauna of conventional and organic rice fields in California. *Journal of Economic Entomology*, 86, 149–158.
- Hou YM, Pang XF, Liang GW, You MS (2001) Effect of chemical insecticides on the diversity of arthropods in vegetable fields. *Acta Ecologica Sinica*, 21, 1262–1268. (in Chinese with English abstract) [侯有明, 庞雄飞, 梁广文, 尤民生 (2001) 化学杀虫剂对菜田节肢动物多样性的影响. *生态学报*, 21, 1262–1268.]
- Huang XC (2011) Arthropod biodiversity in paddy fields under different management regimes. Master dissertation, Nanjing Agricultural University, Nanjing. (in Chinese with English abstract) [黄先才 (2011) 不同管理模式稻田节肢动物多样性研究. 硕士学位论文, 南京农业大学, 南京.]
- Huang ZE, Du XG, Dong M, Yang DP, Zhang LD (2004) Effects of organic management on the stability of arthropods in organic tea gardens. *Chinese Agricultural Science Bulletin*, 20, 57–59, 98. (in Chinese with English abstract) [黄正恩, 杜相革, 董民, 杨东鹏, 张禄达 (2004) 有机管理对茶园节肢动物群落稳定性的影响. *中国农学通报*, 20, 57–59, 98.]
- Isaia M, Bona F, Badino G (2006) Influence of landscape diversity and agricultural practices on spider assemblage in Italian vineyards of langa astigiana (northwest Italy). *Environmental Entomology*, 35, 297–307.
- Kolb S, Uzman D, Leyer I, Reineke A, Entling MH (2020) Differential effects of semi-natural habitats and organic management on spiders in viticultural landscapes. *Agriculture, Ecosystems & Environment*, 287, 106695.
- Krauss J, Gallenberger I, Steffan-Dewenter I (2011) Decreased functional diversity and biological pest control in conventional compared to organic crop fields. *PLoS ONE*, 6, e19502.
- Letourneau DK, Goldstein B (2001) Pest damage and arthropod community structure in organic vs. conventional tomato production in California. *Journal of Applied Ecology*, 38, 557–570.
- Li H (2010) The comparison of arthropod community structure and diversity between the organic orchard and non-organic orchard. Master dissertation, Tianjin Normal University, Tianjin. (in Chinese with English abstract) [李浩 (2010) 有机果园与非有机果园节肢动物群落结构及多样性比较. 硕士学位论文, 天津师范大学, 天津.]
- Li ZQ, Liang GW, Cen YJ, Zeng L (2009) Roles of organic management in restoration of arthropod community diversity in Citrus orchard. *Chinese Journal of Ecology*, 28, 1515–1519. (in Chinese with English abstract) [李志强, 梁广文, 岑伊静, 曾玲 (2009) 有机管理对柑橘园节肢动物群落多样性恢复的作用. *生态学杂志*, 28, 1515–1519.]
- Lin J, Zou W, Wang SJ, Lin NQ (2008) A preliminary investigation on the arthropod community at three plantations in Fu'an. *Entomological Journal of East China*, 17, 194–199. (in Chinese with English abstract) [林瑾, 邹武, 王水金, 林乃铨 (2008)

黄方倩, 王超, 刘明庆, 陈秋会, 韩笑, 王磊, 席运官, 张纪兵 (2022) 有机种植对农田节肢动物多样性影响的整合分析. 生物多样性, 30, 21243. <https://www.biodiversity-science.net/CN/10.17520/biods.2021243>

福安三种不同茶园节肢动物群落的消长动态调查. 华东昆虫学报, 17, 194–199.]

Liu JH (2017) Contrasting arthropod communities in wolfberry orchards of different management regimes in northwestern China. *Pakistan Journal of Agricultural Sciences*, 54, 595–605.

Mao M, Zhang X, Wang L, Xiao XJ, Wang H, Li HX, Jiao JG, Wang X (2019) Survey on soil fauna diversity under organic farming. *Soils*, 51, 698–707. (in Chinese with English abstract) [毛妙, 张欣, 王磊, 肖兴基, 王辉, 李辉信, 焦加国, 王霞 (2019) 有机种植模式土壤动物多样性的调查研究. *土壤*, 51, 698–707.]

Moreby SJ, Aebischer NJ, Southway SE, Sotherton NW (1994) A comparison of the flora and arthropod fauna of organically and conventionally grown winter wheat in southern England. *Annals of Applied Biology*, 125, 13–27.

Morente M, Campos M, Ruano F (2018) Evaluation of two different methods to measure the effects of the management regime on the olive-canopy arthropod community. *Agriculture, Ecosystems & Environment*, 259, 111–118.

Pang DH, Xiao RL, Hou BH, Shan WX, Chen P (2010) Effect of ecological management on arthropod community structure and diversity in hilly tea plantation. *Chinese Journal of Eco-Agriculture*, 18, 1272–1276. (in Chinese with English abstract) [庞冬辉, 肖润林, 侯柏华, 单武雄, 陈佩 (2010) 生态管理对茶园节肢动物群落结构和多样性的影响. *中国生态农业学报*, 18, 1272–1276.]

Pfiffner L, Luka H (2003) Effects of low-input farming systems on carabids and epigeal spiders—A paired farm approach. *Basic and Applied Ecology*, 4, 117–127.

Pfiffner L, Niggli U (1996) Effects of bio-dynamic, organic and conventional farming on ground beetles (Col. Carabidae) and other epigeal arthropods in winter wheat. *Biological Agriculture & Horticulture*, 12, 353–364.

Ponce C, Bravo C, León DGD, Magaña M, Alonso JC (2011) Effects of organic farming on plant and arthropod communities: A case study in Mediterranean dryland cereal. *Agriculture, Ecosystems & Environment*, 141, 193–201.

Ruano F, Lozano C, Garcia P, Pena A, Tinaut A, Pascual F, Campos M (2004) Use of arthropods for the evaluation of the olive-orchard management regimes. *Agricultural and Forest Entomology*, 6, 111–120.

Rubens PDB, Ligia SR, Isabelle CSM, Miriany DOP, Ana CBDL, Claudio GDS, Jaciara MPES, João GDC, Elio CG (2018) Diversity of insects in conventional and organic tomato crops (*Solanum lycopersicum* L., Solanaceae). *African Journal of Agricultural Research*, 13, 460–469.

Santos LAOD, Naranjo-Guevara N, Fernandes OA (2017) Diversity and abundance of edaphic arthropods associated with conventional and organic sugarcane crops in Brazil. *Florida Entomologist*, 100, 134–144.

Santos SAP, Pereira JA, Torres LM, Nogueira AJA (2007) Evaluation of the effects, on canopy arthropods, of two agricultural management systems to control pests in olive groves from north-east of Portugal. *Chemosphere*, 67, 131–139.

Sean Clark M (1999) Ground beetle abundance and community composition in conventional and organic tomato systems of California's Central Valley. *Applied Soil Ecology*, 11, 199–206.

Tan JC, Deng X, Yuan ZM (1998) Community structure of insects and spiders in different types of tea plantation. *Acta Ecologica Sinica*, 18, 289–294. (in Chinese with English abstract) [谭济才, 邓欣, 袁哲明 (1998) 不同类型茶园昆虫、蜘蛛群落结构分析. *生态学报*, 18, 289–294.]

Vitanović E, Ivezić M, Kačić S, Katalinić M, Durbešić P, Igre Barčić J (2018) Arthropod communities within the olive canopy as bioindicators of different management systems. *Spanish Journal of Agricultural Research*, 16, e0301. DOI:10.5424/sjar/2018162-12385.

Wang CY, Wang G, Wan SW, Qin P (2007) Effects of organic and conventional farming systems on farmland biodiversity. *Journal of Ecology and Rural Environment*, 23, 75–80. (in Chinese with English abstract) [王长永, 王光, 万树文, 钦佩 (2007) 有

黄方倩, 王超, 刘明庆, 陈秋会, 韩笑, 王磊, 席运官, 张纪兵 (2022) 有机种植对农田节肢动物多样性影响的整合分析. 生物多样性, 30, 21243. <https://www.biodiversity-science.net/CN/10.17520/biods.2021243>

机农业与常规农业对农田生物多样性影响的比较研究进展. 生态与农村环境学报, 23, 75–80.]

Wang L, Li G, Xi YG, Chen QH, Li Y, Tian W, Zhang C, Li P, Yang H, Zhang JB, Xiao XJ (2018) Investigation on animal diversity in different paddy fields with organic farming: A case study in Daizhuang of Jurong County, Jiangsu Province, China.

Journal of Ecology and Rural Environment, 34, 614–621. (in Chinese with English abstract) [王磊, 李刚, 席运官, 陈秋会,

李妍, 田伟, 张弛, 李鹏, 杨豪, 张纪兵, 肖兴基 (2018) 有机种植方式对稻田动物多样性的影响: 以句容戴庄为例. 生态与农村环境学报, 34, 614–621.]

Wang XW, Ding XH, Tu EX, Fu KY, He J, Ban XL, Fu WJ, Guan ZJ, Liu W, Guo WC (2017) The structure and diversity of arthropod communities in paddy fields under different management models in Yili river valley. Xinjiang Agricultural Sciences,

54, 1875–1886. (in Chinese with English abstract) [王小武, 丁新华, 吐尔逊, 付开赞, 何江, 班小莉, 付文君, 关志坚,

刘文, 郭文超 (2017) 伊犁河谷不同管理模式稻田节肢动物群落结构及多样性. 新疆农业科学, 54, 1875–1886.]

Xing SW, Zhu H, Ma RJ, Du YQ, Sun YJ, Zha GC (2017) Effects of different habitats and management on the spider communities in tea plantations. Acta Ecologica Sinica, 37, 4236–4246. (in Chinese with English abstract) [邢树文, 朱慧, 马瑞君, 杜颖

青, 孙延杰, 查广才 (2017) 不同生境条件与管理方式对茶园蜘蛛群落结构及多样性的影响. 生态学报, 37, 4236–4246.]

Yang GQ, Wu JC, Zhang SX, Zhang JH, Yang YQ, Wang HQ (2004) The relationship among structures, intrinsic rate of increase of functional guilds, and link numbers of arthropod community in three types of rice field under organic rice production system. Acta Ecologica Sinica, 24, 686–692. (in Chinese with English abstract) [杨国庆, 吴进才, 张士新, 张建汉, 杨衍

强, 王洪全 (2004) 三种类型稻田节肢动物群落结构、亚群落内禀增长率与链节数的关系. 生态学报, 24, 686–692.]

Zeng LB, Cheng Y, Yan Z, Ma J, Ren SX, Wei L, Xue ZD (2016) Effects of different control strategies on the structure of the arthropod community in the cauliflower field. Scientia Agricultura Sinica, 49, 2965–2976. (in Chinese with English abstract)

[曾粮斌, 程毅, 严准, 马骏, 任顺祥, 魏林, 薛召东 (2016) 不同防治措施对花椰菜地节肢动物群落结构的影响. 中国农业科学, 49, 2965–2976.]

Zeng MS, Wu GY, Wang QS, Yu SH (2008) Preliminary study on Fujian's spider species and their community population fluctuation in tea plantations. Guizhou Science, 26, 34–38. (in Chinese with English abstract) [曾明森, 吴光远, 王庆森, 余

素红 (2008) 福建茶园蜘蛛种类与种群动态的初步研究. 贵州科学, 26, 34–38.]

Zeng ZA, Liang GW (2008) The impact of different management methods on arthropod community in litchi orchards. Journal of Environmental Entomology, 30, 16–21. (in Chinese with English abstract) [曾赞安, 梁广文 (2008) 不同管理方式下荔枝

园节肢动物群落的调查. 环境昆虫学报, 30, 16–21.]

Zhang R, Zhao ZH, He DH, Wang F, Zhang ZS, Wang XP (2010) The structure and dynamics of arthropod communities in Chinese wolfberry fields under different disturbances. Acta Ecologica Sinica, 30, 2656–2664. (in Chinese with English abstract) [张

蓉, 赵紫华, 贺达汉, 王芳, 张宗山, 王新谱 (2010) 不同干扰条件下枸杞园节肢动物群落结构与动态. 生态学报, 30, 2656–2664.]

Zhong J, Dai LD, Mao JH, Yao L, Chen Y (2016) A study of insect pests and natural enemies in different tea gardens in Mingshan. Journal of Sichuan Forestry Science and Technology, 37, 97–101. (in Chinese with English abstract) [钟金, 代立东, 毛建

辉, 姚琳, 陈宇 (2016) 名山不同类型茶园害虫及天敌研究. 四川林业科技, 37, 97–101.]

Zhou ZY (2011) Arthropod diversity in non-crop habitats at margins of paddy fields of different types. Master dissertation, Nanjing Agricultural University, Nanjing. (in Chinese with English abstract) [周子杨 (2011) 不同类型稻田非作物生境的节肢动

物多样性. 硕士学位论文, 南京农业大学, 南京.]