1 参考文献

- Cao KF, Yang SJ, Zhang YJ, Brodribb TJ (2012) The maximum height of grasses is determined by roots. *Ecology Letters*, 15, 666–672.
- Dai F, Nevo E, Wu DZ, Comadran J, Zhou MX, Qiu L, Chen ZH, Beiles A, Chen GX, Zhang GP (2012) Tibet is one of the centers of domestication of cultivated barley. *Proceedings of the National Academy of Sciences*, USA, 109, 16969–16973.
- Deng JM, Ran JZ, Wang ZQ, Fan ZX, Wang GX, Ji MF, Liu J, Wang Y, Liu JQ, Brown JH (2012a) Models and tests of optimal density and maximal yield for crop plants. *Proceedings of the National Academy of Sciences*, USA, 109, 15823–15828.
- Deng JM, Zuo WY, Wang ZQ, Fan ZX, Ji MF, Wang GX, Ran JZ, Zhao CM, Liu JQ, Niklas KJ, Hammond ST, Brown JH (2012b) Insights into plant size—density relationships from models and agricultural crops. *Proceedings of the National Academy of Sciences*, USA, 109, 8600–8605.
- He FL (2012) Area-based assessment of extinction risk. *Ecology*, **93**, 974–980.
- Huang W, Carrillo J, Ding JQ, Siemann E (2012) Invader partitions ecological and evolutionary responses to above- and belowground herbivory. *Ecology*, **93**, 2343–2352.
- Liu XB, Liang MX, Etienne RS, Wang YF, Staehelin C, Yu SX (2012) Experimental evidence for a phylogenetic Janzen–Connell effect in a subtropical forest. *Ecology Letters*, 15, 111–118.
- Mi XC, Swenson NG, Valencia R, Kress WJ, Erickson DL, Perez AJ, Ren HB, Su SH, Gunatilleke N, Gunatilleke S, Hao ZQ, Ye WH, Cao M, Suresh HS, Dattaraja HS, Sukumar R, Ma KP (2012) The contribution of rare species to community phylogenetic diversity across a Global Network of Forest Plots. *The American Naturalist*, 180, E17–E30.
- Su JX, Wang W, Zhang LB, Chen ZD (2012) Phylogenetic placements of two enigmatic genera, *Borthwickia* and *Stixis*, based on molecular and pollen data and the description of a new family of Brassicales, Borthwickiaceae. *Taxon*, **61**, 601–611.
- Wang W, Ortiz RDC, Jacques FMB, Xiang XG, Li HL, Lin L, Li RQ, Liu Y, Soltis PS, Soltis DE, Chen ZD (2012) Menispermaceae and the diversification of tropical rainforests near the Cretaceous–Paleogene boundary. *New Phytologist*, **195**, 470–478.
- Yang HJ, Jiang L, Li LH, Li A, Wu MY, Wan SQ (2012a) Diversity-dependent stability under mowing and nutrient addition: evidence from a 7-year grassland experiment. *Ecology Letters*, **15**, 619–626.
- Yang ZL, Powell JR, Zhang CH, Du GZ (2012b) The effect of environmental and phylogenetic drivers on community assembly in an alpine meadow community. *Ecology*, **93**, 2321–2328.
- Zhao SC, Zheng PP, Dong SS, Zhan XJ, Wu Q, Guo XS, Hu

YB, He WM, Zhang SN, Fan W, Zhu LF, Li D, Zhang XM, Chen Q, Zhang HM, Zhang ZH, Jin XL, Zhang JG, Yang HM, Wang J, Wang J, Wei FW (2012) Whole-genome sequencing of giant pandas provides insights into demographic history and local adaptation. *Nature Genetics*, **45**, 67–71.

2 方精云等Ecography专辑文章

- Fang JY, Shen ZH, Tang ZY, Wang XP, Wang ZH, Liu YN, Qiao XJ, Zheng CY (2012) Forest community survey and the structural characteristics of forests in China. *Ecography*. doi: 10.1111/j.1600-0587.2012.00161.x.
- Fang JY, Wang XP, Liu YN, Tang ZY, White PS, Sanders NJ (2012) Multi-scale patterns of forest structure and species composition in relation to climate in northeast China. *Ecog-raphy*. doi: 10.1111/j.1600-0587.2012.00086.x.
- Qiao XJ, Tang ZY, Shen ZH, Fang JY (2012) What causes geographical variation in the species—area relationships? A test from forests in China. *Ecography*. doi: 10.1111/j.1600-0587.2011.06869.x.
- Qiao XJ, Tang ZY, Wang SP, Liu YN, Fang JY (2012) Effects of community structure on the species—area relationship in China's forests. *Ecography*. doi: 10.1111/j.1600-0587.2012. 00050.x.
- Shen ZH, Fei SL, Feng JM, Liu YN, Liu ZL, Tang ZY, Wang XP, Wu XP, Zheng CY, Zhu B, Fang JY (2012) Geographical patterns of community-based tree species richness in Chinese mountain forests: the effects of contemporary climate and regional history. *Ecography*. doi: 10.1111/j.1600-0587.2012.00049.x.
- Tang ZY, Fang JY, Chi XL, Feng JM, Liu YN, Shen ZH, Wang XP, Wang ZH, Wu XP, Zheng CY, Gaston KJ (2012) Patterns of plant beta-diversity along elevational and latitudinal gradients in mountain forests of China. *Ecography*. doi: 10.1111/j.1600-0587.2012.06882.x.
- Tang ZY, Fang JY, Chi XL, Yang YH, Ma WH, Mohhamot A, Guo ZD, Liu YN, Gaston KJ (2012) Geography, environment, and spatial turnover of species in China's grasslands. *Ecography*. doi: 10.1111/j.1600-0587.2012. 07713.x.
- Wang SP, Tang ZY, Qiao XJ, Shen ZH, Wang XP, Zheng CY, Fang JY (2012) Influences of species pool and local processes on the taxonomic structure of woody plant communities in China's mountains. *Ecography*. doi: 10.1111/j.1600-0587.2012. 00045.x.
- Wang XP, Fang JY (2012) Constraining null models with environmental gradients: a new method for evaluating the effects of environmental factors and geometric constraints on geographic diversity patterns. *Ecography*. doi: 10.1111/j. 1600-0587.2012.07384.x
- Wang XP, Tang ZY, Shen ZH, Zheng CY, Luo JC, Fang JY (2012) Relative influence of regional species richness vs local climate on local species richness in China's forests. *Ecography*. doi: 10.1111/j.1600-0587.2012.00126.x.
- Wang ZH, Fang JY, Tang ZY, Lin X (2012) Relative role of contemporary environment versus history in shaping diver-

- sity patterns of China's woody plants. *Ecography*. doi: 10.1111/j.1600-0587.2011.06781.x.
- Wang ZH, Fang JY, Tang ZY, Shi L (2012) Geographical patterns in the beta diversity of China's woody plants: the influence of space, environment and range size. *Ecography* doi: 10.1111/j.1600-0587.2012. 06988.x.
- Wang ZH, Rahbek C, Fang JY (2012) Effects of geographical extent on the determinants of woody plant diversity. doi: 10.1111/j.1600-0587.2012.07786.x.

3 其他重要文章

- Bai YF, Wu JG, Clark CM, Pan QM, Zhang LX, Chen SP, Wang QB, Han XG (2012) Grazing alters ecosystem functioning and C: N: P stoichiometry of grasslands along a regional precipitation gradient. *Journal of Applied Ecology*, 49, 1204–1215.
- Cao KF, Yang SJ, Zhang YJ, Brodribb TJ (2012) The maximum height of grasses is determined by roots. *Ecology Letters*, 15, 666–672.
- Chen DM, Zheng SX, Shan YM, Taube F, Bai YF (2012) Vertebrate herbivore-induced changes in plants and soils: linkages to ecosystem functioning in a semi-arid steppe. Functional Ecology. doi: 10.1111/1365-2435.12027
- Chen Y, Compton SG, Liu M, Chen XY (2012) Fig trees at the northern limit of their range: the distributions of cryptic pollinators indicate multiple glacial refugia. *Molecular Ecology*, **21**, 1687–1701.
- Fan ZX, Zhang SB, Hao GY, Slik JWF, Cao KF (2012) Hydraulic conductivity traits predict growth rates and adult stature of 40 Asian tropical tree species better than wood density. *Journal of Ecology*, **100**, 732–741.
- Guo H, Weiner J, Mazer SJ, Zhao ZG, Du GZ, Li B (2012) Reproductive allometry in *Pedicularis* species changes with elevation. *Journal of Ecology*, **100**, 452–458.
- He Q, Cui BS, Bertness MD, An Y (2012) Testing the importance of plant strategies on facilitation using congeners in a coastal community. *Ecology*, **93**, 2023–2029.
- Hu YH, Sha LQ, Blanchet FG, Zhang JL, Tang Y, Lan GY, Cao M (2012) Dominant species and dispersal limitation regulate tree species distributions in a 20-ha plot in Xishuangbanna, southwest China. *Oikos*, 121, 952–960.
- Lan Z, Bai YF (2012) Testing mechanisms of N-enrichment-induced species loss in a semiarid Inner Mongolia grassland: critical thresholds and implications for long-term ecosystem responses. *Philosophical Transactions of the Royal Society B: Biological Sciences*, **367**, 3125–3134.
- Li SP, Li JT, Kuang JL, Duan HN, Zeng Y, Shu WS (2012) Effects of species richness on cadmium removal efficiencies of algal microcosms. *Journal of Applied Ecology*, **49**, 261–267.
- Huang JH, Chen B, Liu CR, Lai JS, Zhang JL, Ma KP (2012) Identifying hotspots of endemic woody seed plant diversity in China. *Diversity and Distributions*, 18, 673–688.

- Liu Y, Yu SX, Xie ZP, Staehelin C (2012) Analysis of a negative plant–soil feedback in a subtropical monsoon forest. *Journal of Ecology*, **100**, 1019–1028.
- Lin LX, Comita LS, Zheng Z, Cao M (2012) Seasonal differentiation in density-dependent seedling survival in a tropical rain forest. *Journal of Ecology*, **100**, 905–914.
- Lü XT, Freschet GT, Flynn DFB, Han XG (2012) Plasticity in leaf and stem nutrient resorption proficiency potentially reinforces plant–soil feedbacks and microscale heterogeneity in a semi-arid grassland. *Journal of Ecology*, **100**, 144–150.
- Luo ZR, Mi XC, Chen XR, Ye ZL, Ding BY (2012) Density dependence is not very prevalent in a heterogeneous subtropical forest. *Oikos*, **121**, 1239–1250.
- Song MH, Yu FH, Ouyang H, Cao GM, Xu XL, Cornelissen JHC (2012) Different inter-annual responses to availability and form of nitrogen explain species coexistence in an alpine meadow community after release from grazing. *Global Change Biology*, **18**, 3100–3111.
- Yu MJ, Hu G, Feeley KJ, Wu JG, Ding P (2012) Richness and composition of plants and birds on land-bridge islands: effects of island attributes and differential responses of species groups. *Journal of Biogeography*, 39, 1124–1133.
- Wang SP, Duan JC, Xu GP, Wang YF, Zhang ZH, Rui YC, Luo CY, Xu B, Zhu XX, Chang XF, Cui XY, Niu HS, Zhao XQ, Wang WY (2012) Effects of warming and grazing on soil N availability, species composition, and ANPP in an alpine meadow. *Ecology*, 93, 2365–2376.
- Wang XY, Shen DW, Jiao J, Xu NN, Yu S, Zhou XF, Shi MM, Chen XY (2012) Genotypic diversity enhances invasive ability of *Spartina alterniflora*. *Molecular Ecology*, 21, 2542–2551.
- Wang Y, Siemann E, Wheeler GS, Zhu L, Gu X, Ding JQ (2012) Genetic variation in anti-herbivore chemical defences in an invasive plant. *Journal of Ecology*, **100**, 894–904.
- Wang YP, Zhang M, Wang SY, Ding ZF, Zhang JC, Sun JJ, Li P, Ding P (2012) No evidence for the small-island effect in avian communities on islands of an inundated lake. *Oikos*, 121, 1945–1952.
- Wei FW, Hu YB, Zhu LF, Bruford MW, Zhan XJ, Zhang L (2012) Black and white and read all over: the past, present and future of giant panda genetics. *Molecular Ecology*, **21**, 5660–5674.
- Wei X, Qiao WH, Chen YT, Wang RS, Cao LR, Zhang WX, Yuan NN, Li ZC, Zeng HL, Yang QW (2012) Domestication and geographic origin of *Oryza sativa* in China: insights from multilocus analysis of nucleotide variation of *O. sativa* and *O. rufipogon. Molecular Ecology*, 21, 5073–5087.
- Wei XZ, Jiang MX (2012) Contrasting relationships between species diversity and genetic diversity in natural and disturbed forest tree communities. New Phytologist, 193, 779–786.
- Wu YJ, Yang QS, Wen ZX, Xia L, Zhang Q, Zhou HM (2012) What drives the species richness patterns of non-volant small mammals along a subtropical elevational gradient? *Ecography*. doi: 10.1111/j.1600-0587.2011.07132.x
- Xiao S, Callaway RM, Newcombe G, Aschehoug ET (2012)

- Models of experimental competitive intensities predict home and away differences in invasive impact and the effects of an endophytic mutualist. *The American Naturalist*, **180**, 707–718.
- Xiao Y, Wang Q, Erb M, Turlings TCJ, Ge L, Hu L, Li J, Han X, Zhang T, Lu J, Zhang G, Lou Y (2012) Specific herbivore-induced volatiles defend plants and determine insect community composition in the field. *Ecology Letters*, 15, 1130–1139.
- Yang CC, Ascunce MS, Luo LZ, Shao JG, Shih CS, Dewayne Shoemaker D (2012) Propagule pressure and colony social organization are associated with the successful invasion and rapid range expansion of fire ants in China. *Molecular Ecology*, **21**, 817–833.
- Zhang YH, Huang GM, Wang WQ, Chen LZ, Lin GH (2012)

- Interactions between mangroves and exotic *Spartina* in an anthropogenically disturbed estuary in southern China. *Ecology*, **93**, 588–597.
- Zhou LL, Su YCF, Thomas D, Saunders R (2012) 'Out-of-Africa' dispersal of tropical floras during the Miocene climatic optimum: evidence from *Uvaria* (Annonaceae). *Journal of Biogeography*, **39**, 322–335.
- Zhou WW, Wen Y, Fu JZ, Xu YB, Jin JQ, Ding L, Min MS, Che J, Zhang YP (2012) Speciation in the *Rana chensinensis* species complex and its relationship to the uplift of the Qinghai-Tibetan Plateau. *Molecular Ecology*, **21**, 960–973.
- Zhu H, Wang DL, Wang L, Bai YG, Fang J, Liu J (2012) The effects of large herbivore grazing on meadow steppe plant and insect diversity. *Journal of Applied Ecology*, **49**, 1075–1083.