

附录1 岛屿系统、栖息地岛屿、连续或大陆系统中的嵌套分布格局研究

Appendix 1 Nestedness studies in insular systems, habitat islands and continuous/continental systems

Insular systems

- Simberloff D, Martin JL (1991) Nestedness of insular avifaunas: Simple summary statistics masking complex species patterns. *Ornis Fennica*, 68, 178–192.
- Wright DH, Reeves JH (1992) On the meaning and measurement of nestedness of species assemblages. *Oecologia*, 92, 416–428.
- Kadmon R (1995) Nested species subsets and geographic isolation: A case study. *Ecology*, 76, 458–465.
- Cook RR, Quinn JF (1995) The influence of colonization in nested species subsets. *Oecologia*, 102, 413–424.
- Cook RR (1995) The relationship between nested subsets, habitat subdivision, and species diversity. *Oecologia*, 101, 204–210.
- Lomolino MK (1996) Investigating causality of nestedness of insular communities: Selective immigrations or extinctions? *Journal of Biogeography*, 23, 699–703.
- Downs CT, Wirminghaus JO (1997) The terrestrial vertebrates of the Bazaruto Archipelago, Mozambique: A biogeographical perspective. *Journal of Biogeography*, 24, 591–602.
- Boecklen WJ (1997) Nestedness, biogeographic theory, and the design of nature reserves. *Oecologia*, 112, 123–142.
- Li Y, Niemela J, Li D (1998) Nested distribution of amphibians in the Zhoushan Archipelago, China: Can selective extinction cause nested subsets of species? *Oecologia*, 113, 557–564.
- Lynam AJ, Billick I (1999) Differential responses of small mammals to fragmentation in a Thailand tropical forest. *Biological Conservation*, 91, 191–200.
- Conroy CJ, Demboski JR, Cook JA (1999) Mammalian biogeography of the Alexander Archipelago of Alaska: A north temperate nested fauna. *Journal of Biogeography*, 26, 343–352.
- Sfenthourakis S, Giokas S, Mylonas M (1999) Testing for nestedness in the terrestrial isopods and snails of Kyklades islands (Aegean archipelago, Greece). *Ecography*, 22, 384–395.
- Hecnar SJ, Casper GS, Russell RW, Hecnar DR, Robinson JN (2002) Nested species assemblages of amphibians and reptiles on islands in the Laurentian Great Lakes. *Journal of Biogeography*, 29, 475–489.
- Davidar P, Yoganand K, Ganesh T, Devy S (2002) Distributions of forest birds and butterflies in the Andaman Islands, Bay of Bengal: Nested patterns and processes. *Ecography*, 25, 5–16.
- Sara M, Morand S (2002) Island incidence and mainland population density: Mammals from Mediterranean islands. *Diversity and Distributions*, 8, 1–9.
- Koh LP, Sodhi NS, (...), Peh KSH (2002) Factors affecting the distribution of vascular plants, springtails, butterflies and birds on small tropical islands. *Journal of Biogeography*, 29, 93–108.
- Feeley K (2003) Analysis of avian communities in Lake Guri, Venezuela, using multiple assembly rule models. *Oecologia*, 137, 104–113.
- Azeria ET (2004) Terrestrial bird community patterns on the Coralline Islands of the Dahlak Archipelago, Red Sea, Eritrea. *Global Ecology and Biogeography*, 13, 177–187.
- Sfenthourakis S, Giokas S, Tzanatos E (2004) From sampling stations to archipelagos: Investigating aspects of the assemblage of insular biota. *Global Ecology and Biogeography*, 13, 23–35.
- Ibáñez JJ, Caniego J, García-Álvarez A (2004) Nested subset analysis and taxa-range size distributions of pedological assemblages: Implications for biodiversity studies. *Ecological Modelling*, 182, 239–256.
- Greve M, Gremmen NJM, Gaston KJ, Chown SL (2004) Nestedness of Southern Ocean island biotas: Ecological perspectives on a biogeographical conundrum. *Journal of Biogeography*, 32, 155–168.

- Donlan CJ, Knowlton J, Doak DF, Biavaschi N (2005) Nested communities, invasive species and holocene extinctions: Evaluating the power of a potential conservation tool. *Oecologia*, 145, 475–485.
- Azeria ET, Carlson A, Pärt T, Wiklund CG (2006) Temporal dynamics and nestedness of an oceanic island bird fauna. *Global Ecology and Biogeography*, 15, 328–338.
- Boris K, Eduard K (2007) Biogeography of small terrestrial vertebrates on the Adriatic landbridge islands. *Folia Zoologica*, 56, 225–234.
- Meyer CFJ, Kalko EKV (2008) Bat assemblages on Neotropical land-bridge islands: Nested subsets and null model analyses of species co-occurrence patterns. *Diversity and Distributions*, 14, 644–654.
- Presley SJ, Willig MR (2008) Composition and structure of Caribbean bat (Chiroptera) assemblages: Effects of inter-island distance, area, elevation and hurricane-induced disturbance. *Global Ecology and Biogeography*, 17, 747–757.
- Morrison LW (2008) Patterns of nestedness in remote polynesian ant faunas (Hymenoptera: Formicidae). *Pacific Science*, 62, 117–127.
- Morrison LW, Spiller DA (2008) Patterns and processes in insular floras affected by hurricanes. *Journal of Biogeography*, 35, 1701–1710.
- Stiles A, Scheiner SM (2008) Nestedness of remnant Sonoran desert plant communities in metropolitan phoenix, Arizona. *Ecology*, 89, 2473–2481.
- Zhang JC, Wang YP, Jiang PP, Li P, Yu MJ, Ding P (2008) Nested analysis of passeriform bird assemblages in the Thousand Island Lake region. *Biodiversity Science*, 16, 321–331. (in Chinese with English abstract) [张竞成, 王彦平, 蒋萍萍, 李鹏, 于明坚, 丁平 (2008) 千岛湖雀形目鸟类群落嵌套结构分析. 生物多样性, 16, 321–331.]
- Watling JI, Gerow K, Donnelly MA (2009) Nested species subsets of amphibians and reptiles on Neotropical forest islands. *Animal Conservation*, 12, 467–476.
- Frick WF, Hayes JP, Heady PA (2009) Nestedness of desert bat assemblages: Species composition patterns in insular and terrestrial landscapes. *Oecologia*, 158, 687–697.
- El-Bana MI (2009) Factors affecting the floristic diversity and nestedness in the islets of Lake Bardawil, North Sinai, Egypt: Implications for conservation. *Journal of Coastal Conservation*, 13, 25–37.
- Okie JG, Brown JH (2009) Niches, body sizes, and the disassembly of mammal communities on the Sunda Shelf islands. *PNAS*, 106, 19679–19684.
- Carstensen DW, Olesen JM (2009) Wallacea and its nectarivorous birds: Nestedness and modules. *Journal of Biogeography*, 36, 1540–1550.
- Zhao QY, Bao YX, Sun B, Zhang LL, Hu ZY (2009) Community distribution pattern and the affecting factors of small mammals in Qiandao Lake, Zhejiang. *Zoological Research*, 30, 671–678. (in Chinese with English abstract) [赵庆洋, 鲍毅新, 孙波, 张龙龙, 胡知渊 (2009) 千岛湖岛屿小型兽类群落分布格局及其影响因素. 动物学研究, 30, 671–678.]
- Simaiakis SM, Martínez-Morales MA (2010) Nestedness in centipede (Chilopoda) assemblages on continental islands (Aegean, Greece). *Acta Oecologica*, 36, 282–290.
- Murakami M, Hirao T (2010) Nestedness of insect assemblages on small Bahamian islands: Importance of spatial processes. *Insect Conservation and Diversity*, 3, 229–235.
- Wang Y, Bao Y, Yu M, Xu G, Ding P (2010) Nestedness for different reasons: The distributions of birds, lizards and small mammals on islands of an inundated lake. *Diversity and Distributions*, 16, 862–873.
- Wang Y, Chen S, Ding P (2011) Testing multiple assembly rule models in avian communities on islands of an inundated lake, Zhejiang Province, China. *Journal of Biogeography*, 38, 1330–1344.

- Ulrich W, Bakowski M, Lastuvka Z (2011) Spatial distributions of European clearwing moths (Lepidoptera: Sesiidae). *European Journal of Entomology*, 108, 439–446.
- Wang Y, Wang X, Ding P (2012) Nestedness of snake assemblages on islands of an inundated lake. *Current Zoology*, 58, 828–836.
- Wang X, Wang Y, Ding P (2012) Nested species subsets of amphibians and reptiles in Thousand Island Lake. *Zoological Research*, 33, 439–446.
- Simaiakis SM, Dretakis M, Barboutis C, Katritis T, Portolou D, Xirouchakis S (2012) Breeding land birds across the Greek islands: A biogeographic study with emphasis on faunal similarity, species–area relationships and nestedness. *Journal of Ornithology*, 153, 849–860.
- Dennis RLH, Hardy PB, Dapporto L (2012) Nestedness in island faunas: Novel insights into island biogeography through butterfly community profiles of colonization ability and migration capacity. *Journal of Biogeography*, 39, 1412–1426.
- Ulrich W, Marcin Z, Uvarov AV (2012) Spatial distribution and species co-occurrence in soil invertebrate and plant communities on Northern Taiga Islands. *Annales Zoologici Fennici*, 49(3), 161–173.
- Wang X, Wang YP, Ding P (2012) Nested species subsets of amphibians and reptiles in Thousand Island Lake. *Zoological Research*, 33, 439–446. (in Chinese with English abstract) [王熙, 王彦平, 丁平 (2012) 千岛湖两栖爬行类动物群落结构嵌套分析. *动物学研究*, 33, 439–446.]
- Morrison LW (2013) Nestedness in insular floras: Spatiotemporal variation and underlying mechanisms. *Journal of Plant Ecology*, 6, 480–488.
- Traveset A, Kueffer C, Daehler CC (2013) Global and regional nested patterns of non-native invasive floras on tropical islands. *Journal of Biogeography*, 41, 823–832.
- Mancina CA, Rodríguez Batista D, Ruiz Rojas E (2013) Spatial distribution patterns of terrestrial bird assemblages on islands of the Sabana-Camagüey Archipelago, Cuba: Evaluating nestedness and co-occurrence patterns. *Animal Biodiversity and Conservation*, 36, 195–207.
- Bittencourt-Silva GB, Silva HR (2014) Effects of fragmentation and sea-level changes upon frog communities of land-bridge islands off the southeastern coast of Brazil. *PLoS ONE*, 9, e103522.
- García-Quintas A, Parada Isada A. (2014) Effects of migrations on the nestedness structure of bird assemblages in cays of the Jardines de la Reina archipelago, Cuba. *Animal Biodiversity and Conservation*, 37, 127–139.
- Dapporto L, Fattorini S, Vodă R, Dincă V, Vila R (2014) Biogeography of western Mediterranean butterflies: Combining turnover and nestedness components of faunal dissimilarity. *Journal of Biogeography*, 41, 1639–1650.
- Ge DP (2015) The Underlying Mechanisms of Diversity and Nestedness Pattern of Ground-dwelling Spiders in the Thousand Island Lake. MS dissertation, Zhejiang University, Hangzhou. (in Chinese with English abstract) [葛大鹏 (2015) 千岛湖片段化栖息地中地栖蜘蛛多样性与嵌套分布格局及其影响机制. 硕士学位论文, 浙江大学, 杭州.]
- Gao D, Perry G (2016) Detecting the small island effect and nestedness of herpetofauna of the West Indies. *Ecology and Evolution*, 6, 5390–5403.
- Zhang XM, Han XF, Liu LW, Xu AC (2016) Influencing factors of the nested distribution of butterfly assemblages in the Zhoushan Archipelago, China. *Biodiversity Science*, 24, 321–331. (in Chinese with English abstract) [张雪梅, 韩徐芳, 刘立伟, 徐爱春 (2016) 舟山群岛蝶类群落嵌套分布格局及其影响因素. 生物多样性, 24, 321–331.]
- García-Quintas A, Parada Isada A (2017) Underlying factors promoting nestedness of bird assemblages in cays of the Jardines de la Reina Archipelago, Cuba. *Animal Biodiversity and Conservation*, 40, 7–16.

- Xu A, Han X, Zhang X, Millien V, Wang Y (2017) Nestedness of butterfly assemblages in the Zhoushan Archipelago, China: Area effects, life-history traits and conservation implications. *Biodiversity and Conservation*, 26, 1375–1392.
- Chen C, Xu A, Ding P, Wang Y (2019) The small-island effect and nestedness in assemblages of medium- and large-bodied mammals on Chinese reservoir land-bridge islands. *Basic and Applied Ecology*, 38, 47–57.
- Rabelo RM, Aragón S, Bicca-Marques JC, Nelson BW (2019) Habitat amount hypothesis and passive sampling explain mammal species composition in Amazonian river islands. *Biotropica*, 51, 84–92.
- García-Quintas A, Fundora Caballero D, Parada Isada A (2020) Taxonomic nestedness based on guilds? Bird assemblages of the Jardines de la Reina National Park, Cuba, as study case. *Animal Biodiversity and Conservation*, 43, 43–54.
- Caula SA, D'Angelo VS (2021) Impact of urbanization to an island and the continent: Species turnover and nestedness in neotropical bird assemblages. *Frontiers in Ecology and Evolution*, 9, 727879.
- Chen C, Zhan C, Wang Y (2022) Do functional and phylogenetic nestedness follow the same mechanisms as taxonomic nestedness? Evidence from amphibians in the largest archipelago of China. *Journal of Animal Ecology*, 91, 2424–2436.
- Li D, Guo S, Zhu H, Yu J (2022) Quantifying and interpreting nestedness of bryophytes in the Zhoushan Archipelago, China. *Cryptogamie, Bryologie*, 43, 107–121.
- Zhang M, Tang C, Zhang Q, Zhan C, Chen C, Wang Y (2022) Selective extinction and habitat nestedness are the main drivers of lizard nestedness in the Zhoushan Archipelago. *Current Zoology*, DOI: 10.1093/cz/zoac103
- Aissat L (2023) Environmental variables associated with insect richness and nestedness on small islands off the coast of northeastern Algeria. *European Journal of Entomology*, 120, 244–253.
- Cai C, Zhang X, Zhu C, Zhao YH, Qiao GX, Ding P (2023) Nested assemblages of aphid species in the Thousand Island Lake: The importance of island area and host plant diversity. *Biodiversity Science*, 31, 23183. (in Chinese with English abstract) [蔡畅, 张雪, 朱晨, 赵郁豪, 乔格侠, 丁平 (2023) 千岛湖片段化生境中蚜虫群落嵌套格局的形成: 岛屿面积和寄主植物多样性的作用. 生物多样性, 31, 23183.]

Habitat islands

- Patterson BD, Atmar W (1986) Nested subsets and the structure of insular mammalian faunas and archipelagos. *Biological Journal of the Linnean Society*, 28, 65–82.
- Blake JG (1991) Nested subsets and the distribution of birds on isolated woodlots. *Conservation Biology*, 5, 58–66.
- Cutler A (1991) Nested faunas and extinction in fragmented habitats. *Conservation Biology*, 5, 496–505.
- Bolger DT, Alberts AC, Soule ME (1991) Occurrence patterns of bird species in habitat fragments: Sampling, extinction, and nested species subsets. *The American Naturalist*, 137, 155–166.
- Patterson BD, Brown JH (1991) Regionally nested patterns of species composition in granivorous rodent assemblages. *Journal of Biogeography*, 18, 395–402.
- Grayson DK, Livingston SD (1993) Missing mammals on great basin mountains: Holocene extinctions and inadequate knowledge. *Conservation Biology*, 7, 527–532.
- Atmar W, Patterson BD (1993) The measure of order and disorder in the distribution of species in fragmented habitat. *Oecologia*, 96, 373–382.
- Andrén H (1994) Can one use nested subset pattern to reject the random sample hypothesis? Examples from boreal bird communities. *Oikos*, 70, 489–491.
- Boecklen WJ (1997) Nestedness, biogeographic theory, and the design of nature reserves. *Oecologia*, 112, 123–142.

- Hecnar SJ, M'Closkey RT (1997) Patterns of nestedness and species association in a pond-dwelling amphibian fauna. *Oikos*, 80, 371–381.
- Ganzhorn JU (1998) Nested patterns of species composition and their implications for lemur biogeography in Madagascar. *Folia Primatologica*, 69, 332–341.
- Cordeiro NJ (1998) Preliminary analysis of the nestedness patterns of montane forest birds of the Eastern Arc Mountains. *Journal of East African Natural History*, 87, 101–117.
- Hansson L (1998) Nestedness as a conservation tool: Plants and birds of oak-hazel woodland in Sweden. *Ecology Letters*, 1, 142–145.
- Calmé S, Desrochers A (1999) Nested bird and micro-habitat assemblages in a peatland archipelago. *Oecologia*, 118, 361–370.
- McLain DK, Pratt AE (1999) Nestedness of coral reef fish across a set of fringing reefs. *Oikos*, 85, 53–67.
- Rosenblatt DL, Heske EJ, Nelson SL, Barber DM, Miller MA, MacAllister B (1999) Forest fragments in East-Central Illinois: Islands or habitat patches for mammals? *The American Midland Naturalist*, 141, 115–123.
- Vaughn CC, Taylor CM (1999) Impoundments and the decline of freshwater mussels: A case study of an extinction gradient. *Conservation Biology*, 13, 912–920.
- Honnay O, Hermy M, Coppin P (1999) Nested plant communities in deciduous forest fragments: Species relaxation or nested habitats? *Oikos*, 84, 119–129.
- Fleishman E, Murphy DD (1999) Patterns and processes of nestedness in a Great Basin butterfly community. *Oecologia*, 119, 133–139.
- Fernandez-Juricic E (2000) Bird community composition patterns in urban parks of Madrid: The role of age, size and isolation. *Ecological Research*, 15, 373–383.
- Nupp TE, Swihart RK (2000) Landscape-level correlates of small-mammal assemblages in forest fragments of farmland. *Journal of Mammalogy*, 81, 512–526.
- Rahn ME, Rust RW (2000) Nested Coleoptera and Orthoptera on sand dunes in the basin and range province of western North America. *Journal of Insect Conservation*, 4, 33–44.
- Patterson BD, Atmar W (2000) Analyzing species composition in fragments. In: *Isolated Vertebrate Communities in the Tropics* (ed. Rheinwald G), pp. 9–24. *Bonner Zoologische Monographien* 46, Bonn.
- Fleishman E, Austin GT, Murphy DD (2001) Biogeography of Great Basin butterflies: Revisiting patterns, paradigms, and climate change scenarios. *Biological Journal of the Linnean Society*, 74, 501–515.
- Hadly EA, Maurer BA (2001) Spatial and temporal patterns of species diversity in montane mammal communities of western North America. *Evolutionary Ecology Research*, 3, 477–486.
- Taylor CM, Warren ML (2001) Dynamics in species composition of stream fish assemblages: Environmental variability and nested subsets. *Ecology*, 82, 2320–2330.
- Williams SE, Hero JM (2001) Multiple determinants of Australian tropical frog biodiversity. *Biological Conservation*, 98, 1–10.
- Mac Nally R, Brown GW (2001) Reptiles and habitat fragmentation in the box-ironbark forests of Central Victoria, Australia: Predictions, compositional change and faunal nestedness. *Oecologia*, 128, 116–125.
- Ganzhorn JU, Eisenbeiß B (2001) The concept of nested species assemblages and its utility for understanding effects of habitat fragmentation. *Basic and Applied Ecology*, 2, 87–99.
- Butaye J, Jacquemyn H, Hermy M (2001) Differential colonization causing non-random forest plant community structure in a fragmented agricultural landscape. *Ecography*, 24, 369–380.
- Armbrecht I, Tischer I, Chacon P (2001) Nested subsets and partition patterns in ant assemblages (Hymenoptera, Formicidae) of Colombian dry forest fragments. *Pan-Pacific Entomologist*, 77, 196–209.

- Sahlen G, Ekestubbe K (2001) Identification of dragonflies (Odonata) as indicators of general species richness in boreal forest lakes. *Biodiversity and Conservation*, 10, 673–690.
- Fernández-Juricic E (2002) Nested patterns of species distribution and winter flock occurrence of insectivorous birds in a fragmented landscape. *ÉcoScience*, 9, 450–485.
- Fleishman E, Betrus CJ, Blair RB, Nally RM, Murphy DD (2002) Nestedness analysis and conservation planning: The importance of place, environment, and life history across taxonomic groups. *Oecologia*, 133, 78–89.
- Mac Nally R, Horrocks G, Bennett AF (2002) Nestedness in fragmented landscapes: Birds of the box-ironbark forests of south-eastern Australia. *Ecography*, 25, 651–660.
- Loo SE, Nally RM, Quinn GP (2002) An experimental examination of colonization as a generator of biotic nestedness. *Oecologia*, 132, 118–124.
- Fernández-Juricic E (2002) Can human disturbance promote nestedness? A case study with breeding birds in urban habitat fragments. *Oecologia*, 131, 269–278.
- Summerville KS, Veech JA, Crist TO (2002) Does variation in patch use among butterfly species contribute to nestedness at fine spatial scales? *Oikos*, 97, 195–204.
- Fleishman E, Nally RM (2002) Topographic determinants of faunal nestedness in great basin butterfly assemblages: Applications to conservation planning. *Conservation Biology*, 16, 422–429.
- Fischer J, Lindenmayer DB (2002) Treating the nestedness temperature calculator as a “black box” can lead to false conclusions. *Oikos*, 99, 193–199.
- Berglund H, Jonsson BG (2003) Nested plant and fungal communities; the importance of area and habitat quality in maximizing species capture in boreal old-growth forests. *Biological Conservation*, 112, 319–328.
- Silva M, Hartling LA, Field SA, Teather K (2003) The effects of habitat fragmentation on amphibian species richness of Prince Edward Island. *Canadian Journal of Zoology*, 81, 563–573.
- Bruun HH, Moen J (2003) Nested communities of alpine plants on isolated mountains: Relative importance of colonization and extinction. *Journal of Biogeography*, 30, 297–303.
- Peintinger M, Bergamini A, Schmid B (2003) Species–area relationships and nestedness of four taxonomic groups in fragmented wetlands. *Basic and Applied Ecology*, 4, 385–394.
- Franzén M, Ranius T (2004) Occurrence patterns of butterflies (Rhopalocera) in semi-natural pastures in southeastern Sweden. *Journal for Nature Conservation*, 12, 121–135.
- Maron M, Nally RM, Watson DM, Lill A (2004) Can the biotic nestedness matrix be used predictively? *Oikos*, 106, 433–444.
- Matthews JW (2004) Effects of site and species characteristics on nested patterns of species composition in sedge meadows. *Plant Ecology*, 174, 271–278.
- Cook RR, Angermeier PL, Finn DS, Poff NL, Krueger KL (2004) Geographic variation in patterns of nestedness among local stream fish assemblages in Virginia. *Oecologia*, 140, 639–649.
- Norton J, Lewis JW, Rollinson D (2004) Temporal and spatial patterns of nestedness in eel macroparasite communities. *Parasitology*, 129, 203–211.
- Baber MJ, Fleishman E, Babbitt KJ, Tarr TL (2004) The relationship between wetland hydroperiod and nestedness patterns in assemblages of larval amphibians and predatory macroinvertebrates. *Oikos*, 107, 16–27.
- Cox MP, Dickman CR, Hunter J (2004) Effects of rainforest fragmentation on non-flying mammals of the Eastern Dorrigo Plateau, Australia. *Biological Conservation*, 115, 175–189.
- Heino J, Muotka T (2005) Highly nested snail and clam assemblages in boreal lake littorals: Roles of isolation, area, and habitat suitability. *Écoscience*, 12, 141–146.
- Fontaneto D, Melone G, Ricci C (2005) Connectivity and nestedness of the meta-community structure of moss dwelling bdelloid rotifers along a stream. *Hydrobiologia*, 542, 131–136.

- Krasnov BR, Shenbrot GI, Khokhlova IS, Poulin R (2005) Nested pattern in flea assemblages across the host's geographic range. *Ecography*, 28, 475–484.
- Martínez-Morales MA (2005) Nested species assemblages as a tool to detect sensitivity to forest fragmentation: The case of cloud forest birds. *Oikos*, 108, 634–642.
- Fischer J, Lindenmayer DB (2005) Nestedness in fragmented landscapes: A case study on birds, arboreal marsupials and lizards. *Journal of Biogeography*, 32, 1737–1750.
- Heino J (2005) Metacommunity patterns of highly diverse stream midges: Gradients, checkerboards, and nestedness, or is there only randomness? *Ecological Entomology*, 30, 590–599.
- Fischer J, Lindenmayer DB (2005) Perfectly nested or significantly nested: An important difference for conservation management. *Oikos*, 109, 485–494.
- McAbendroth L, Foggo A, Rundle SD, Bilton DT (2005) Unravelling nestedness and spatial pattern in pond assemblages. *Journal of Animal Ecology*, 74, 41–49.
- Wethered R, Lawes MJ (2005) Nestedness of bird assemblages in fragmented Afromontane forest: The effect of plantation forestry in the matrix. *Biological Conservation*, 123, 125–137.
- Chen SH, Ding P, Zheng GM, Wang YJ (2005) Bird community patterns in response to the island features of urban woodlots in eastern China. *Acta Ecologica Sinica*, 25, 657–663. (in Chinese with English abstract) [陈水华, 丁平, 郑光美, 王玉军 (2005) 园林鸟类群落的岛屿性格局. *生态学报*, 25, 657–663.]
- Bell KE, Donnelly MA (2006) Influence of forest fragmentation on community structure of frogs and lizards in Northeastern Costa Rica. *Conservation Biology*, 20, 1750–1760.
- Tockner K, Klaus I, Baumgartner C, Ward JV (2006) Amphibian diversity and nestedness in a dynamic floodplain river (Tagliamento, NE-Italy). *Hydrobiologia*, 565, 121–133.
- Platt A, Lill A (2006) Composition and conservation value of bird assemblages of urban 'habitat islands': Do pedestrian traffic and landscape variables exert an influence? *Urban Ecosystems*, 9, 83–97.
- Spyreas G, Matthews JW (2006) Floristic conservation value, nested understory floras, and the development of second-growth forest. *Ecological Applications*, 16, 1351–1366.
- Schouten MA, Verweij PA, Barendregt A, Kleukers RJM, de Ruiter PC (2007) Nested assemblages of Orthoptera species in the Netherlands: The importance of habitat features and life-history traits. *Journal of Biogeography*, 34, 1938–1946.
- Jacquemyn H, Honnay O, Pailler T (2007) Range size variation, nestedness and species turnover of orchid species along an altitudinal gradient on Réunion Island: Implications for conservation. *Biological Conservation*, 136, 388–397.
- Granado-Lorencio C, Cervia JL, Lima CRMA (2007) Floodplain lake fish assemblages in the Amazon River: Directions in conservation biology. *Biodiversity and Conservation*, 16, 679–692.
- Yee DA, Yee SH (2007) Nestedness patterns of container-dwelling mosquitoes: Effects of larval habitat within variable terrestrial matrices. *Hydrobiologia*, 592, 373–385.
- Horsak M, Cernohorsky N (2008) Mollusc diversity patterns in Central European fens- hotspots and conservation priorities. *Journal of Biogeography*, 35, 1215–1225.
- Chen YH (2008) Avian biogeography and conservation on Hainan Island, China. *Zoological Science*, 25, 59–67.
- Omesová M, Horsák M, Helešic J (2008) Nested patterns in hyporheic meta-communities: The role of body morphology and penetrability of sediment. *Naturwissenschaften*, 95, 917–926.
- Lindo Z, Winchester NN, Didham RK (2008) Nested patterns of community assembly in the colonisation of artificial canopy habitats by oribatid mites. *Oikos*, 117, 1856–1864.
- Craig CN, Reece BA, McIntyre NE (2008) Nestedness in playa odonates as a function of area and surrounding land-use. *Wetlands*, 28, 995–1003.

- Rashleigh B (2008) Nestedness in riverine mussel communities: Patterns across sites and fish hosts. *Ecography*, 31, 612–619.
- Horsák M, Cernohorsky N (2008) Mollusc diversity patterns in Central European fens: Hotspots and conservation priorities. *Journal of Biogeography*, 35, 1215–1225.
- Valdovinos FS, Chiappa E, Simonetti JA (2008) Nestedness of bee assemblages in an endemic South American forest: The role of pine matrix and small fragments. *Journal of Insect Conservation*, 13, 449–452.
- Azeria ET, Kolasa J (2008) Nestedness, niche metrics and temporal dynamics of a metacommunity in a dynamic natural model system. *Oikos*, 117, 1006–1019.
- Soininen J (2008) The ecological characteristics of idiosyncratic and nested diatoms. *Protist*, 159, 65–72.
- Driscoll DA (2008) The frequency of metapopulations, metacommunities and nestedness in a fragmented landscape. *Oikos*, 117, 297–309.
- Fernández AI, Viedma O, Angeler DG (2009) False correlates of nested patterns: A case study using temporary pond microcrustaceans. *International Review of Hydrobiology*, 94, 513–527.
- Ramos-Jiliberto R, Pablo Oyanedel J, Vega-Retter C, Valdovinos FS (2009) Nested structure of plankton communities from Chilean freshwaters. *Limnologica*, 39, 319–324.
- Frick WF, Hayes JP, Heady PA (2009) Nestedness of desert bat assemblages: Species composition patterns in insular and terrestrial landscapes. *Oecologia*, 158, 687–697.
- Heino J (2009) Species co-occurrence, nestedness and guild-environment relationships in stream macroinvertebrates. *Freshwater Biology*, 54, 1947–1959.
- Beketov MA (2009) The Rapoport effect is detected in a river system and is based on nested organization. *Global Ecology and Biogeography*, 18, 498–506.
- Zelmer DA, Gross CM (2009) “Active” passive sampling in two species of leptomis from Par Pond, South Carolina, United States: A case study of infracommunity nestedness. *Journal of Parasitology*, 95, 1054–1061.
- Leprieur F, Olden JD, Lek S, Brosse S (2009) Contrasting patterns and mechanisms of spatial turnover for native and exotic freshwater fish in Europe. *Journal of Biogeography*, 36, 1899–1912.
- Azeria ET, Fortin D, Lemaître J, Janssen P, Hébert C, Darveau M, Cumming SG (2009) Fine-scale structure and cross-taxon congruence of bird and beetle assemblages in an old-growth boreal forest mosaic. *Global Ecology and Biogeography*, 18, 333–345.
- Hokkanen PJ, Kouki J, Komonen A (2009) Nestedness, SLOSS and conservation networks of boreal herb-rich forests. *Applied Vegetation Science*, 12, 295–303.
- Watson JEM, Watson AWT, Fischer J, Ingram JC, Whittaker RJ (2009) Using nestedness and species-accumulation analyses to strengthen a conservation plan for littoral forest birds in South-Eastern Madagascar. *International Journal of Biodiversity and Conservation*, 1, 67–80.
- Heino J, Mykrä H, Muotka T (2009) Temporal variability of nestedness and idiosyncratic species in stream insect assemblages. *Diversity and Distributions*, 15, 198–206.
- Heino J, Mykrä H, Rintala J (2010) Assessing patterns of nestedness in stream insect assemblages along environmental gradients. *Écoscience*, 17, 345–355.
- Mitsuo Y, Tsunoda H, Ohira M, Doi M, Senga Y (2010) Nested subset patterns of species composition in a pond-dwelling fish fauna. *Ecological Research*, 26, 311–316.
- Larsen S, Ormerod SJ (2010) Combined effects of habitat modification on trait composition and species nestedness in river invertebrates. *Biological Conservation*, 143, 2638–2646.
- Sebastián-González E, Botella F, Paracuellos M, Sánchez-Zapata JA (2010) Processes driving temporal dynamics in the nested pattern of waterbird communities. *Acta Oecologica*, 36, 160–165.

- Murgui E (2010) Seasonality and nestedness of bird communities in urban parks in Valencia, Spain. *Ecography*, 33, 979–984.
- Gómez-Rodríguez C, Díaz-Paniagua C, Bustamante J, Serrano L, Portheault A (2010) Relative importance of dynamic and static environmental variables as predictors of amphibian diversity patterns. *Acta Oecologica*, 36, 650–658.
- Florencio M, Díaz-Paniagua C, Serrano L, Bilton DT (2010) Spatio-temporal nested patterns in macroinvertebrate assemblages across a pond network with a wide hydroperiod range. *Oecologia*, 166, 469–483.
- Hill JK, Gray MA, Khen CV, Benedick S, Tawatao N, Hamer KC (2011) Ecological impacts of tropical forest fragmentation: How consistent are patterns in species richness and nestedness? *Philosophical Transactions of the Royal Society B: Biological Sciences*, 366, 3265–3276.
- Presley SJ, Cisneros LM, Patterson BD, Willig MR (2011) Vertebrate metacommunity structure along an extensive elevational gradient in the tropics: A comparison of bats, rodents and birds. *Global Ecology and Biogeography*, 21, 968–976.
- Picazo F, Bilton DT, Moreno JL, Sanchez-Fernandez D, Millan A (2011) Water beetle biodiversity in Mediterranean standing waters: Assemblage composition, environmental drivers and nestedness patterns. *Insect Conservation and Diversity*, 5, 146–158.
- Mohd-Azlan J, Lawes MJ (2011) The effect of the surrounding landscape matrix on mangrove bird community assembly in north Australia. *Biological Conservation*, 144, 2134–2141.
- Karthick B, Mahesh MK, Ramachandra TV (2011) Nestedness pattern in stream diatom assemblages of central Western Ghats. *Current Science*, 100, 552–558.
- Rubio AV, Simonetti JA (2011) Lizard assemblages in a fragmented landscape of central Chile. *European Journal of Wildlife Research*, 57, 195–199.
- Granado-Lorencio C, Serna AH, (...), Alvarez F (2012) Regionally nested patterns of fish assemblages in floodplain lakes of the Magdalena River (Colombia). *Ecology and Evolution*, 2, 1296–1303.
- Verbruggen E, van der Heijden MGA, Weedon JT, Kowalchuk GA, Roling WFM (2012) Community assembly, species richness and nestedness of arbuscular mycorrhizal fungi in agricultural soils. *Molecular Ecology*, 21, 2341–2353.
- Moreira LFB, Maltchik L (2012) Assessing patterns of nestedness and co-occurrence in coastal pond anuran assemblages. *Amphibia-Reptilia*, 33, 261–271.
- Anderson RP, Gutiérrez EE, Ochoa-G J, García FJ, Aguilera M (2012) Faunal nestedness and species–area relationship for small non-volant mammals in “sky islands” of northern Venezuela. *Studies on Neotropical Fauna and Environment*, 47, 157–170.
- Sasaki T, Katabuchi M, Kamiyama C, Shimazaki M, Nakashizuka T, Hikosaka K (2012) Nestedness and niche-based species loss in moorland plant communities. *Oikos*, 121, 1783–1790.
- Kopecký M, Hédli R, Szabó P (2012) Non-random extinctions dominate plant community changes in abandoned coppices. *Journal of Applied Ecology*, 50, 79–87.
- Larsen S, Mancini L, Pace G, Scalici M, Tancioni L (2012) Weak concordance between fish and macroinvertebrates in Mediterranean streams. *PLoS ONE*, 7, e51115.
- González-Oreja JA, De La Fuente-Díaz-Ordaz AA, Hernández-Santín L, Bonache-Regidor C, Buzo-Franco D (2012) Can human disturbance promote nestedness? Songbirds and noise in urban parks as a case study. *Landscape and Urban Planning*, 104, 9–18.
- Kelt DA, Engilis JA, Monárdez J, Walsh R, Meserve PL, Gutiérrez JR (2012) Seasonal and multiannual patterns in avian assemblage structure and composition in Northern Chilean Thorn-Scrub. *The Condor*, 114, 30–43.

- Ruhí A, Boix D, Gascón S, Sala J, Quintana XD (2012) Nestedness and successional trajectories of macroinvertebrate assemblages in man-made wetlands. *Oecologia*, 171, 545–556.
- Slipinski P, Zmihorski M, Czechowski W (2012) Species diversity and nestedness of ant assemblages in an urban environment. *European Journal of Entomology*, 109, 197–206.
- Sebastian-Gonzalez E, Molina JA, Paracuellos M (2012) Distribution patterns of a marsh vegetation metacommunity in relation to habitat configuration. *Aquatic Biology*, 16, 277–285.
- Wang BY, Wang XM, Wang TH, Ding YZ (2012) Nested analysis of urban woodlot bird communities in Minhang District of Shanghai. *Acta Ecologica Sinica*, 32, 2788–2795. (in Chinese with English abstract) [王本耀, 王小明, 王天厚, 丁由中 (2012) 上海闵行区园林鸟类群落嵌套结构. *生态学报*, 32, 2788–2795.]
- Miyazono S, Taylor CM (2013) Effects of habitat size and isolation on species immigration-extinction dynamics and community nestedness in a desert river system. *Freshwater Biology*, 58, 1303–1312.
- Tornés E, Ruhí A (2013) Flow intermittency decreases nestedness and specialisation of diatom communities in Mediterranean rivers. *Freshwater Biology*, 58, 2555–2566.
- Lebbin DJ (2013) Nestedness and patch size of bamboo-specialist bird communities in Southeastern Peru. *The Condor*, 115, 230–236.
- Menezes JAF, Fernandez FAS (2013) Nestedness in forest mammals is dependent on area but not on matrix type and sample size: An analysis on different fragmented landscapes. *Brazilian Journal of Biology*, 73, 465–470.
- Rodríguez D, Ojeda RA (2013) Scaling coexistence and assemblage patterns of desert small mammals. *Mammalian Biology*, 78, 313–321.
- Wang Y, Ding P, Chen S, Zheng G (2013) Nestedness of bird assemblages on urban woodlots: Implications for conservation. *Landscape and Urban Planning*, 111, 59–67.
- Srinivasan U, Tamma K, Ramakrishnan U (2013) Past climate and species ecology drive nested species richness patterns along an east-west axis in the Himalaya. *Global Ecology and Biogeography*, 23, 52–60.
- Buendia C, Gibbins CN, (...), Douglas A (2013) Detecting the structural and functional impacts of fine sediment on stream invertebrates. *Ecological Indicators*, 25, 184–196.
- Li Z, Zhou L, Shu X, Jiang G, Liang X, Fang Z (2013) Nestedness of bird assemblages in the karst forest fragments of southwestern Guangxi, China. *Chinese Birds*, 4, 170–183.
- Zhou D, Chu L (2014) Do avian communities vary with season in highly urbanized Hong Kong? *The Wilson Journal of Ornithology*, 126, 69–80.
- Pagel J, Martínez-Abraín A, Gómez JA, Jiménez J, Oro D (2014) A long-term macroecological analysis of the recovery of a waterbird metacommunity after site protection. *PLoS ONE*, 9, e105202.
- Zapponi L, Luiselli L, Cento M, Catorci A, Bologna MA (2014) Disentangling patch and landscape constraints of nested assemblages. *Basic and Applied Ecology*, 15, 712–719.
- Rocha C, Vrcibradic D, Kiefer M, Menezes V, Fontes A, Hatano F, Van Sluys M (2014) Species composition, richness and nestedness of lizard assemblages from Restinga habitats along the Brazilian coast. *Brazilian Journal of Biology*, 74, 349–354.
- Petsch DK, Pinha GD, Dias JD, Takeda AM (2014) Temporal nestedness in Chironomidae and the importance of environmental and spatial factors in species rarity. *Hydrobiologia*, 745, 181–193.
- Baini F, Bologna MA, Pitzalis M, Taiti S, Vigna Taglianti A, Zapparoli M (2014) Assessing patterns of co-occurrence and nestedness of arthropod assemblages in an artificial-natural Mediterranean forest mosaic (Isopoda Oniscidea, Coleoptera Carabidae). *Rendiconti Lincei*, 25, 339–350.
- Rautenbach A, Dickerson T, Schoeman MC (2014) Diversity of rodent and shrew assemblages in different vegetation types of the savannah biome in South Africa: No evidence for nested subsets or competition. *African Journal of Ecology*, 52, 30–40.

- Matthews TJ, Sheard C, Cottee-Jones HEW, Bregman TP, Tobias JA, Whittaker RJ (2015) Ecological traits reveal functional nestedness of bird communities in habitat islands: A global survey. *Oikos*, 124, 817–826.
- Lazzaro L, Giuliani C, Benesperi R, Calamassi R, Foggi B (2015) Plant species loss and community nestedness after leguminous tree *Acacia pycnantha* invasion in a Mediterranean ecosystem. *Folia Geobotanica*, 50, 229–238.
- Matthews TJ, Sheard C, Cottee-Jones HEW, Bregman TP, Tobias JA, Whittaker RJ (2015) Ecological traits reveal functional nestedness of bird communities in habitat islands: A global survey. *Oikos*, 124, 817–826.
- Lizee MH, Taton T, Deschamps-Cottin M (2015) Nested patterns in urban butterfly species assemblages: Respective roles of plot management, park layout and landscape features. *Urban Ecosystems*, 19, 205–224.
- Herczeg R, Horvath GF (2015) Species composition and nestedness of small mammal assemblages in two disturbed marshlands. *North-Western Journal of Zoology*, 11, 183–193.
- Braoudakis GV, Jackson DA (2016) Effect of lake size, isolation and top predator presence on nested fish community structure. *Journal of Biogeography*, 43, 1425–1435.
- Lorenzón RE, Beltzer AH, Olguin PF, Ronchi-Virgolini AL (2016) Habitat heterogeneity drives bird species richness, nestedness and habitat selection by individual species in fluvial wetlands of the Paraná River, Argentina. *Austral Ecology*, 41, 829–841.
- Jacoboski LI, Debastiani VJ, de Mendonça-Lima A, Hartz SM (2016) How do diversity and functional nestedness of bird communities respond to changes in the landscape caused by eucalyptus plantations? *Community Ecology*, 17, 107–113.
- Bender MG, Leprieur F, Mouillot D, Kulbicki M, Parravicini V, Pie MR, Floeter SR (2016) Isolation drives taxonomic and functional nestedness in tropical reef fish faunas. *Ecography*, 40, 425–435.
- Almeida-Gomes M, Rocha CFD, Vieira MV (2016) Local and landscape factors driving the structure of tropical anuran communities: Do ephemeral ponds have a nested pattern? *Biotropica*, 48, 365–372.
- Varzinczak LH, Bernardi IP, Passos FC (2016) Null model analysis on bat species co-occurrence and nestedness patterns in a region of the Atlantic Rainforest, Brazil. *Mammalia*, 80, 171–179.
- Barrantes G, Ocampo D, Ramírez-Fernández JD, Fuchs EJ (2016) Effect of fragmentation on the Costa Rican dry forest avifauna. *PeerJ*, 4, e2422.
- Rodrigues JFM, Borges-Leite MJ, Borges-Nojosa DM (2016) Does climate influence assemblages of anurans and lizards in a coastal area of north-eastern Brazil? *Acta Oecologica*, 77, 187–192.
- Stegner MA, Karp DS, Rominger AJ, Hadly EA (2017) Can protected areas really maintain mammalian diversity? Insights from a nestedness analysis of the Colorado Plateau. *Biological Conservation*, 209, 546–553.
- Nolte D, Schuldt A, Gossner MM, Ulrich W, Assmann T (2017) Functional traits drive ground beetle community structures in Central European forests: Implications for conservation. *Biological Conservation*, 213, 5–12.
- Sakai M, Suda S, Okeda T, Washitani I (2017) Identifying priority habitats and monitoring species for conservation and restoration of lentic Odonata habitats: Assemblage nestedness on Amami-Oshima Island, Japan. *Ecological Research*, 32, 693–702.
- Reichard M, Janac M, (...), Vrtilek M (2017) Community assembly in *Nothobranchius* annual fishes: Nested patterns, environmental niche and biogeographic history. *Ecology and Evolution*, 7, 2294–2306.
- Berriozabal-Islas C, Badillo-Saldaña LM, Ramírez-Bautista A, Moreno CE (2017) Effects of habitat disturbance on lizard functional diversity in a tropical dry forest of the Pacific coast of Mexico. *Tropical Conservation Science*, 10, 194008291770497.
- Dražina T, Špoljar M, Primc B, Habdija I (2017) Distribution of rotifers and other meiofauna in the bryophytes and hyporheic zone of a karst hydrosystem—An example of a nested community. *Marine and Freshwater Research*, 68, 43–52.

- Seger GDS, Cappelatti L, Gonçalves LO, Becker F, Melo AS, Duarte LDS (2017) Phylogenetic and functional structure of climbing plant assemblages in woody patches advancing over Campos grassland. *Journal of Vegetation Science*, 28, 1187–1197.
- Josens ML, Osinaga-Acosta O, (...), Grau HR (2017) Bird diversity and its relationship with habitat characteristics in high Andean peatbogs. *Ardeola*, 64, 363–376.
- Pinha GD, Tramonte RP, Bilia Camila G, Takeda AM (2017) Differences in environmental heterogeneity promote the nestedness of Chironomidae metacommunity in Neotropical floodplain lakes. *Acta Limnologica Brasiliensia*, 29, e118.
- Flores O, Seoane J, (...), Azcarate FM (2018) Spatial patterns of species richness and nestedness in ant assemblages along an elevational gradient in a Mediterranean mountain range. *PLoS ONE*, 13, e0204787.
- Akinyemi DS, Remi OS, Shakoor A, Olajide OS (2018) Nestedness and modularity in fragmented shasha forest reserve, Southwestern Nigeria. *Journal of Sustainable Forestry*, 38, 292–304.
- Bohnenberger JE, Schneck F, Crossetti LO, Lima MS, Motta-Marques DD (2018) Taxonomic and functional nestedness patterns of phytoplankton communities among coastal shallow lakes in southern Brazil. *Journal of Plankton Research*, 40, 555–567.
- Checon HH, Corte GN, (...), Amaral ACZ (2018) Nestedness patterns and the role of morphodynamics and spatial distance on sandy beach fauna: Ecological hypotheses and conservation strategies. *Scientific Reports*, 8, 3759.
- Schuh MH, Guadagnin DL (2018) Habitat and landscape factors associated with the nestedness of waterbird assemblages and wetland habitats in South Brazil. *Austral Ecology*, 43, 989–999.
- Warburton EM, Van Der Mescht L, Khokhlova IS, Krasnov BR, Vonhof MJ (2018) Nestedness in assemblages of helminth parasites of bats: A function of geography, environment, or host nestedness? *Parasitology Research*, 117, 1621–1630.
- Kale M, Ferrante M, Dudhe N, Kasambe R, Trukhanova IS, Ivanova T, Prosun B, Lövei GL (2018) Nestedness of bird assemblages along an urbanisation gradient in Central India. *Journal of Urban Ecology*, 4, 17.
- Lourenco-de-Moraes R, Malagoli LR, Guerra V, Ferreira RB, Affonso IDP, Haddad, CFB, Sawaya RJ, Bastos RP (2018) Nesting patterns among Neotropical species assemblages: Can reserves in urban areas be failing to protect anurans? *Urban Ecosystems*, 21, 933–942.
- Tavella J, Alvarez Pringles AP, Cagnolo L (2018) Determinants of ant species spatial distribution in habitats from central Argentina. *Community Ecology*, 19, 300–310.
- Dala-Corte RB, Melo AS (2018) Living on a catfish: Nested occupation of ectosymbiont chironomids on host body. *Canadian Journal of Zoology*, 96, 692–699.
- Li C, Zhao B, Wang Y (2019) Nestedness of waterbird assemblages in the subsidence wetlands recently created by underground coal mining. *Current Zoology*, 65, 155–163.
- Almeida-Gomes M, Vieira MV, Rocha CFD, Melo AS (2019) Habitat amount drives the functional diversity and nestedness of anuran communities in an Atlantic Forest fragmented landscape. *Biotropica*, 51, 874–884.
- de la Hera I (2019) Seasonality affects avian species distribution but not diversity and nestedness patterns in the urban parks of Vitoria-Gasteiz (Spain). *Animal Biodiversity and Conservation*, 42, 279–291.
- Zungu MM, Maseko MST, (...), Downs CT (2019) Fragment and life-history correlates of extinction vulnerability of forest mammals in an urban-forest mosaic in EThekweni Municipality, Durban, South Africa. *Animal Conservation*, 22, 362–375.
- Huiñocana JCS, Albertoni EF, Picolotto RC, Milesi SV, Hepp LU (2020) Nestedness of insect assemblages in agriculture-impacted Atlantic forest streams. *International Journal of Limnology*, 56, 3.
- Cerini F, Bologna MA, Vignoli L (2020) Nestedness-patterns of Odonata assemblages in artificial and natural aquatic habitats reveal the potential role of drinking troughs for aquatic insect conservation. *Journal of Insect*

- Conservation, 24, 421–429.
- Barnagaud J, Geniez P, Cheylan M, Crochet P (2020) Climate overrides the effects of land use on the functional composition and diversity of Mediterranean reptile assemblages. *Diversity and Distributions*, 27, 50–64.
- Tan X, Yang X, Chen C, Wang Y (2021) Nestedness and underlying processes of bird assemblages in Nanjing urban parks. *Current Zoology*, 67, 383–392.
- Wang R, Yang X (2021) Nestedness theory suggests wetland fragments with large areas and macrophyte diversity benefit waterbirds. *Ecology and Evolution*, 11, 12651–12664.
- Šeat J, Nadaždin B, Milić N, Ćuk M, Torma A (2021) How steady is the nested pattern in saline grassland true bug communities? Effects of sampling effort and data completeness on nestedness. *Acta Oecologica*, 110, 103670.
- Dardanelli S, Bellis ML (2021) Nestedness structure of bird assemblages in a fragmented forest in Central Argentina: The role of selective extinction and colonization processes. *Animal Biodiversity and Conservation*, 44, 17–29.
- Neves FD, Da Silva PG, Solar R, Nunes CA, Beirao MD, Brant H, De Castro FS, Dattilo W, Fernandes GW (2021) Habitat generalists drive nestedness in a tropical mountaintop insect metacommunity. *Biological Journal of the Linnean Society*, 133, 577–586.
- Pandilha J, Toledo JJD, Barbosa LCF, Carvalho WD, de Sousa JC, Cardoso da Silva JM (2021) Composition, richness and nestedness of gallery forest bird assemblages in an Amazonian savanna landscape: Lessons for conservation. *PeerJ*, 9, e12529.
- Hepp LU, Milesi SV, (...), Restello RM (2021) Nestedness of stream insects in Subtropical region: Importance of inter-annual temporal scale. *Iheringia Serie Zoologia*, 111, e2021005.
- Zheng JF, Tang R, He S, Chen YH, Wu S, Zhang K, Xu Y, Zou X (2021) Bird diversity and nestedness on fragmented woodlots in Huaxi University Town, Guizhou Province. *Biodiversity Science*, 29, 661–667. (in Chinese with English abstract) [郑进凤, 唐蓉, 贺霜, 陈月红, 伍素, 张凯, 徐雨, 邹晓 (2021) 贵州花溪大学城破碎化林地鸟类多样性与嵌套分布格局. 生物多样性, 29, 661–667.]
- Chen R, Cheng S (2022) Detecting nestedness in city parks for urban biodiversity conservation. *Urban Ecosystems*, 25, 1839–1850.
- Dondina O, Orioli V, Tirozzi P, Bani L (2022) Long-term dynamic of nestedness in bird assemblages inhabiting fragmented landscapes. *Landscape Ecology*, 37, 1543–1558.
- Barros RA, Dorado-Rodrigues TF, Christine S (2022) Taxonomic, functional, and phylogenetic diversity of lizard assemblages across habitats and seasons in a Brazilian cerrado area. *Austral Ecology*, 47, 983–996.
- Tian LJ, Yang XB, Li DH, Li L, Chen L, Liang CQ, Zhang PC, Li CD (2022) Species diversity and nestedness of bird assemblages in the forest fragments of Haikou and Sanya cities. *Biodiversity Science*, 30, 21424. (in Chinese with English abstract) [田璐嘉, 杨小波, 李东海, 李龙, 陈琳, 梁彩群, 张培春, 李晨笛 (2022) 海口和三亚两城市破碎化林地中鸟类群落多样性与嵌套分布格局. 生物多样性, 30, 21424.]
- Li BQ, Tang TT, Yang MD, Tan LF (2022) Breeding bird diversity and nestedness on urban park: Taking Liuzhou, Guangxi as an example. *Natural Protected Areas*, 2(3), 50–64. (in Chinese with English abstract) [李斌强, 唐婷婷, 杨妙丹, 谭丽凤 (2022) 城市公园繁殖鸟类多样性与嵌套分布格局—以广西柳州为例. 自然保护地, 2(3), 50–64.]
- Rodríguez S, Galán P, Martínez-Abraín A (2023) Nestedness patterns of amphibian assemblages in northwestern Iberia along an altitudinal gradient: Implications for conservation. *Herpetologica*, 79, 79–90.
- Yuan QM, Deng ZD, Liang JC, Hu HJ, Ding ZF (2023) Nestedness patterns and its relationships with landscape characteristics for resident birds in urban green patches of Guangzhou. *Sichun Journal of Zoology*, 42, 14–20. (in Chinese with English abstract) [袁倩敏, 邓卓迪, 梁健超, 胡慧建, 丁志锋 (2023) 广州城市绿地留鸟嵌套分布格局及其影响因素. 四川动物, 42, 14–20.]

Continuous/Continental System

- Patterson BD, Brown JH (1991) Regionally nested patterns of species composition in granivorous rodent assemblages. *Journal of Biogeography*, 18, 395–402.
- Simonetti JA (1994) Impoverishment and nestedness in caviomorph assemblages. *Journal of Mammalogy*, 75, 979–984.
- Patterson BD, Pacheco V, Solari S (1996) Distribution of bats along an elevational gradient in the Andes of south-eastern Peru. *Journal of Zoology*, 240, 637–658.
- Worthen WB, Carswell ML, Kelly KA (1996) Nested subset structure of larval mycophagous fly assemblages: Nestedness in a non-island system. *Oecologia*, 107, 257–264.
- Bird BM, Boecklen WJ (1998) Nestedness and migratory status of avian assemblages in North America and Europe. *Biodiversity and Conservation*, 7, 1325–1331.
- Ibáñez JJ, Caniego J, García-Álvarez A (2004) Nested subset analysis and taxa-range size distributions of pedological assemblages: Implications for biodiversity studies. *Ecological Modelling*, 182, 239–256.
- Cox MP, Dickman CR, Hunter J (2004) Effects of rainforest fragmentation on non-flying mammals of the Eastern Dorrigo Plateau, Australia. *Biological Conservation*, 115, 175–189.
- Fischer J, Lindenmayer DB (2005) Nestedness in fragmented landscapes: A case study on birds, arboreal marsupials and lizards. *Journal of Biogeography*, 32, 1737–1750.
- Hylland K, Nilsson C, Gunnar Jonsson B, Göthner T (2005) Differences in habitat quality explain nestedness in a land snail meta-community. *Oikos*, 108, 351–361.
- Sætersdal M, Gjerde I, Blom HH (2005) Indicator species and the problem of spatial inconsistency in nestedness patterns. *Biological Conservation*, 122, 305–316.
- Wright DH, Gonzalez A, Coleman DC (2007) Changes in nestedness in experimental communities of soil fauna undergoing extinction. *Pedobiologia*, 50, 497–503.
- Bloch CP, Higgins CL, Willig MR (2007) Effects of large-scale disturbance on metacommunity structure of terrestrial gastropods: Temporal trends in nestedness. *Oikos*, 116, 395–406.
- Wang H, Zhang XL, Zhang W, Sun YC, Chen J (2007) Composition and nested analysis of pedological assemblages in Nanjing. *Acta Ecologica Sinica*, 27, 220–227. (in Chinese with English abstract) [王辉, 张学雷, 张薇, 孙燕瓷, 陈杰 (2007) 南京市土壤集合组成及其嵌套性分析. *生态学报*, 27, 220–227.]
- Jeremy TK, Alissa S, Laurence P (2008) Indicator taxa, rapid biodiversity assessment, and nestedness in an endangered ecosystem. *Conservation Biology*, 14, 1726–1734.
- Valdovinos FS, Chiappa E, Simonetti JA (2008) Nestedness of bee assemblages in an endemic South American forest: The role of pine matrix and small fragments. *Journal of Insect Conservation*, 13, 449–452.
- Driscoll DA (2008) The frequency of metapopulations, metacommunities and nestedness in a fragmented landscape. *Oikos*, 117, 297–309.
- Frick WF, Hayes JP, Heady PA (2009) Nestedness of desert bat assemblages: Species composition patterns in insular and terrestrial landscapes. *Oecologia*, 158, 687–697.
- Cabrero-Sañudo FJ, Lobo JM (2009) Biogeography of Aphodiinae dung beetles based on the regional composition and distribution patterns of genera. *Journal of Biogeography*, 36, 1474–1492.
- Elmendorf SC, Harrison SP (2009) Temporal variability and nestedness in California grassland species composition. *Ecology*, 90, 1492–1497.
- Jacquemyn H, Honnay O, Cammue BPA, Brys R, Lievens B (2010) Low specificity and nested subset structure characterize mycorrhizal associations in five closely related species of the genus *Orchis*. *Molecular Ecology*, 19, 4086–4095.

- Louzada J, Gardner T, Peres C, Barlow J (2010) A multi-taxa assessment of nestedness patterns across a multiple-use Amazonian forest landscape. *Biological Conservation*, 143, 1102–1109.
- Ulrich W, Bakowski M, Lastuvka Z (2011) Spatial distributions of European clearwing moths (Lepidoptera: Sesiidae). *European Journal of Entomology*, 108, 439–446.
- Abu Baker M, Patterson BD (2011) Patterns in the local assembly of Egyptian rodent faunas: Co-occurrence and nestedness. *Journal of Arid Environments*, 75, 14–19.
- Rubio AV, Simonetti JA (2011) Lizard assemblages in a fragmented landscape of central Chile. *European Journal of Wildlife Research*, 57, 195–199.
- Verbruggen E, van der Heijden MGA, Weedon JT, Kowalchuk GA, Roling WFM (2012) Community assembly, species richness and nestedness of arbuscular mycorrhizal fungi in agricultural soils. *Molecular Ecology*, 21, 2341–2353.
- Moreira LFB, Maltchik L (2015) Our time will come: Is anuran community structure related to crop age? *Austral Ecology*, 40, 827–835.
- Trivellini G, Polidori C, Pasquaretta C, Orsenigo S, Bogliani G (2016) Nestedness of habitat specialists within habitat generalists in a butterfly assemblage. *Insect Conservation and Diversity*, 9, 495–505.
- Chaves LF, Anez N (2016) Nestedness patterns of sand fly (Diptera: Psychodidae) species in a neotropical semi-arid environment. *Acta Tropica*, 153, 7–13.
- Standish RJ, Gove AD, Daws MI, Renton M (2018) Nestedness patterns reveal impacts of reduced rainfall on seedling establishment in restored jarrah forest. *Forest Ecology and Management*, 427, 242–249.
- Almeida-Gomes M, Vieira MV, Rocha CFD, Melo AS (2019) Habitat amount drives the functional diversity and nestedness of anuran communities in an Atlantic Forest fragmented landscape. *Biotropica*, 51, 874–884.
- Rabelo RM, Aragón S, Bicca-Marques JC, Nelson BW (2019) Habitat amount hypothesis and passive sampling explain mammal species composition in Amazonian river islands. *Biotropica*, 51, 84–92.
- Caula SA, D'Angelo VS (2021) Impact of urbanization to an island and the continent: Species turnover and nestedness in neotropical bird assemblages. *Frontiers in Ecology and Evolution*, 9, 727879.
- Wang WT, Jiang Y, Chen YF, Luo WQ, He D, Wang YS, Chu CJ, Li BH (2022) Using intraspecific variation of functional traits and environmental factors to understand the formation of nestedness patterns of a local forest community. *Journal of Plant Ecology*, 15, 1185–1198.